

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total Age			< 1		1 - 4		5 -14	
		No.	Rate	adj. rate	No.	Rate	No.	Rate	No.	Rate
Anguilla, 2000										
Both Sexes										
All causes	A00-Y89	72	610.3	601.0	1	518.1	1	133.1	0	0.0
Symptoms and ill defined conditions	R00-R99	4	33.9	31.6	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	4	33.9	33.8	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	9	76.3	73.6	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	34	288.2	281.4	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	1	8.5	12.4	1	518.1	0	0.0	0	0.0
External causes	V01-Y89	4	33.9	31.6	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	16	135.6	136.7	0	0.0	1	133.1	0	0.0
Males										
All causes	A00-Y89	34	569.1	612.5	1	1020.4	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	2	33.5	31.2	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	2	33.5	31.2	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	7	117.2	132.8	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	10	167.4	183.0	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	1	16.7	24.5	1	1020.4	0	0.0	0	0.0
External causes	V01-Y89	3	50.2	45.7	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	9	150.7	164.0	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	38	652.6	587.4	0	0.0	1	266.3	0	0.0
Symptoms and ill defined conditions	R00-R99	2	34.4	30.1	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	2	34.4	38.3	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	2	34.4	28.4	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	24	412.2	359.6	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	17.2	15.1	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	7	120.2	115.9	0	0.0	1	266.3	0	0.0
Anguilla, 2001										
Both Sexes										
All causes	A00-Y89	52	454.9	435.9	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	4	35.0	30.9	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	5	43.7	41.8	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	4	35.0	34.6	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	21	183.7	176.0	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	3	26.3	28.2	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	15	131.2	124.3	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	32	568.6	566.3	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	1	17.8	17.2	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	3	53.3	51.7	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	4	71.1	72.6	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	11	195.5	193.3	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	2	35.5	40.8	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	11	195.5	190.6	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	20	344.7	315.0	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	3	51.7	43.6	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	2	34.5	33.9	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	10	172.4	162.4	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	17.2	15.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	4	68.9	60.1	0	0.0	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Anguilla, 2000										
Both Sexes										
All causes	A00-Y89	3	148.0	7	172.3	1.0	55.9	59	7074.3	0.9
Symptoms and ill defined conditions	R00-R99	0	0.0	1	24.6	0.0	0.0	3	359.7	1.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	49.3	1	24.6	1.0	55.9	1	119.9	1.0
Neoplasms	C00-D48	0	0.0	1	24.6	0.0	0.0	8	959.2	3.4
Diseases of circulatory system	I00-I99	0	0.0	2	49.2	0.0	0.0	32	3836.9	0.4
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	2	98.7	1	24.6	0.0	0.0	1	119.9	2.9
Residual	Rest of D50-Q99	0	0.0	1	24.6	0.0	0.0	14	1678.7	1.3
Males										
All causes	A00-Y89	2	196.9	5	235.7	0.0	0.0	26	7046.1	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	47.2	0.0	0.0	1	271.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	1	47.2	0.0	0.0	1	271.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	7	1897.0	0
Diseases of circulatory system	I00-I99	0	0.0	1	47.2	0.0	0.0	9	2439.0	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	2	196.9	1	47.2	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	1	47.2	0.0	0.0	8	2168.0	0
Females										
All causes	A00-Y89	1	98.9	2	103.0	1.0	112.9	33	7096.8	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	2	430.1	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	98.9	0	0.0	1.0	112.9	0	0.0	0
Neoplasms	C00-D48	0	0.0	1	51.5	0.0	0.0	1	215.1	0
Diseases of circulatory system	I00-I99	0	0.0	1	51.5	0.0	0.0	23	4946.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	1	215.1	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	6	1290.3	0
Anguilla, 2001										
Both Sexes										
All causes	A00-Y89	2	114.0	4	105.5	8.0	442.2	38	4357.8	1.7
Symptoms and ill defined conditions	R00-R99	0	0.0	1	26.4	0.0	0.0	3	344.0	0.3
Communicables diseases	A00-B99,G00-G03 J00-J22	1	57.0	0	0.0	0.0	0.0	4	458.7	1.6
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	55.3	3	344.0	NA
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	3.0	165.8	18	2064.2	1.1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	1	57.0	0	0.0	1.0	55.3	1	114.7	2.1
Residual	Rest of D50-Q99	0	0.0	3	79.1	3.0	165.8	9	1032.1	2.8
Males										
All causes	A00-Y89	1	117.4	3	160.4	6.0	659.3	22	5418.7	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	246.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	3	738.9	0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	109.9	3	738.9	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	1.0	109.9	10	2463.1	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	117.4	0	0.0	1.0	109.9	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	3	160.4	3.0	329.7	5	1231.5	0
Females										
All causes	A00-Y89	1	110.9	1	52.0	2.0	222.5	16	3433.5	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	52.0	0.0	0.0	2	429.2	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	110.9	0	0.0	0.0	0.0	1	214.6	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	2.0	222.5	8	1716.7	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	1	214.6	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	4	858.4	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age adj. rate	< 1		1 - 4		5 -14		
		No.	Rate		No.	Rate	No.	Rate	No.	Rate	
Antigua, 2000											
Both Sexes											
All causes	A00-Y89	404	558.7	556.1	14	916.2	4	66.3	2	13.8	
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	44	60.9	61.6	1	65.5	0	0.0	0	0.0	
Neoplasms	C00-D48	87	120.3	118.0	0	0.0	1	16.6	0	0.0	
Diseases of circulatory system	I00-I99	136	188.1	179.2	0	0.0	1	16.6	0	0.0	
Conditions originating in perinatal period	P00- P96	6	8.3	9.4	6	392.7	0	0.0	0	0.0	
External causes	V01-Y89	23	31.8	33.2	0	0.0	0	0.0	2	13.8	
Residual	Rest of D50-Q99	108	149.4	154.7	7	458.1	2	33.1	0	0.0	
Males											
All causes	A00-Y89	229	657.0	706.9	8	1034.9	2	66.1	2	27.5	
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	26	74.6	80.0	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	51	146.3	149.1	0	0.0	1	33.1	0	0.0	
Diseases of circulatory system	I00-I99	62	177.9	193.2	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	4	11.5	12.4	4	517.5	0	0.0	0	0.0	
External causes	V01-Y89	20	57.4	61.5	0	0.0	0	0.0	2	27.5	
Residual	Rest of D50-Q99	66	189.3	210.7	4	517.5	1	33.1	0	0.0	
Females											
All causes	A00-Y89	175	467.3	424.6	6	796.8	2	66.4	0	0.0	
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	18	48.1	45.5	1	132.8	0	0.0	0	0.0	
Neoplasms	C00-D48	36	96.1	95.0	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	74	197.6	164.1	0	0.0	1	33.2	0	0.0	
Conditions originating in perinatal period	P00- P96	2	5.3	6.4	2	265.6	0	0.0	0	0.0	
External causes	V01-Y89	3	8.0	6.7	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	42	112.1	107.0	3	398.4	1	33.2	0	0.0	
Belize, 1999											
Both Sexes											
All causes	A00-Y89	1189	502.4	736.6	118	1739.7	31	116.6	22	36.1	
Symptoms and ill defined conditions	R00-R99	54	22.8	33.3	7	103.0	1	3.8	1	1.6	
Communicables diseases	A00-B99,G00-G03 J00-J22	153	64.7	87.0	18	264.7	8	30.0	2	3.3	
Neoplasms	C00-D48	162	68.5	115.8	2	29.4	2	7.6	0	0.0	
Diseases of circulatory system	I00-I99	301	127.2	215.3	0	0.0	3	11.3	2	3.3	
Conditions originating in perinatal period	P00- P96	60	25.4	21.2	60	882.5	0	0.0	0	0.0	
External causes	V01-Y89	188	79.4	89.3	6	88.5	8	30.1	12	19.7	
Residual	Rest of D50-Q99	271	114.5	174.7	25	369.0	9	33.9	5	8.2	
Males											
All causes	A00-Y89	747	623.1	905.0	70	2038.4	18	133.7	14	45.3	
Symptoms and ill defined conditions	R00-R99	30	25.0	35.2	4	116.0	0	0.0	1	3.2	
Communicables diseases	A00-B99,G00-G03 J00-J22	104	86.7	121.2	11	319.0	4	29.6	1	3.2	
Neoplasms	C00-D48	95	79.2	135.7	0	0.0	1	7.5	0	0.0	
Diseases of circulatory system	I00-I99	163	136.0	230.8	0	0.0	2	14.8	2	6.5	
Conditions originating in perinatal period	P00- P96	38	31.7	26.5	38	1102.1	0	0.0	0	0.0	
External causes	V01-Y89	157	131.0	147.8	3	87.6	4	29.8	7	22.7	
Residual	Rest of D50-Q99	160	133.5	208.0	14	408.6	7	52.1	3	9.7	
Females											
All causes	A00-Y89	442	378.5	564.6	48	1432.4	13	99.0	8	26.6	
Symptoms and ill defined conditions	R00-R99	24	20.6	31.6	3	89.5	1	7.6	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	49	42.0	52.3	7	208.9	4	30.5	1	3.3	
Neoplasms	C00-D48	67	57.4	96.1	2	59.7	1	7.6	0	0.0	
Diseases of circulatory system	I00-I99	138	118.2	199.1	0	0.0	1	7.6	0	0.0	
Conditions originating in perinatal period	P00- P96	22	18.8	15.8	22	656.5	0	0.0	0	0.0	
External causes	V01-Y89	31	26.6	29.2	3	89.5	4	30.5	5	16.6	
Residual	Rest of D50-Q99	111	95.1	140.6	11	328.3	2	15.2	2	6.6	

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Antigua, 2000										
Both Sexes										
All causes	A00-Y89	12	89.8	35	162.4	85.0	901.4	252	4233.9	1.4
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	8	37.1	11.0	116.7	24	403.2	1.6
Neoplasms	C00-D48	0	0.0	6	27.8	18.0	190.9	62	1041.7	1.5
Diseases of circulatory system	I00-I99	3	22.5	4	18.6	22.0	233.3	106	1780.9	0.9
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	2.2
External causes	V01-Y89	6	44.9	8	37.1	6.0	63.6	1	16.8	7.2
Residual	Rest of D50-Q99	3	22.5	9	41.8	28.0	296.9	59	991.3	1.7
Males										
All causes	A00-Y89	11	166.2	23	226.2	57.0	1274.3	126	4876.2	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	8	78.7	7.0	156.5	11	425.7	0
Neoplasms	C00-D48	0	0.0	2	19.7	7.0	156.5	41	1586.7	0
Diseases of circulatory system	I00-I99	2	30.2	4	39.3	17.0	380.1	39	1509.3	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	6	90.7	6	59.0	6.0	134.1	0	0.0	0
Residual	Rest of D50-Q99	3	45.3	3	29.5	20.0	447.1	35	1354.5	0
Females										
All causes	A00-Y89	1	14.8	12	105.4	28.0	564.9	126	3741.1	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	4.0	80.7	13	386.0	0
Neoplasms	C00-D48	0	0.0	4	35.2	11.0	221.9	21	623.5	0
Diseases of circulatory system	I00-I99	1	14.8	0	0.0	5.0	100.9	67	1989.3	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	2	17.6	0.0	0.0	1	29.7	0
Residual	Rest of D50-Q99	0	0.0	6	52.7	8.0	161.4	24	712.6	0
Belize, 1999										
Both Sexes										
All causes	A00-Y89	75	149.9	166	281.3	223.0	977.4	551	5606.5	1.7
Symptoms and ill defined conditions	R00-R99	1	2.0	7	11.8	4.0	17.5	33	335.0	1.2
Communicables diseases	A00-B99,G00-G03 J00-J22	14	27.9	33	55.8	21.0	91.8	57	578.6	2.1
Neoplasms	C00-D48	3	6.0	10	17.0	49.0	215.4	95	971.1	1.4
Diseases of circulatory system	I00-I99	2	4.0	18	30.4	74.0	323.5	202	2050.6	1.2
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.7
External causes	V01-Y89	50	100.2	68	115.6	23.0	101.1	20	203.9	4.9
Residual	Rest of D50-Q99	5	10.0	30	50.8	52.0	228.3	144	1467.3	1.4
Males										
All causes	A00-Y89	56	220.6	122	413.4	142.0	1200.1	322	6595.2	3
Symptoms and ill defined conditions	R00-R99	1	3.9	6	20.3	1.0	8.4	17	346.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	7	27.5	24	81.0	17.0	143.1	40	816.0	0
Neoplasms	C00-D48	1	4.0	5	17.1	25.0	212.7	62	1278.3	1
Diseases of circulatory system	I00-I99	2	7.9	9	30.4	44.0	370.4	104	2121.6	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	44	173.7	64	217.4	21.0	177.9	13	266.9	1
Residual	Rest of D50-Q99	1	4.0	14	47.5	34.0	288.0	86	1765.4	1
Females										
All causes	A00-Y89	19	77.0	44	148.9	81.0	736.7	229	4627.2	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	3.4	3.0	27.3	16	323.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	7	28.4	9	30.5	4.0	36.4	17	343.5	0
Neoplasms	C00-D48	2	8.1	5	16.9	24.0	218.3	33	666.8	0
Diseases of circulatory system	I00-I99	0	0.0	9	30.5	30.0	272.9	98	1980.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	6	24.3	4	13.5	2.0	18.2	7	141.4	0
Residual	Rest of D50-Q99	4	16.2	16	54.1	18.0	163.7	58	1172.0	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age adj. rate	< 1		1 - 4		5 -14		
		No.	Rate		No.	Rate	No.	Rate	No.	Rate	
Belize, 2000											
Both Sexes											
All causes	A00-Y89	1534	633.2	943.7	154	2264.0	36	135.0	34	54.8	
Symptoms and ill defined conditions	R00-R99	32	13.2	17.6	8	117.6	0	0.0	1	1.6	
Communicables diseases	A00-B99,G00-G03 J00-J22	167	68.9	92.2	34	499.9	5	18.8	5	8.1	
Neoplasms	C00-D48	137	56.6	93.2	1	14.7	2	7.5	2	3.2	
Diseases of circulatory system	I00-I99	622	256.7	427.3	6	88.2	6	22.5	4	6.5	
Conditions originating in perinatal period	P00- P96	72	29.7	25.4	72	1058.5	0	0.0	0	0.0	
External causes	V01-Y89	210	86.7	102.8	6	88.2	18	67.5	15	24.2	
Residual	Rest of D50-Q99	294	121.4	185.2	27	396.9	5	18.8	7	11.3	
Males											
All causes	A00-Y89	896	730.5	1087.5	87	2522.5	15	110.9	15	47.7	
Symptoms and ill defined conditions	R00-R99	17	13.9	18.7	4	116.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	101	82.3	113.3	19	550.9	1	7.4	2	6.4	
Neoplasms	C00-D48	69	56.3	93.8	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	340	277.2	463.6	2	58.0	2	14.8	2	6.4	
Conditions originating in perinatal period	P00- P96	38	31.0	26.4	38	1101.8	0	0.0	0	0.0	
External causes	V01-Y89	166	135.3	164.3	2	58.0	10	73.9	9	28.6	
Residual	Rest of D50-Q99	165	134.5	207.4	22	637.9	2	14.8	2	6.4	
Females											
All causes	A00-Y89	638	533.4	797.0	67	1998.2	21	159.8	19	62.2	
Symptoms and ill defined conditions	R00-R99	15	12.5	16.3	4	119.3	0	0.0	1	3.3	
Communicables diseases	A00-B99,G00-G03 J00-J22	66	55.2	71.0	15	447.4	4	30.4	3	9.8	
Neoplasms	C00-D48	68	56.9	93.3	1	29.8	2	15.2	2	6.6	
Diseases of circulatory system	I00-I99	282	235.8	391.1	4	119.3	4	30.4	2	6.6	
Conditions originating in perinatal period	P00- P96	34	28.4	24.3	34	1014.0	0	0.0	0	0.0	
External causes	V01-Y89	44	36.8	39.3	4	119.3	8	60.9	6	19.7	
Residual	Rest of D50-Q99	129	107.9	161.7	5	149.1	3	22.8	5	16.4	
Belize, 2001											
Both Sexes											
All causes	A00-Y89	1261	508.8	728.5	121	1783.7	33	124.0	27	43.1	
Symptoms and ill defined conditions	R00-R99	55	22.2	28.1	17	255.0	1	3.7	2	3.3	
Communicables diseases	A00-B99,G00-G03 J00-J22	144	58.1	81.3	12	176.3	11	41.2	3	4.8	
Neoplasms	C00-D48	160	64.6	103.0	1	14.7	5	18.9	1	1.6	
Diseases of circulatory system	I00-I99	298	120.2	195.3	4	58.8	3	11.2	3	4.8	
Conditions originating in perinatal period	P00- P96	51	20.6	18.0	51	749.5	0	0.0	0	0.0	
External causes	V01-Y89	257	103.7	124.6	7	102.9	7	26.2	17	27.1	
Residual	Rest of D50-Q99	296	119.4	178.2	29	429.0	6	22.6	1	1.6	
Males											
All causes	A00-Y89	761	606.8	862.1	74	2147.8	16	118.3	15	47.1	
Symptoms and ill defined conditions	R00-R99	34	27.1	34.9	10	289.9	1	7.4	1	3.1	
Communicables diseases	A00-B99,G00-G03 J00-J22	91	72.6	101.4	5	144.9	9	66.4	3	9.4	
Neoplasms	C00-D48	81	64.6	105.3	1	29.0	2	14.8	1	3.1	
Diseases of circulatory system	I00-I99	153	122.0	199.9	3	87.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	31	24.7	21.6	31	898.6	0	0.0	0	0.0	
External causes	V01-Y89	207	165.1	201.5	7	202.9	3	22.2	10	31.4	
Residual	Rest of D50-Q99	164	130.8	197.7	17	495.8	1	7.4	0	0.0	
Females											
All causes	A00-Y89	500	408.4	591.9	47	1409.4	17	129.9	12	39.0	
Symptoms and ill defined conditions	R00-R99	21	17.2	21.2	7	219.1	0	0.0	1	3.4	
Communicables diseases	A00-B99,G00-G03 J00-J22	53	43.3	60.9	7	208.6	2	15.2	0	0.0	
Neoplasms	C00-D48	79	64.5	101.0	0	0.0	3	23.1	0	0.0	
Diseases of circulatory system	I00-I99	145	118.4	190.4	1	29.8	3	22.8	3	9.7	
Conditions originating in perinatal period	P00- P96	20	16.3	14.3	20	596.1	0	0.0	0	0.0	
External causes	V01-Y89	50	40.8	45.6	0	0.0	4	30.4	7	22.6	
Residual	Rest of D50-Q99	132	107.8	158.5	12	360.4	5	38.3	1	3.3	

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Belize, 2000										
Both Sexes										
All causes	A00-Y89	71	138.1	179	291.3	309.0	1296.7	751	7433.4	1.4
Symptoms and ill defined conditions	R00-R99	3	5.8	3	4.9	4.0	16.8	13	128.7	1.1
Communicables diseases	A00-B99,G00-G03 J00-J22	7	13.6	30	48.8	22.0	92.3	64	633.5	1.5
Neoplasms	C00-D48	2	3.9	13	21.2	41.0	172.1	76	752.3	1.0
Diseases of circulatory system	I00-I99	16	31.1	22	35.8	131.0	549.7	437	4325.5	1.2
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.1
External causes	V01-Y89	33	64.2	78	127.0	39.0	163.7	21	207.9	3.7
Residual	Rest of D50-Q99	10	19.5	33	53.7	72.0	302.1	140	1385.7	1.3
Males										
All causes	A00-Y89	54	206.8	117	381.1	185.0	1496.8	423	8409.5	0
Symptoms and ill defined conditions	R00-R99	2	7.7	2	6.5	3.0	24.3	6	119.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	4	15.3	20	65.2	14.0	113.3	41	815.1	0
Neoplasms	C00-D48	2	7.7	6	19.6	17.0	137.5	44	874.8	0
Diseases of circulatory system	I00-I99	12	46.0	12	39.1	70.0	566.3	240	4771.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	27	103.4	67	218.3	35.0	283.2	16	318.1	0
Residual	Rest of D50-Q99	7	26.8	10	32.6	46.0	372.2	76	1510.9	0
Females										
All causes	A00-Y89	17	67.2	62	201.7	124.0	1081.1	328	6465.6	0
Symptoms and ill defined conditions	R00-R99	1	4.0	1	3.3	1.0	8.7	7	138.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	3	11.9	10	32.5	8.0	69.8	23	453.4	0
Neoplasms	C00-D48	0	0.0	7	22.8	24.0	209.2	32	630.8	0
Diseases of circulatory system	I00-I99	4	15.8	10	32.5	61.0	531.8	197	3883.3	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	6	23.7	11	35.8	4.0	34.9	5	98.6	0
Residual	Rest of D50-Q99	3	11.9	23	74.8	26.0	226.7	64	1261.6	0
Belize, 2001										
Both Sexes										
All causes	A00-Y89	77	146.9	214	336.9	240.0	968.6	545	5271.3	1.5
Symptoms and ill defined conditions	R00-R99	2	3.9	9	14.4	9.0	36.8	14	137.4	1.6
Communicables diseases	A00-B99,G00-G03 J00-J22	9	17.1	25	39.3	27.0	108.6	57	549.5	1.7
Neoplasms	C00-D48	7	13.4	16	25.4	45.0	182.3	84	814.0	1.0
Diseases of circulatory system	I00-I99	4	7.6	20	31.4	48.0	193.1	216	2082.1	1.0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.5
External causes	V01-Y89	43	81.8	102	160.1	48.0	193.1	33	318.1	4.0
Residual	Rest of D50-Q99	12	23.0	42	66.4	63.0	255.2	141	1368.4	1.2
Males										
All causes	A00-Y89	56	210.1	142	447.4	151.0	1174.9	306	5927.7	1
Symptoms and ill defined conditions	R00-R99	1	3.8	6	18.9	6.0	46.6	9	174.1	0
Communicables diseases	A00-B99,G00-G03 J00-J22	4	15.0	18	56.6	17.0	132.1	35	677.1	0
Neoplasms	C00-D48	3	11.2	4	12.6	21.0	163.2	49	948.0	0
Diseases of circulatory system	I00-I99	4	15.0	11	34.6	28.0	217.6	107	2070.0	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	37	138.7	81	254.9	43.0	334.1	26	503.0	0
Residual	Rest of D50-Q99	7	26.4	22	69.6	36.0	281.5	80	1557.2	1
Females										
All causes	A00-Y89	21	81.7	72	227.0	89.0	747.1	239	4619.5	3
Symptoms and ill defined conditions	R00-R99	1	4.1	3	9.9	3.0	26.3	5	100.9	1
Communicables diseases	A00-B99,G00-G03 J00-J22	5	19.3	7	21.9	10.0	83.4	22	422.7	0
Neoplasms	C00-D48	4	15.7	12	38.1	24.0	202.8	35	681.1	1
Diseases of circulatory system	I00-I99	0	0.0	9	28.2	20.0	166.9	109	2094.1	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	6	23.2	21	65.8	5.0	41.7	7	134.5	0
Residual	Rest of D50-Q99	5	19.5	20	63.1	27.0	227.0	61	1180.9	1

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age		< 1		1 - 4		5 -14	
		No.	Rate	adj. rate	No.	Rate	No.	Rate	No.	Rate	
Bermuda, 1996											
Both Sexes											
All causes	A00-Y89	445	737.8	560.1	3	360.1	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	3	5.0	3.5	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	44	73.0	58.0	2	240.1	0	0.0	0	0.0	
Neoplasms	C00-D48	100	165.8	127.4	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	194	321.6	238.7	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	1	1.7	2.9	1	120.1	0	0.0	0	0.0	
External causes	V01-Y89	21	34.8	28.0	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	82	136.0	101.6	0	0.0	0	0.0	0	0.0	
Males											
All causes	A00-Y89	245	841.2	707.1	0	0.0	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	2	6.9	5.3	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	31	106.4	84.1	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	57	195.7	168.0	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	99	339.9	290.0	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
External causes	V01-Y89	15	51.5	39.4	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	41	140.8	120.4	0	0.0	0	0.0	0	0.0	
Females											
All causes	A00-Y89	200	641.2	435.8	3	684.9	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	1	3.2	2.0	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	13	41.7	33.8	2	456.6	0	0.0	0	0.0	
Neoplasms	C00-D48	43	137.9	94.9	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	95	304.6	196.9	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	1	3.2	5.5	1	228.3	0	0.0	0	0.0	
External causes	V01-Y89	6	19.2	17.9	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	41	131.4	84.9	0	0.0	0	0.0	0	0.0	
Bermuda, 1997											
Both Sexes											
All causes	A00-Y89	442	728.4	546.0	2	235.6	0	0.0	1	12.6	
Symptoms and ill defined conditions	R00-R99	2	3.3	2.6	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	34	56.0	43.2	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	129	212.6	159.6	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	165	271.9	198.7	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	1	1.7	2.8	1	117.8	0	0.0	0	0.0	
External causes	V01-Y89	19	31.3	23.8	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	92	151.6	115.2	1	117.8	0	0.0	1	12.6	
Males											
All causes	A00-Y89	236	805.9	677.6	2	486.6	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	2	6.8	5.8	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	18	61.5	50.8	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	69	235.6	199.3	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	87	297.1	248.3	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	1	3.4	5.8	1	243.3	0	0.0	0	0.0	
External causes	V01-Y89	11	37.6	28.2	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	48	163.9	139.3	1	243.3	0	0.0	0	0.0	
Females											
All causes	A00-Y89	206	656.2	446.0	0	0.0	0	0.0	1	25.2	
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	16	51.0	37.1	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	60	191.1	131.7	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	78	248.5	161.1	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
External causes	V01-Y89	8	25.5	19.1	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	44	140.2	97.0	0	0.0	0	0.0	1	25.2	

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Bermuda, 1996										
Both Sexes										
All causes	A00-Y89	3	41.0	36	160.4	88.0	684.7	315	5324.5	1.3
Symptoms and ill defined conditions	R00-R99	0	0.0	1	4.5	0.0	0.0	2	33.8	2.1
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	17	75.8	10.0	77.8	15	253.6	2.6
Neoplasms	C00-D48	0	0.0	2	8.9	31.0	241.2	67	1132.5	1.4
Diseases of circulatory system	I00-I99	0	0.0	1	4.5	31.0	241.2	162	2738.3	1.1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0.0
External causes	V01-Y89	2	27.3	11	49.0	4.0	31.1	4	67.6	2.7
Residual	Rest of D50-Q99	1	13.7	4	17.8	12.0	93.4	65	1098.7	1.1
Males										
All causes	A00-Y89	1	27.1	29	264.6	67.0	1079.3	148	6123.3	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	9.1	0.0	0.0	1	41.4	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	14	127.7	10.0	161.1	7	289.6	0
Neoplasms	C00-D48	0	0.0	1	9.1	21.0	338.3	35	1448.1	0
Diseases of circulatory system	I00-I99	0	0.0	1	9.1	23.0	370.5	75	3103.0	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	9	82.1	4.0	64.4	2	82.8	0
Residual	Rest of D50-Q99	1	27.1	3	27.4	9.0	145.0	28	1158.5	0
Females										
All causes	A00-Y89	2	55.0	7	61.0	21.0	316.1	167	4772.8	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	28.6	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	3	26.1	0.0	0.0	8	228.6	0
Neoplasms	C00-D48	0	0.0	1	8.7	10.0	150.5	32	914.6	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	8.0	120.4	87	2486.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	2	55.0	2	17.4	0.0	0.0	2	57.2	0
Residual	Rest of D50-Q99	0	0.0	1	8.7	3.0	45.2	37	1057.4	0
Bermuda, 1997										
Both Sexes										
All causes	A00-Y89	3	41.4	30	133.1	86.0	659.3	320	5300.7	1.2
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	1.0	7.7	1	16.6	NA
Communicables diseases	A00-B99,G00-G03 J00-J22	1	13.8	7	31.1	9.0	69.0	17	281.6	1.2
Neoplasms	C00-D48	1	13.8	7	31.1	30.0	230.0	91	1507.4	1.2
Diseases of circulatory system	I00-I99	0	0.0	1	4.4	25.0	191.7	139	2302.5	1.2
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	1	13.8	9	39.9	2.0	15.3	7	116.0	1.5
Residual	Rest of D50-Q99	0	0.0	6	26.6	19.0	145.7	65	1076.7	1.2
Males										
All causes	A00-Y89	1	27.5	15	136.2	53.0	842.5	165	6653.2	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	1.0	15.9	1	40.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	3	27.2	7.0	111.3	8	322.6	0
Neoplasms	C00-D48	1	27.5	1	9.1	16.0	254.3	51	2056.5	0
Diseases of circulatory system	I00-I99	0	0.0	1	9.1	16.0	254.3	70	2822.6	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	7	63.6	2.0	31.8	2	80.7	0
Residual	Rest of D50-Q99	0	0.0	3	27.2	11.0	174.9	33	1330.7	0
Females										
All causes	A00-Y89	2	55.5	15	130.2	33.0	488.7	155	4357.6	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	27.8	4	34.7	2.0	29.6	9	253.0	0
Neoplasms	C00-D48	0	0.0	6	52.1	14.0	207.3	40	1124.5	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	9.0	133.3	69	1939.8	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	27.8	2	17.4	0.0	0.0	5	140.6	0
Residual	Rest of D50-Q99	0	0.0	3	26.0	8.0	118.5	32	899.6	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age	< 1		1 - 4		5 -14		
		No.	Rate	adj. rate	No.	Rate	No.	Rate	No.	Rate	
Bermuda, 1998											
Both Sexes											
All causes	A00-Y89	519	847.9	626.5	0	0.0	0	0.0	1	12.6	
Symptoms and ill defined conditions	R00-R99	7	11.4	8.0	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	29	47.4	36.6	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	157	256.5	191.0	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	195	318.6	230.7	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
External causes	V01-Y89	24	39.2	32.8	0	0.0	0	0.0	1	12.6	
Residual	Rest of D50-Q99	107	174.8	127.5	0	0.0	0	0.0	0	0.0	
Males											
All causes	A00-Y89	278	944.7	774.2	0	0.0	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	4	13.6	10.6	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	16	54.4	44.3	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	88	299.1	247.4	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	101	343.2	282.6	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
External causes	V01-Y89	19	64.6	52.5	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	50	169.9	136.9	0	0.0	0	0.0	0	0.0	
Females											
All causes	A00-Y89	241	758.2	509.4	0	0.0	0	0.0	1	25.1	
Symptoms and ill defined conditions	R00-R99	3	9.4	5.9	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	13	40.9	29.4	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	69	217.1	149.2	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	94	295.8	188.6	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0	
External causes	V01-Y89	5	15.7	15.0	0	0.0	0	0.0	1	25.1	
Residual	Rest of D50-Q99	57	179.3	121.3	0	0.0	0	0.0	0	0.0	
Bermuda, 1999											
Both Sexes											
All causes	A00-Y89	452	736.6	544.0	2	241.6	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	13	21.2	14.5	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	21	34.2	25.0	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	139	226.5	165.3	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	176	286.8	207.8	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	2	3.3	5.8	2	241.6	0	0.0	0	0.0	
External causes	V01-Y89	24	39.1	34.9	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	77	125.5	90.7	0	0.0	0	0.0	0	0.0	
Males											
All causes	A00-Y89	245	828.7	683.4	1	240.4	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	6	20.3	16.1	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	12	40.6	32.0	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	75	253.7	205.8	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	97	328.1	269.2	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	1	3.4	5.8	1	240.4	0	0.0	0	0.0	
External causes	V01-Y89	22	74.4	67.8	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	32	108.2	86.8	0	0.0	0	0.0	0	0.0	
Females											
All causes	A00-Y89	207	651.0	425.2	1	242.7	0	0.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	7	22.0	13.3	0	0.0	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	9	28.3	19.1	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	64	201.3	137.6	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	79	248.5	153.7	0	0.0	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	1	3.2	5.8	1	242.7	0	0.0	0	0.0	
External causes	V01-Y89	2	6.3	3.8	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	45	141.5	91.9	0	0.0	0	0.0	0	0.0	

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Bermuda, 1998										
Both Sexes										
All causes	A00-Y89	2	27.8	35	153.4	103.0	776.3	378	6171.4	1.3
Symptoms and ill defined conditions	R00-R99	0	0.0	1	4.4	0.0	0.0	6	98.0	1.4
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	7	30.7	12.0	90.4	10	163.3	1.3
Neoplasms	C00-D48	0	0.0	10	43.8	40.0	301.5	107	1746.9	1.4
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	27.0	203.5	168	2742.9	1.2
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	2	27.8	11	48.2	6.0	45.2	4	65.3	4.1
Residual	Rest of D50-Q99	0	0.0	6	26.3	18.0	135.7	83	1355.1	1.0
Males										
All causes	A00-Y89	2	55.3	22	199.0	63.0	989.2	191	7502.0	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	9.1	0.0	0.0	3	117.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	4	36.2	8.0	125.6	4	157.1	0
Neoplasms	C00-D48	0	0.0	1	9.1	25.0	392.5	62	2435.2	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	21.0	329.7	80	3142.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	2	55.3	11	99.5	3.0	47.1	3	117.8	0
Residual	Rest of D50-Q99	0	0.0	5	45.2	6.0	94.2	39	1531.8	0
Females										
All causes	A00-Y89	0	0.0	13	110.5	40.0	579.7	187	5224.9	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	3	83.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	3	25.5	4.0	58.0	6	167.6	0
Neoplasms	C00-D48	0	0.0	9	76.5	15.0	217.4	45	1257.3	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	6.0	87.0	88	2458.8	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	3.0	43.5	1	27.9	0
Residual	Rest of D50-Q99	0	0.0	1	8.5	12.0	173.9	44	1229.4	0
Bermuda, 1999										
Both Sexes										
All causes	A00-Y89	4	55.7	24	106.0	106.0	788.4	316	5019.1	1.3
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	13	206.5	0.9
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	4	17.7	5.0	37.2	12	190.6	1.4
Neoplasms	C00-D48	0	0.0	6	26.5	35.0	260.3	98	1556.5	1.3
Diseases of circulatory system	I00-I99	0	0.0	2	8.8	40.0	297.5	134	2128.3	1.3
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.1
External causes	V01-Y89	4	55.7	6	26.5	10.0	74.4	4	63.5	11.8
Residual	Rest of D50-Q99	0	0.0	6	26.5	16.0	119.0	55	873.6	0.8
Males										
All causes	A00-Y89	4	111.0	14	126.3	76.0	1178.5	150	5742.7	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	6	229.7	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	3	27.1	3.0	46.5	6	229.7	0
Neoplasms	C00-D48	0	0.0	0	0.0	18.0	279.1	57	2182.2	0
Diseases of circulatory system	I00-I99	0	0.0	1	9.0	36.0	558.2	60	2297.1	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	4	111.0	6	54.1	10.0	155.1	2	76.6	0
Residual	Rest of D50-Q99	0	0.0	4	36.1	9.0	139.6	19	727.4	0
Females										
All causes	A00-Y89	0	0.0	10	86.5	30.0	428.8	166	4506.0	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	7	190.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	1	8.7	2.0	28.6	6	162.9	0
Neoplasms	C00-D48	0	0.0	6	51.9	17.0	243.0	41	1112.9	0
Diseases of circulatory system	I00-I99	0	0.0	1	8.7	4.0	57.2	74	2008.7	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	2	54.3	0
Residual	Rest of D50-Q99	0	0.0	2	17.3	7.0	100.1	36	977.2	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age adj. rate	< 1		1 - 4		5 -14	
		No.	Rate		No.	Rate	No.	Rate	No.	Rate
Bermuda, 2000										
Both Sexes										
All causes	A00-Y89	500	794.0	551.5	3	372.9	1	30.0	0	0.0
Symptoms and ill defined conditions	R00-R99	2	3.2	2.1	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	34	54.0	38.1	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	142	225.5	154.5	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	209	331.9	220.7	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	3	4.8	9.0	3	372.9	0	0.0	0	0.0
External causes	V01-Y89	25	39.7	36.7	0	0.0	1	30.0	0	0.0
Residual	Rest of D50-Q99	85	135.0	90.5	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	256	833.0	643.1	2	471.8	1	61.4	0	0.0
Symptoms and ill defined conditions	R00-R99	1	3.3	2.4	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	16	52.1	41.2	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	67	218.0	163.2	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	103	335.1	248.1	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	2	6.5	11.3	2	471.8	0	0.0	0	0.0
External causes	V01-Y89	21	68.3	66.0	0	0.0	1	61.4	0	0.0
Residual	Rest of D50-Q99	46	149.7	111.0	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	244	756.9	469.9	1	262.7	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	1	3.1	1.8	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	18	55.8	34.4	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	75	232.7	147.0	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	106	328.8	198.4	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	1	3.1	6.3	1	262.7	0	0.0	0	0.0
External causes	V01-Y89	4	12.4	7.8	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	39	121.0	74.2	0	0.0	0	0.0	0	0.0
Montserrat, 1999										
Both Sexes										
All causes	A00-Y89	59	1193.4	857.6	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	7	141.6	85.8	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	6	121.4	91.8	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	7	141.6	104.1	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	18	364.1	257.2	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	3	60.7	40.1	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	18	364.1	278.6	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	38	1567.7	1104.2	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	5	206.3	114.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	3	123.8	105.4	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	5	206.3	151.0	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	11	453.8	324.7	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	41.3	32.6	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	13	536.3	376.5	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	21	833.3	592.8	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	2	79.4	53.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	3	119.1	79.6	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	2	79.4	53.0	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	7	277.8	185.6	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	2	79.4	53.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	5	198.4	168.6	0	0.0	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Bermuda, 2000										
Both Sexes										
All causes	A00-Y89	6	80.2	17	81.2	90.0	585.6	383	5624.1	1.1
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	2	29.4	1.1
Communicables diseases	A00-B99,G00-G03 J00-J22	1	13.4	2	9.6	7.0	45.6	24	352.4	0.9
Neoplasms	C00-D48	0	0.0	2	9.6	39.0	253.8	101	1483.1	0.9
Diseases of circulatory system	I00-I99	0	0.0	3	14.3	25.0	162.7	181	2657.9	1.0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	2.1
External causes	V01-Y89	5	66.8	7	33.5	7.0	45.6	5	73.4	5.5
Residual	Rest of D50-Q99	0	0.0	3	14.3	12.0	78.1	70	1027.9	1.2
Males										
All causes	A00-Y89	6	158.7	11	106.0	56.0	751.4	180	6122.5	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	34.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	26.5	1	9.6	5.0	67.1	9	306.1	0
Neoplasms	C00-D48	0	0.0	0	0.0	22.0	295.2	45	1530.6	0
Diseases of circulatory system	I00-I99	0	0.0	1	9.6	16.0	214.7	86	2925.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	5	132.3	7	67.4	6.0	80.5	2	68.0	0
Residual	Rest of D50-Q99	0	0.0	2	19.3	7.0	93.9	37	1258.5	0
Females										
All causes	A00-Y89	0	0.0	6	56.9	34.0	429.6	203	5245.5	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	25.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	1	9.5	2.0	25.3	15	387.6	0
Neoplasms	C00-D48	0	0.0	2	19.0	17.0	214.8	56	1447.0	0
Diseases of circulatory system	I00-I99	0	0.0	2	19.0	9.0	113.7	95	2454.8	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	1.0	12.6	3	77.5	0
Residual	Rest of D50-Q99	0	0.0	1	9.5	5.0	63.2	33	852.7	0
Montserrat, 1999										
Both Sexes										
All causes	A00-Y89	1	93.9	0	0.0	7.0	1151.5	50	8898.6	1.9
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	7	1225.9	2.6
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	1.0	160.8	5	875.7	1.0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	160.8	6	1050.8	2.6
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	2.0	321.5	16	2802.1	1.6
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	1	91.4	0	0.0	0.0	0.0	2	350.3	0.5
Residual	Rest of D50-Q99	0	0.0	0	0.0	3.0	509.1	14	2597.8	2.7
Males										
All causes	A00-Y89	1	196.8	0	0.0	6.0	1937.8	30	10036.1	1
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	5	1628.7	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	1.0	314.5	2	651.5	0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	314.5	4	1302.9	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	2.0	628.9	9	2931.6	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	191.6	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	2.0	681.3	10	3528.8	1
Females										
All causes	A00-Y89	0	0.0	0	0.0	1.0	329.0	20	7575.8	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	2	757.6	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	3	1136.4	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	2	757.6	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	0.0	0.0	7	2651.5	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	2	757.6	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	1.0	329.0	4	1515.2	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total			< 1		1 - 4		5 -14	
		No.	Rate	Age adj. rate	No.	Rate	No.	Rate	No.	Rate
Montserrat, 2000										
Both Sexes										
All causes	A00-Y89	52	811.4	569.8	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	3	46.8	28.5	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	15.6	23.5	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	5	78.0	47.4	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	13	202.8	127.5	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	2	31.2	21.5	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	28	436.9	322.2	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	23	732.0	457.5	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	2	63.7	35.4	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	2	63.7	35.4	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	7	222.8	124.1	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	31.8	25.2	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	11	350.1	239.3	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	29	887.7	689.7	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	1	30.6	20.4	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	30.6	47.9	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	3	91.8	61.2	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	6	183.7	127.6	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	30.6	20.4	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	17	520.4	412.2	0	0.0	0	0.0	0	0.0
Montserrat, 2001										
Both Sexes										
All causes	A00-Y89	50	660.2	468.6	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	2	26.4	16.1	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	13.2	8.0	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	11	145.2	100.2	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	18	237.7	197.6	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	13.2	10.3	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	17	224.5	136.5	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	27	727.4	493.3	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	1	26.9	15.1	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	26.9	15.1	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	9	242.5	160.2	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	6	161.6	145.7	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	26.9	21.4	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	9	242.5	135.8	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	23	595.6	444.6	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	1	25.9	17.2	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	2	51.8	34.3	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	12	310.7	255.9	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	8	207.2	137.3	0	0.0	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Montserrat, 2000										
Both Sexes										
All causes	A00-Y89	1	74.0	4	213.0	4.0	501.3	42	5808.1	0.8
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	3	406.5	2.1
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	1.0	123.9	0	0.0	0.0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	5	677.5	0.7
Diseases of circulatory system	I00-I99	0	0.0	1	52.7	0.0	0.0	12	1626.0	1.2
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	1	70.8	0	0.0	0.0	0.0	1	135.5	1.0
Residual	Rest of D50-Q99	0	0.0	3	163.2	3.0	384.1	21	2953.9	0.7
Males										
All causes	A00-Y89	1	154.7	1	118.4	1.0	255.0	19	5028.8	1
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	2	506.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	2	506.3	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	0.0	0.0	7	1772.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	147.9	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	1	124.6	1.0	268.3	8	2227.9	1
Females										
All causes	A00-Y89	0	0.0	3	295.3	3.0	755.7	23	6705.5	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	291.6	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	1.0	251.9	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	3	874.6	0
Diseases of circulatory system	I00-I99	0	0.0	1	98.4	0.0	0.0	5	1457.7	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	1	291.6	0
Residual	Rest of D50-Q99	0	0.0	2	196.9	2.0	503.8	13	3790.1	0
Montserrat, 2001										
Both Sexes										
All causes	A00-Y89	2	121.0	1	43.7	5.0	523.6	42	4816.5	1.2
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	2	229.4	1.0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	1	114.7	NA
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	104.7	10	1146.8	4.7
Diseases of circulatory system	I00-I99	1	60.5	1	43.7	4.0	418.9	12	1376.2	0.5
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	1	60.5	0	0.0	0.0	0.0	0	0.0	NA
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	17	1949.5	1.2
Males										
All causes	A00-Y89	2	252.2	0	0.0	3.0	623.7	22	4741.4	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	215.5	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	1	215.5	0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	207.9	8	1724.1	0
Diseases of circulatory system	I00-I99	1	126.1	0	0.0	2.0	415.8	3	646.6	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	126.1	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	9	1939.7	0
Females										
All causes	A00-Y89	0	0.0	1	81.8	2.0	421.9	20	4902.0	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	245.1	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	2	490.2	0
Diseases of circulatory system	I00-I99	0	0.0	1	81.8	2.0	421.9	9	2205.9	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	8	1960.8	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total			< 1		1 - 4		5 -14	
		No.	Rate	Age adj. rate	No.	Rate	No.	Rate	No.	Rate
Montserrat, 2002										
Both Sexes										
All causes	A00-Y89	44	521.5	384.9	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	11.9	7.3	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	8	94.8	78.9	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	17	201.5	144.4	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	11.9	17.6	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	17	201.5	136.8	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	21	508.1	375.3	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	24.2	13.8	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	5	121.0	90.4	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	5	121.0	90.4	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	24.2	35.3	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	9	217.8	145.5	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	23	534.4	397.5	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	3	69.7	66.0	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	12	278.8	204.8	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	8	185.9	126.7	0	0.0	0	0.0	0	0.0
Montserrat, 2003										
Both Sexes										
All causes	A00-Y89	55	611.5	487.7	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	11.1	16.4	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	13	144.5	111.3	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	18	200.1	132.9	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	11.1	16.4	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	22	244.6	212.6	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	30	681.2	558.7	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	22.7	33.2	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	6	136.2	78.2	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	10	227.1	150.5	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	13	295.2	296.8	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	25	544.5	420.3	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	7	152.5	142.9	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	8	174.3	115.7	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	21.8	32.3	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	9	196.0	133.0	0	0.0	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Montserrat, 2002										
Both Sexes										
All causes	A00-Y89	0	0.0	1	38.5	6.0	556.1	37	3846.2	1.0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	1	104.0	NA
Neoplasms	C00-D48	0	0.0	0	0.0	2.0	185.4	6	623.7	1.7
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	2.0	185.4	15	1559.3	0.4
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	0	0.0	0	0.0	1.0	92.7	0	0.0	NA
Residual	Rest of D50-Q99	0	0.0	1	38.5	1.0	92.7	15	1559.3	1.2
Males										
All causes	A00-Y89	0	0.0	0	0.0	4.0	742.1	17	3346.5	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	1	196.9	0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	185.5	4	787.4	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	1.0	185.5	4	787.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	1.0	185.5	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	1.0	185.5	8	1574.8	0
Females										
All causes	A00-Y89	0	0.0	1	72.3	2.0	370.4	20	4405.3	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	185.2	2	440.5	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	1.0	185.2	11	2422.9	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	1	72.3	0.0	0.0	7	1541.9	0
Montserrat, 2003										
Both Sexes										
All causes	A00-Y89	0	0.0	2	72.2	11.0	958.2	41	4097.3	1.3
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	1.0	86.1	0	0.0	NA
Neoplasms	C00-D48	0	0.0	0	0.0	2.0	201.0	10	1044.7	0.9
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	1.0	86.1	17	1665.0	1.3
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	0	0.0	0	0.0	1.0	86.1	0	0.0	0.0
Residual	Rest of D50-Q99	0	0.0	2	70.8	6.0	516.8	14	1371.2	1.5
Males										
All causes	A00-Y89	0	0.0	1	75.6	8.0	1396.2	21	3910.6	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	1.0	174.5	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	6	1117.3	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	1.0	174.5	9	1676.0	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	1	75.6	6.0	1047.1	6	1117.3	0
Females										
All causes	A00-Y89	0	0.0	1	69.2	3.0	531.5	20	4304.4	1
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	2.0	396.8	4	964.2	1
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	0.0	0.0	8	1652.9	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	1.0	170.1	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	1	66.5	0.0	0.0	8	1652.9	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total			< 1		1 - 4		5 -14	
		No.	Rate	Age adj. rate	No.	Rate	No.	Rate	No.	Rate
Saint Lucia, 1996										
Both Sexes										
All causes	A00-Y89	933	624.4	682.2	44	1333.7	15	103.6	14	40.7
Symptoms and ill defined conditions	R00-R99	63	42.2	43.6	5	151.6	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	50	33.5	38.1	6	181.9	4	27.6	1	2.9
Neoplasms	C00-D48	142	95.0	108.9	1	30.3	0	0.0	1	2.9
Diseases of circulatory system	I00-I99	331	221.5	238.7	3	90.9	2	13.8	2	5.8
Conditions originating in perinatal period	P00- P96	22	14.7	16.0	22	666.9	0	0.0	0	0.0
External causes	V01-Y89	68	45.5	47.6	1	30.3	3	20.7	4	11.6
Residual	Rest of D50-Q99	257	172.0	189.4	6	181.9	6	41.5	6	17.5
Males										
All causes	A00-Y89	473	644.1	747.8	25	1535.6	6	81.9	7	40.6
Symptoms and ill defined conditions	R00-R99	28	38.1	43.1	4	245.7	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	29	39.5	48.0	5	307.1	2	27.3	1	5.8
Neoplasms	C00-D48	71	96.7	115.2	1	61.4	0	0.0	1	5.8
Diseases of circulatory system	I00-I99	159	216.5	251.9	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	12	16.3	17.7	12	737.1	0	0.0	0	0.0
External causes	V01-Y89	54	73.5	78.8	0	0.0	2	27.3	3	17.4
Residual	Rest of D50-Q99	120	163.4	193.1	3	184.3	2	27.3	2	11.6
Females										
All causes	A00-Y89	460	605.4	624.0	19	1137.0	9	125.8	7	40.9
Symptoms and ill defined conditions	R00-R99	35	46.1	42.7	1	59.8	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	21	27.6	28.4	1	59.8	2	28.0	0	0.0
Neoplasms	C00-D48	71	93.5	104.5	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	172	226.4	228.7	3	179.5	2	28.0	2	11.7
Conditions originating in perinatal period	P00- P96	10	13.2	14.4	10	598.4	0	0.0	0	0.0
External causes	V01-Y89	14	18.4	18.5	1	59.8	1	14.0	1	5.8
Residual	Rest of D50-Q99	137	180.3	186.9	3	179.5	4	55.9	4	23.4
Saint Lucia, 1997										
Both Sexes										
All causes	A00-Y89	972	644.6	699.2	51	1480.8	13	94.6	16	46.3
Symptoms and ill defined conditions	R00-R99	52	34.5	36.5	2	58.1	1	7.3	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	54	35.8	38.0	4	116.1	2	14.6	0	0.0
Neoplasms	C00-D48	145	96.2	111.1	0	0.0	2	14.6	0	0.0
Diseases of circulatory system	I00-I99	356	236.1	252.5	0	0.0	1	7.3	3	8.7
Conditions originating in perinatal period	P00- P96	26	17.2	18.1	26	754.9	0	0.0	0	0.0
External causes	V01-Y89	85	56.4	59.8	1	29.0	1	7.3	9	26.0
Residual	Rest of D50-Q99	254	168.4	183.3	18	522.7	6	43.7	4	11.6
Males										
All causes	A00-Y89	534	720.3	825.0	29	1640.3	8	115.1	10	57.5
Symptoms and ill defined conditions	R00-R99	27	36.4	42.4	0	0.0	1	14.4	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	33	44.5	49.5	3	169.7	1	14.4	0	0.0
Neoplasms	C00-D48	87	117.4	142.4	0	0.0	1	14.4	0	0.0
Diseases of circulatory system	I00-I99	178	240.1	275.5	0	0.0	1	14.4	2	11.5
Conditions originating in perinatal period	P00- P96	16	21.6	21.7	16	905.0	0	0.0	0	0.0
External causes	V01-Y89	69	93.1	100.2	1	56.6	1	14.4	6	34.5
Residual	Rest of D50-Q99	124	167.3	193.3	9	509.1	3	43.2	2	11.5
Females										
All causes	A00-Y89	438	571.3	586.4	22	1312.7	5	73.7	6	34.9
Symptoms and ill defined conditions	R00-R99	25	32.6	31.4	2	119.3	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	21	27.4	27.4	1	59.7	1	14.7	0	0.0
Neoplasms	C00-D48	58	75.7	84.4	0	0.0	1	14.7	0	0.0
Diseases of circulatory system	I00-I99	178	232.2	232.1	0	0.0	0	0.0	1	5.8
Conditions originating in perinatal period	P00- P96	10	13.0	14.3	10	596.7	0	0.0	0	0.0
External causes	V01-Y89	16	20.9	22.1	0	0.0	0	0.0	3	17.4
Residual	Rest of D50-Q99	130	169.6	174.7	9	537.0	3	44.2	2	11.6

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Saint Lucia, 1996										
Both Sexes										
All causes	A00-Y89	25	85.6	92	236.2	168.0	898.6	575	5511.4	1.1
Symptoms and ill defined conditions	R00-R99	0	0.0	5	12.8	3.0	16.1	50	479.3	0.8
Communicables diseases	A00-B99,G00-G03 J00-J22	1	3.4	7	18.0	13.0	69.5	18	172.5	1.4
Neoplasms	C00-D48	1	3.4	16	41.1	40.0	214.0	83	795.6	1.0
Diseases of circulatory system	I00-I99	2	6.9	22	56.5	49.0	262.1	251	2405.8	1.0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.2
External causes	V01-Y89	15	51.4	23	59.1	11.0	58.8	11	105.4	4.0
Residual	Rest of D50-Q99	6	20.6	19	48.8	52.0	278.2	162	1552.8	0.9
Males										
All causes	A00-Y89	19	131.2	52	271.9	89.0	996.4	275	5901.3	0
Symptoms and ill defined conditions	R00-R99	0	0.0	5	26.1	3.0	33.6	16	343.4	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	6.9	4	20.9	10.0	112.0	6	128.8	0
Neoplasms	C00-D48	0	0.0	7	36.6	16.0	179.1	46	987.1	0
Diseases of circulatory system	I00-I99	1	6.9	11	57.5	24.0	268.7	123	2639.5	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	14	96.7	17	88.9	10.0	112.0	8	171.7	0
Residual	Rest of D50-Q99	3	20.7	8	41.8	26.0	291.1	76	1630.9	0
Females										
All causes	A00-Y89	6	40.8	40	201.8	79.0	809.2	300	5196.6	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	34	589.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	3	15.1	3.0	30.7	12	207.9	0
Neoplasms	C00-D48	1	6.8	9	45.4	24.0	245.8	37	640.9	0
Diseases of circulatory system	I00-I99	1	6.8	11	55.5	25.0	256.1	128	2217.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	6.8	6	30.3	1.0	10.2	3	52.0	0
Residual	Rest of D50-Q99	3	20.4	11	55.5	26.0	266.3	86	1489.7	0
Saint Lucia, 1997										
Both Sexes										
All causes	A00-Y89	31	105.7	96	238.9	183.0	951.6	582	5498.9	1.3
Symptoms and ill defined conditions	R00-R99	0	0.0	1	2.5	6.0	31.2	42	396.8	1.1
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	14	34.8	7.0	36.4	27	255.1	1.6
Neoplasms	C00-D48	0	0.0	14	34.8	47.0	244.4	82	774.8	1.6
Diseases of circulatory system	I00-I99	5	17.0	18	44.8	55.0	286.0	274	2588.8	1.0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.7
External causes	V01-Y89	16	54.5	27	67.2	19.0	98.8	12	113.4	4.5
Residual	Rest of D50-Q99	10	34.1	22	54.8	49.0	254.8	145	1370.0	1.0
Males										
All causes	A00-Y89	20	137.5	61	310.3	109.0	1181.8	297	6214.7	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	5.0	54.2	21	439.4	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	10	50.9	5.0	54.2	14	293.0	0
Neoplasms	C00-D48	0	0.0	7	35.6	27.0	292.8	52	1088.1	0
Diseases of circulatory system	I00-I99	2	13.8	12	61.0	30.0	325.3	131	2741.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	15	103.1	21	106.8	15.0	162.6	10	209.3	0
Residual	Rest of D50-Q99	3	20.6	11	56.0	27.0	292.8	69	1443.8	0
Females										
All causes	A00-Y89	11	74.4	35	170.6	74.0	739.5	285	4909.6	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	4.9	1.0	10.0	21	361.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	4	19.5	2.0	20.0	13	223.9	0
Neoplasms	C00-D48	0	0.0	7	34.1	20.0	199.9	30	516.8	0
Diseases of circulatory system	I00-I99	3	20.3	6	29.2	25.0	249.8	143	2463.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	6.8	6	29.2	4.0	40.0	2	34.5	0
Residual	Rest of D50-Q99	7	47.3	11	53.6	22.0	219.9	76	1309.2	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total			< 1		1 - 4		5 -14	
		No.	Rate	Age adj. rate	No.	Rate	No.	Rate	No.	Rate
Saint Lucia, 1998										
Both Sexes										
All causes	A00-Y89	965	634.7	687.0	30	1017.0	9	70.1	17	49.0
Symptoms and ill defined conditions	R00-R99	56	36.8	37.4	3	101.7	0	0.0	3	8.6
Communicables diseases	A00-B99,G00-G03 J00-J22	53	34.9	39.0	3	101.7	2	15.6	1	2.9
Neoplasms	C00-D48	150	98.7	113.4	0	0.0	0	0.0	1	2.9
Diseases of circulatory system	I00-I99	345	226.9	240.3	2	67.8	0	0.0	1	2.9
Conditions originating in perinatal period	P00- P96	10	6.6	8.1	10	339.0	0	0.0	0	0.0
External causes	V01-Y89	88	57.9	61.4	3	101.7	2	15.6	7	20.2
Residual	Rest of D50-Q99	263	173.0	187.3	9	305.1	5	39.0	4	11.5
Males										
All causes	A00-Y89	524	700.9	797.6	11	730.4	6	92.3	11	63.0
Symptoms and ill defined conditions	R00-R99	27	36.1	39.8	2	132.8	0	0.0	1	5.7
Communicables diseases	A00-B99,G00-G03 J00-J22	29	38.8	45.2	0	0.0	1	15.4	1	5.7
Neoplasms	C00-D48	85	113.7	135.0	0	0.0	0	0.0	1	5.7
Diseases of circulatory system	I00-I99	169	226.0	256.9	2	132.8	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	3	4.0	4.8	3	199.2	0	0.0	0	0.0
External causes	V01-Y89	69	92.3	98.3	1	66.4	0	0.0	6	34.4
Residual	Rest of D50-Q99	142	189.9	217.7	3	199.2	5	76.9	2	11.5
Females										
All causes	A00-Y89	441	570.7	586.1	19	1315.8	3	47.3	6	34.8
Symptoms and ill defined conditions	R00-R99	29	37.5	35.0	1	69.3	0	0.0	2	11.6
Communicables diseases	A00-B99,G00-G03 J00-J22	24	31.1	33.2	3	207.8	1	15.8	0	0.0
Neoplasms	C00-D48	65	84.1	95.1	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	176	227.7	225.0	0	0.0	0	0.0	1	5.8
Conditions originating in perinatal period	P00- P96	7	9.1	11.6	7	484.8	0	0.0	0	0.0
External causes	V01-Y89	19	24.6	26.9	2	138.5	2	31.6	1	5.8
Residual	Rest of D50-Q99	121	156.6	159.4	6	415.5	0	0.0	2	11.6
Saint Lucia, 1999										
Both Sexes										
All causes	A00-Y89	956	623.9	671.9	52	1735.1	14	116.6	11	31.7
Symptoms and ill defined conditions	R00-R99	103	67.2	69.5	2	66.7	4	33.3	3	8.6
Communicables diseases	A00-B99,G00-G03 J00-J22	94	61.3	64.6	1	33.4	5	41.7	2	5.8
Neoplasms	C00-D48	141	92.0	106.2	0	0.0	1	8.3	1	2.9
Diseases of circulatory system	I00-I99	353	230.4	243.8	1	33.4	1	8.3	3	8.6
Conditions originating in perinatal period	P00- P96	47	30.7	37.6	47	1568.2	0	0.0	0	0.0
External causes	V01-Y89	41	26.8	26.9	0	0.0	1	8.3	1	2.9
Residual	Rest of D50-Q99	177	115.5	123.3	1	33.4	2	16.7	1	2.9
Males										
All causes	A00-Y89	511	678.0	759.8	35	2338.0	6	98.7	6	34.3
Symptoms and ill defined conditions	R00-R99	56	74.3	79.5	2	133.6	0	0.0	2	11.4
Communicables diseases	A00-B99,G00-G03 J00-J22	56	74.3	82.1	1	66.8	3	49.3	1	5.7
Neoplasms	C00-D48	80	106.1	126.0	0	0.0	1	16.5	0	0.0
Diseases of circulatory system	I00-I99	166	220.2	248.7	1	66.8	1	16.5	1	5.7
Conditions originating in perinatal period	P00- P96	31	41.1	49.7	31	2070.8	0	0.0	0	0.0
External causes	V01-Y89	35	46.4	47.4	0	0.0	1	16.5	1	5.7
Residual	Rest of D50-Q99	87	115.4	126.4	0	0.0	0	0.0	1	5.7
Females										
All causes	A00-Y89	445	571.5	589.9	17	1133.3	8	135.0	5	29.0
Symptoms and ill defined conditions	R00-R99	47	60.4	59.8	0	0.0	4	67.5	1	5.8
Communicables diseases	A00-B99,G00-G03 J00-J22	38	48.8	49.4	0	0.0	2	33.8	1	5.8
Neoplasms	C00-D48	61	78.3	89.4	0	0.0	0	0.0	1	5.8
Diseases of circulatory system	I00-I99	187	240.2	237.9	0	0.0	0	0.0	2	11.6
Conditions originating in perinatal period	P00- P96	16	20.6	25.6	16	1066.7	0	0.0	0	0.0
External causes	V01-Y89	6	7.7	7.6	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	90	115.6	120.1	1	66.7	2	33.8	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Saint Lucia, 1998										
Both Sexes										
All causes	A00-Y89	27	91.6	115	277.7	195.0	982.2	572	5316.5	1.2
Symptoms and ill defined conditions	R00-R99	0	0.0	4	9.7	3.0	15.1	43	399.7	1.0
Communicables diseases	A00-B99,G00-G03 J00-J22	2	6.8	11	26.6	14.0	70.5	20	185.9	1.3
Neoplasms	C00-D48	2	6.8	20	48.3	54.0	272.0	73	678.5	1.4
Diseases of circulatory system	I00-I99	4	13.6	14	33.8	53.0	267.0	271	2518.8	1.0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	11	37.3	36	86.9	19.0	95.7	10	93.0	3.8
Residual	Rest of D50-Q99	8	27.2	30	72.5	52.0	261.9	155	1440.7	1.2
Males										
All causes	A00-Y89	22	150.7	72	356.6	121.0	1263.7	281	5725.4	0
Symptoms and ill defined conditions	R00-R99	0	0.0	3	14.9	3.0	31.3	18	366.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	2	13.7	7	34.7	10.0	104.4	8	163.0	0
Neoplasms	C00-D48	2	13.7	7	34.7	28.0	292.4	47	957.6	0
Diseases of circulatory system	I00-I99	3	20.6	7	34.7	31.0	323.8	126	2567.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	9	61.6	31	153.5	15.0	156.7	7	142.6	0
Residual	Rest of D50-Q99	6	41.1	17	84.2	34.0	355.1	75	1528.1	0
Females										
All causes	A00-Y89	5	33.6	43	202.7	74.0	720.0	291	4973.5	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	4.7	0.0	0.0	25	427.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	4	18.9	4.0	38.9	12	205.1	0
Neoplasms	C00-D48	0	0.0	13	61.3	26.0	253.0	26	444.4	0
Diseases of circulatory system	I00-I99	1	6.7	7	33.0	22.0	214.1	145	2478.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	2	13.5	5	23.6	4.0	38.9	3	51.3	0
Residual	Rest of D50-Q99	2	13.5	13	61.3	18.0	175.1	80	1367.3	0
Saint Lucia, 1999										
Both Sexes										
All causes	A00-Y89	29	97.8	102	239.9	192.0	936.6	556	5086.9	1.2
Symptoms and ill defined conditions	R00-R99	7	23.6	14	32.9	13.0	63.4	60	549.0	1.2
Communicables diseases	A00-B99,G00-G03 J00-J22	2	6.8	17	40.0	15.0	73.2	52	475.8	1.5
Neoplasms	C00-D48	2	6.8	14	32.9	57.0	278.1	66	603.8	1.4
Diseases of circulatory system	I00-I99	1	3.4	10	23.5	63.0	307.3	274	2506.9	0.9
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	2.0
External causes	V01-Y89	10	33.7	17	40.0	6.0	29.3	6	54.9	6.0
Residual	Rest of D50-Q99	7	23.6	30	70.6	38.0	185.4	98	896.6	1.0
Males										
All causes	A00-Y89	21	143.0	67	323.9	106.0	1066.6	270	5378.5	0
Symptoms and ill defined conditions	R00-R99	7	47.7	10	48.3	9.0	90.6	26	517.9	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	8	38.7	9.0	90.6	34	677.3	0
Neoplasms	C00-D48	1	6.8	4	19.3	29.0	291.8	45	896.4	0
Diseases of circulatory system	I00-I99	1	6.8	9	43.5	36.0	362.3	117	2330.7	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	7	47.7	16	77.3	5.0	50.3	5	99.6	0
Residual	Rest of D50-Q99	5	34.1	20	96.7	18.0	181.1	43	856.6	0
Females										
All causes	A00-Y89	8	53.5	35	160.3	86.0	814.3	286	4839.3	0
Symptoms and ill defined conditions	R00-R99	0	0.0	4	18.3	4.0	37.9	34	575.3	0
Communicables diseases	A00-B99,G00-G03 J00-J22	2	13.4	9	41.2	6.0	56.8	18	304.6	0
Neoplasms	C00-D48	1	6.7	10	45.8	28.0	265.1	21	355.3	0
Diseases of circulatory system	I00-I99	0	0.0	1	4.6	27.0	255.7	157	2656.5	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	3	20.1	1	4.6	1.0	9.5	1	16.9	0
Residual	Rest of D50-Q99	2	13.4	10	45.8	20.0	189.4	55	930.6	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total Age			< 1		1 - 4		5 -14	
		No.	Rate	adj. rate	No.	Rate	No.	Rate	No.	Rate
Saint Lucia, 2000										
Both Sexes										
All causes	A00-Y89	818	529.6	564.9	37	1278.8	3	26.4	14	40.6
Symptoms and ill defined conditions	R00-R99	47	30.4	30.4	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	40	25.9	26.6	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	140	90.7	100.2	0	0.0	0	0.0	1	2.9
Diseases of circulatory system	I00-I99	254	164.5	170.8	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	25	16.2	20.7	25	860.9	0	0.0	0	0.0
External causes	V01-Y89	97	62.8	62.9	0	0.0	2	17.5	8	23.1
Residual	Rest of D50-Q99	215	139.2	153.4	12	416.1	1	8.9	5	14.5
Males										
All causes	A00-Y89	442	581.7	642.9	20	1364.9	3	52.2	8	46.1
Symptoms and ill defined conditions	R00-R99	27	35.5	37.7	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	17	22.4	23.7	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	71	93.4	107.1	0	0.0	0	0.0	1	5.7
Diseases of circulatory system	I00-I99	124	163.2	181.0	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	11	14.5	17.9	11	747.3	0	0.0	0	0.0
External causes	V01-Y89	83	109.2	110.7	0	0.0	2	34.6	6	34.4
Residual	Rest of D50-Q99	109	143.5	164.7	9	617.1	1	17.5	1	5.8
Females										
All causes	A00-Y89	376	479.2	493.1	17	1246.0	0	0.0	6	35.1
Symptoms and ill defined conditions	R00-R99	20	25.5	24.0	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	23	29.3	29.2	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	69	87.9	94.1	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	130	165.7	160.8	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	14	17.8	24.6	14	1023.4	0	0.0	0	0.0
External causes	V01-Y89	14	17.8	17.4	0	0.0	0	0.0	2	11.7
Residual	Rest of D50-Q99	106	135.1	143.0	3	219.3	0	0.0	4	23.3
Saint Lucia, 2001										
Both Sexes										
All causes	A00-Y89	929	596.8	628.6	38	1368.0	5	45.2	18	52.6
Symptoms and ill defined conditions	R00-R99	53	34.1	34.6	1	35.9	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	68	43.7	44.4	1	35.9	1	9.0	0	0.0
Neoplasms	C00-D48	152	97.6	104.5	0	0.0	0	0.0	2	5.9
Diseases of circulatory system	I00-I99	274	176.0	184.1	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	31	19.9	26.7	31	1111.9	0	0.0	0	0.0
External causes	V01-Y89	79	50.8	49.9	0	0.0	4	36.0	9	26.2
Residual	Rest of D50-Q99	272	174.7	184.4	5	181.2	0	0.0	7	20.6
Males										
All causes	A00-Y89	495	646.1	706.9	18	1281.1	2	35.6	13	75.1
Symptoms and ill defined conditions	R00-R99	23	30.0	32.0	1	71.2	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	32	41.8	45.5	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	78	101.8	114.6	0	0.0	0	0.0	1	5.8
Diseases of circulatory system	I00-I99	125	163.2	182.2	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	15	19.6	25.6	15	1067.6	0	0.0	0	0.0
External causes	V01-Y89	66	86.2	84.1	0	0.0	2	35.6	8	46.2
Residual	Rest of D50-Q99	156	203.6	222.9	2	142.4	0	0.0	4	23.1
Females										
All causes	A00-Y89	434	548.9	555.1	20	1456.2	3	55.2	5	29.6
Symptoms and ill defined conditions	R00-R99	30	37.9	36.9	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	36	45.5	42.7	1	72.3	1	18.3	0	0.0
Neoplasms	C00-D48	74	93.6	95.4	0	0.0	0	0.0	1	6.0
Diseases of circulatory system	I00-I99	149	188.5	185.2	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	16	20.2	27.8	16	1156.9	0	0.0	0	0.0
External causes	V01-Y89	13	16.4	17.2	0	0.0	2	36.5	1	5.9
Residual	Rest of D50-Q99	116	146.7	150.1	3	220.7	0	0.0	3	18.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Saint Lucia, 2000										
Both Sexes										
All causes	A00-Y89	29	97.3	83	191.7	171.0	812.6	478	4331.9	1.2
Symptoms and ill defined conditions	R00-R99	1	3.5	2	4.7	3.0	14.6	40	368.9	1.4
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	8	18.4	6.0	28.4	26	234.8	0.8
Neoplasms	C00-D48	4	13.4	7	16.1	46.0	217.8	82	740.5	1.1
Diseases of circulatory system	I00-I99	4	13.4	16	36.9	41.0	194.7	192	1741.1	1.0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0.0
External causes	V01-Y89	19	63.5	37	85.1	16.0	75.8	15	135.5	6.1
Residual	Rest of D50-Q99	1	3.4	13	30.1	59.0	280.6	123	1115.7	1.1
Males										
All causes	A00-Y89	24	162.7	58	275.8	96.0	938.4	231	4553.6	2
Symptoms and ill defined conditions	R00-R99	1	7.0	1	4.9	2.0	20.2	22	448.3	1
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	4	18.9	2.0	19.5	11	215.9	0
Neoplasms	C00-D48	3	20.2	3	14.2	23.0	223.8	41	804.6	0
Diseases of circulatory system	I00-I99	1	6.8	10	47.3	26.0	253.0	87	1707.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	18	121.4	33	156.2	14.0	136.2	10	196.2	0
Residual	Rest of D50-Q99	1	6.8	7	33.4	29.0	284.8	60	1188.3	1
Females										
All causes	A00-Y89	5	33.2	25	112.2	75.0	693.3	247	4142.8	1
Symptoms and ill defined conditions	R00-R99	0	0.0	1	4.5	1.0	9.2	18	301.1	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	4	17.9	4.0	36.9	15	250.9	0
Neoplasms	C00-D48	1	6.6	4	17.9	23.0	212.1	41	685.9	0
Diseases of circulatory system	I00-I99	3	20.0	6	27.1	15.0	139.4	105	1770.1	1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	1	6.6	4	17.9	2.0	18.4	5	83.6	0
Residual	Rest of D50-Q99	0	0.0	6	26.9	30.0	276.6	63	1053.9	0
Saint Lucia, 2001										
Both Sexes										
All causes	A00-Y89	34	112.2	84	190.4	176.0	813.0	571	5119.5	1.2
Symptoms and ill defined conditions	R00-R99	0	0.0	1	2.3	5.0	23.0	46	410.9	0.8
Communicables diseases	A00-B99,G00-G03 J00-J22	2	6.6	12	27.2	8.0	36.9	44	393.1	0.9
Neoplasms	C00-D48	0	0.0	12	27.3	40.0	185.4	97	872.5	1.1
Diseases of circulatory system	I00-I99	2	6.6	10	22.6	53.0	244.1	209	1867.1	0.9
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	1.0
External causes	V01-Y89	20	65.9	27	61.1	10.0	46.1	9	80.4	5.2
Residual	Rest of D50-Q99	10	33.1	22	50.0	60.0	278.5	166	1494.4	1.4
Males										
All causes	A00-Y89	28	186.3	60	279.1	102.0	963.9	272	5301.1	0
Symptoms and ill defined conditions	R00-R99	0	0.0	1	4.7	1.0	9.5	20	389.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	6.7	9	41.9	8.0	75.6	14	272.9	0
Neoplasms	C00-D48	0	0.0	7	32.6	22.0	207.9	48	935.5	0
Diseases of circulatory system	I00-I99	1	6.7	4	18.6	29.0	274.1	91	1773.5	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	18	119.7	24	111.7	8.0	75.6	6	116.9	0
Residual	Rest of D50-Q99	8	53.2	15	69.8	34.0	321.3	93	1812.5	0
Females										
All causes	A00-Y89	6	39.5	24	106.4	74.0	669.5	299	4965.9	3
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	4.0	35.9	26	428.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	6.5	3	13.2	0.0	0.0	30	494.8	0
Neoplasms	C00-D48	0	0.0	5	22.3	18.0	163.9	49	819.3	1
Diseases of circulatory system	I00-I99	1	6.5	6	26.4	24.0	215.6	118	1946.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	2	13.1	3	13.2	2.0	18.0	3	49.5	0
Residual	Rest of D50-Q99	2	13.3	7	31.4	26.0	237.7	73	1225.2	2

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total Age			< 1		1 - 4		5 -14	
		No.	Rate	adj. rate	No.	Rate	No.	Rate	No.	Rate
Saint Lucia, 2002										
Both Sexes										
All causes	A00-Y89	940	599.0	636.6	45	1784.8	5	45.4	10	29.6
Symptoms and ill defined conditions	R00-R99	92	58.6	58.7	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	69	44.0	44.6	1	39.5	1	9.1	2	5.9
Neoplasms	C00-D48	170	108.3	116.5	0	0.0	0	0.0	2	5.9
Diseases of circulatory system	I00-I99	254	161.9	167.4	2	79.1	0	0.0	1	3.0
Conditions originating in perinatal period	P00- P96	36	22.9	33.8	35	1384.0	0	0.0	0	0.0
External causes	V01-Y89	104	66.3	67.4	1	39.5	2	18.1	2	5.9
Residual	Rest of D50-Q99	215	137.0	148.2	6	237.3	2	18.1	3	8.9
Males										
All causes	A00-Y89	487	631.1	703.5	19	1502.1	2	35.9	4	23.5
Symptoms and ill defined conditions	R00-R99	37	47.9	51.6	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	37	47.9	51.9	1	77.0	0	0.0	1	5.9
Neoplasms	C00-D48	105	135.9	152.4	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	118	152.8	171.5	1	77.0	0	0.0	1	5.9
Conditions originating in perinatal period	P00- P96	14	18.6	25.8	13	1030.2	0	0.0	0	0.0
External causes	V01-Y89	78	101.0	102.8	0	0.0	1	17.9	1	5.9
Residual	Rest of D50-Q99	98	126.9	147.4	4	307.9	1	17.9	1	5.9
Females										
All causes	A00-Y89	452	567.9	574.8	25	2083.3	3	55.2	6	35.9
Symptoms and ill defined conditions	R00-R99	55	69.0	64.6	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	32	40.2	37.4	0	0.0	1	18.4	1	6.0
Neoplasms	C00-D48	65	81.6	86.5	0	0.0	0	0.0	2	11.9
Diseases of circulatory system	I00-I99	136	170.7	162.0	1	81.3	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	21	27.1	42.2	21	1757.5	0	0.0	0	0.0
External causes	V01-Y89	26	32.6	33.9	1	81.3	1	18.4	1	6.0
Residual	Rest of D50-Q99	117	146.9	148.2	2	162.6	1	18.4	2	11.9
Saint Vincent, 2000										
Both Sexes										
All causes	A00-Y89	701	604.6	713.7	36	1564.3	7	77.6	7	26.4
Symptoms and ill defined conditions	R00-R99	22	19.0	20.7	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	93	80.2	90.9	5	215.5	1	11.0	3	11.2
Neoplasms	C00-D48	127	109.5	135.0	2	86.2	0	0.0	2	7.5
Diseases of circulatory system	I00-I99	215	185.4	217.9	1	43.9	1	11.2	0	0.0
Conditions originating in perinatal period	P00- P96	21	18.1	21.7	21	905.2	0	0.0	0	0.0
External causes	V01-Y89	46	39.7	41.9	1	44.2	2	22.3	0	0.0
Residual	Rest of D50-Q99	177	152.7	185.6	6	260.8	3	33.2	2	7.5
Males										
All causes	A00-Y89	405	702.5	897.8	25	2219.7	5	110.2	3	22.6
Symptoms and ill defined conditions	R00-R99	12	20.8	23.1	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	59	102.2	120.9	3	256.4	1	21.8	1	7.5
Neoplasms	C00-D48	72	125.7	175.1	1	170.9	0	0.0	1	7.5
Diseases of circulatory system	I00-I99	110	190.5	249.8	1	87.1	1	22.2	0	0.0
Conditions originating in perinatal period	P00- P96	14	24.3	28.7	14	1196.6	0	0.0	0	0.0
External causes	V01-Y89	40	69.3	72.8	1	87.7	1	22.4	0	0.0
Residual	Rest of D50-Q99	98	169.8	227.7	5	431.8	2	44.1	1	7.5
Females										
All causes	A00-Y89	295	507.4	554.7	10	897.5	2	44.4	4	30.2
Symptoms and ill defined conditions	R00-R99	10	17.2	17.9	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	34	58.4	62.1	2	173.9	0	0.0	2	15.1
Neoplasms	C00-D48	54	93.5	104.2	0	0.0	0	0.0	1	7.5
Diseases of circulatory system	I00-I99	105	180.4	192.8	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	7	12.0	14.6	7	608.7	0	0.0	0	0.0
External causes	V01-Y89	6	10.3	11.6	0	0.0	1	22.1	0	0.0
Residual	Rest of D50-Q99	79	135.7	150.9	1	87.0	1	22.1	1	7.5

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Saint Lucia, 2002										
Both Sexes										
All causes	A00-Y89	33	107.4	95	212.9	191.0	860.0	558	4953.8	1.1
Symptoms and ill defined conditions	R00-R99	0	0.0	5	11.3	8.0	36.2	78	698.0	0.7
Communicables diseases	A00-B99,G00-G03 J00-J22	2	6.5	15	33.5	9.0	40.4	39	345.2	1.2
Neoplasms	C00-D48	2	6.6	15	33.7	51.0	231.2	98	879.2	1.7
Diseases of circulatory system	I00-I99	4	13.0	8	17.9	43.0	193.0	196	1734.7	0.9
Conditions originating in perinatal period	P00- P96	1	3.2	0	0.0	0.0	0.0	0	0.0	0.7
External causes	V01-Y89	20	64.9	39	87.1	22.0	98.7	18	159.3	3.1
Residual	Rest of D50-Q99	4	13.0	13	29.0	58.0	260.3	129	1141.7	0.9
Males										
All causes	A00-Y89	20	131.3	62	285.4	118.0	1090.3	260	5084.2	2
Symptoms and ill defined conditions	R00-R99	0	0.0	2	9.2	4.0	36.8	31	603.7	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	11	50.4	8.0	73.6	16	311.6	0
Neoplasms	C00-D48	2	13.3	5	23.4	27.0	253.3	69	1369.8	2
Diseases of circulatory system	I00-I99	1	6.5	5	22.9	30.0	276.1	80	1557.9	0
Conditions originating in perinatal period	P00- P96	1	6.5	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	15	98.1	35	160.4	16.0	147.2	10	194.7	0
Residual	Rest of D50-Q99	1	6.5	4	18.3	33.0	303.7	54	1051.6	0
Females										
All causes	A00-Y89	13	83.9	33	144.1	73.0	640.8	298	4845.2	1
Symptoms and ill defined conditions	R00-R99	0	0.0	3	13.3	4.0	35.7	47	776.6	1
Communicables diseases	A00-B99,G00-G03 J00-J22	2	12.9	4	17.4	1.0	8.8	23	373.1	0
Neoplasms	C00-D48	0	0.0	10	43.6	24.0	210.2	29	470.5	0
Diseases of circulatory system	I00-I99	3	19.3	3	13.1	13.0	113.9	116	1881.9	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	5	32.2	4	17.4	6.0	52.6	8	129.8	0
Residual	Rest of D50-Q99	3	19.3	9	39.2	25.0	219.0	75	1216.7	0
Saint Vincent, 2000										
Both Sexes										
All causes	A00-Y89	25	99.1	96	300.2	127.0	1000.6	398	5408.9	1.4
Symptoms and ill defined conditions	R00-R99	2	7.9	5	15.9	2.0	16.5	12	172.5	1.2
Communicables diseases	A00-B99,G00-G03 J00-J22	8	31.5	28	86.9	17.0	133.0	31	418.4	1.8
Neoplasms	C00-D48	2	7.9	15	46.6	33.0	258.1	73	985.3	1.3
Diseases of circulatory system	I00-I99	0	0.0	9	28.3	29.0	228.7	173	2356.5	1.1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	2.0
External causes	V01-Y89	10	40.3	21	66.6	7.0	56.0	4	55.0	6.7
Residual	Rest of D50-Q99	3	11.8	18	56.2	39.0	306.8	105	1425.1	1.3
Males										
All causes	A00-Y89	18	142.7	64	391.8	74.0	1212.5	212	6758.6	4
Symptoms and ill defined conditions	R00-R99	2	15.7	4	24.3	1.0	16.2	5	157.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	6	47.1	21	127.3	12.0	194.7	15	473.5	0
Neoplasms	C00-D48	0	0.0	4	24.3	20.0	324.5	46	1452.0	0
Diseases of circulatory system	I00-I99	0	0.0	7	43.2	13.0	214.8	86	2764.9	2
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	10	80.5	18	111.9	6.0	99.8	3	97.1	1
Residual	Rest of D50-Q99	0	0.0	10	61.3	22.0	360.6	57	1817.8	1
Females										
All causes	A00-Y89	7	55.4	32	204.1	53.0	803.3	186	4400.7	1
Symptoms and ill defined conditions	R00-R99	0	0.0	1	7.1	1.0	16.8	7	183.4	1
Communicables diseases	A00-B99,G00-G03 J00-J22	2	15.8	7	44.5	5.0	75.5	16	377.3	0
Neoplasms	C00-D48	2	15.8	11	69.9	13.0	196.4	27	636.6	0
Diseases of circulatory system	I00-I99	0	0.0	2	12.7	16.0	241.7	87	2051.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	3	19.1	1.0	15.1	1	23.6	0
Residual	Rest of D50-Q99	3	23.7	8	50.9	17.0	256.8	48	1131.8	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total			< 1		1 - 4		5 -14	
		No.	Rate	Age adj. rate	No.	Rate	No.	Rate	No.	Rate
Turks & Caicos Islands, 2001										
Both Sexes										
All causes	A00-Y89	58	280.0	289.9	3	569.8	2	96.3	0	0.0
Symptoms and ill defined conditions	R00-R99	11	53.1	54.4	2	371.1	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	9	43.4	48.0	0	0.0	1	47.3	0	0.0
Neoplasms	C00-D48	3	14.5	13.8	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	16	77.2	83.1	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	1	4.8	4.5	1	185.5	0	0.0	0	0.0
External causes	V01-Y89	8	38.6	36.6	0	0.0	1	54.0	0	0.0
Residual	Rest of D50-Q99	10	48.3	49.2	0	0.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	29	271.3	285.1	2	737.2	1	96.7	0	0.0
Symptoms and ill defined conditions	R00-R99	7	65.5	72.7	1	355.9	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	4	37.4	44.2	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	1	9.4	7.1	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	6	56.1	61.2	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	1	9.4	8.5	1	355.9	0	0.0	0	0.0
External causes	V01-Y89	8	74.8	68.8	0	0.0	1	106.7	0	0.0
Residual	Rest of D50-Q99	2	18.7	21.4	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	29	289.2	288.0	1	387.6	1	95.8	0	0.0
Symptoms and ill defined conditions	R00-R99	4	39.9	38.0	1	387.6	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	5	49.9	51.4	0	0.0	1	95.8	0	0.0
Neoplasms	C00-D48	2	19.9	19.2	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	10	99.7	104.6	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	8	79.8	74.9	0	0.0	0	0.0	0	0.0
Turks & Caicos Islands, 2002										
Both Sexes										
All causes	A00-Y89	43	193.5	192.3	6	1079.6	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	6	27.0	26.5	1	173.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	4.5	4.7	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	5	22.5	24.6	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	11	49.5	51.6	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	4	18.0	16.6	4	692.0	0	0.0	0	0.0
External causes	V01-Y89	8	36.0	33.3	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	8	36.0	34.6	1	173.0	0	0.0	0	0.0
Males										
All causes	A00-Y89	26	226.8	232.2	6	2073.1	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	5	43.6	44.6	1	332.2	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	0.0	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	2	17.5	20.6	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	5	43.6	51.1	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	4	34.9	31.9	4	1328.9	0	0.0	0	0.0
External causes	V01-Y89	7	61.1	55.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	3	26.2	27.9	1	332.2	0	0.0	0	0.0
Females										
All causes	A00-Y89	17	158.0	147.5	0	0.0	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	1	9.3	8.9	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	9.3	8.9	0	0.0	0	0.0	0	0.0
Neoplasms	C00-D48	3	27.9	29.3	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	6	55.8	50.2	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	1	9.3	8.9	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	5	46.5	41.3	0	0.0	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	ratio a)
Turks & Caicos Islands, 2001										
Both Sexes										
All causes	A00-Y89	2	64.6	8	118.0	8.0	269.7	34	2486.6	0.9
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	9	649.4	1.6
Communicables diseases	A00-B99,G00-G03									
	J00-J22	2	63.5	1	14.4	3.0	98.9	2	144.3	0.8
Neoplasms	C00-D48	0	0.0	1	14.4	0.0	0.0	2	144.3	0.5
Diseases of circulatory system	I00-I99	0	0.0	1	14.4	3.0	98.9	12	865.8	0.6
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	0	0.0	4	65.7	2.0	75.4	0	0.0	NA
Residual	Rest of D50-Q99	0	0.0	1	14.4	0.0	0.0	9	649.4	0.2
Males										
All causes	A00-Y89	1	65.5	6	170.4	5.0	309.5	13	2055.6	1
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	6	916.0	0
Communicables diseases	A00-B99,G00-G03									
	J00-J22	1	63.2	0	0.0	2.0	119.6	1	152.7	0
Neoplasms	C00-D48	0	0.0	1	27.4	0.0	0.0	0	0.0	0
Diseases of circulatory system	I00-I99	0	0.0	1	27.4	1.0	59.8	4	610.7	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	4	125.3	2.0	136.6	0	0.0	1
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	2	305.3	0
Females										
All causes	A00-Y89	1	63.7	2	60.4	3.0	220.6	21	2872.8	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	3	410.4	0
Communicables diseases	A00-B99,G00-G03									
	J00-J22	1	63.7	1	30.2	1.0	73.5	1	136.8	0
Neoplasms	C00-D48	0	0.0	0	0.0	0.0	0.0	2	273.6	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	2.0	147.1	8	1094.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Residual	Rest of D50-Q99	0	0.0	1	30.2	0.0	0.0	7	957.6	0
Turks & Caicos Islands, 2002										
Both Sexes										
All causes	A00-Y89	0	0.0	10	136.7	5.0	158.6	21	1438.2	1.4
Symptoms and ill defined conditions	R00-R99	0	0.0	1	13.4	0.0	0.0	4	268.8	4.7
Communicables diseases	A00-B99,G00-G03									
	J00-J22	0	0.0	0	0.0	0.0	0.0	1	67.2	0.0
Neoplasms	C00-D48	0	0.0	1	13.4	2.0	61.5	2	134.4	0.6
Diseases of circulatory system	I00-I99	0	0.0	2	26.8	2.0	61.5	7	470.4	0.8
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	NA
External causes	V01-Y89	0	0.0	4	62.5	1.0	35.9	2	145.6	6.6
Residual	Rest of D50-Q99	0	0.0	2	26.8	0.0	0.0	5	336.0	0.6
Males										
All causes	A00-Y89	0	0.0	5	132.9	4.0	231.8	10	1483.6	1
Symptoms and ill defined conditions	R00-R99	0	0.0	1	25.6	0.0	0.0	3	428.0	0
Communicables diseases	A00-B99,G00-G03									
	J00-J22	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Neoplasms	C00-D48	0	0.0	0	0.0	1.0	55.7	1	142.7	0
Diseases of circulatory system	I00-I99	0	0.0	0	0.0	2.0	111.4	3	428.0	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	4	119.3	1.0	65.0	1	166.4	1
Residual	Rest of D50-Q99	0	0.0	0	0.0	0.0	0.0	2	285.3	0
Females										
All causes	A00-Y89	0	0.0	5	140.8	1.0	68.6	11	1397.7	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	1	127.1	0
Communicables diseases	A00-B99,G00-G03									
	J00-J22	0	0.0	0	0.0	0.0	0.0	1	127.1	0
Neoplasms	C00-D48	0	0.0	1	28.2	1.0	68.6	1	127.1	0
Diseases of circulatory system	I00-I99	0	0.0	2	56.3	0.0	0.0	4	508.3	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	0	0.0	0	0.0	0.0	0.0	1	127.1	0
Residual	Rest of D50-Q99	0	0.0	2	56.3	0.0	0.0	3	381.2	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age		< 1		1 - 4		5 -14	
		No.	Rate	adj. rate	No.	Rate	No.	Rate	No.	Rate	
Virgin Islands (US), 2000											
Both Sexes											
All causes	A00-Y89	641	578.0	499.4	21	1342.7	5	70.0	0	0.0	
Symptoms and ill defined conditions	R00-R99	7	6.3	8.2	3	191.8	1	14.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	31	28.0	24.2	1	63.9	0	0.0	0	0.0	
Neoplasms	C00-D48	134	120.8	98.6	0	0.0	1	14.0	0	0.0	
Diseases of circulatory system	I00-I99	268	241.7	197.4	1	63.9	1	14.0	0	0.0	
Conditions originating in perinatal period	P00- P96	11	9.9	16.9	11	703.3	0	0.0	0	0.0	
External causes	V01-Y89	59	53.2	51.9	1	63.9	0	0.0	0	0.0	
Residual	Rest of D50-Q99	131	118.1	102.3	4	255.8	2	28.0	0	0.0	
Males											
All causes	A00-Y89	356	672.6	611.8	14	1754.4	2	54.9	0	0.0	
Symptoms and ill defined conditions	R00-R99	3	5.7	9.0	3	375.9	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	15	28.3	26.3	1	125.3	0	0.0	0	0.0	
Neoplasms	C00-D48	78	147.4	125.8	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	133	251.3	216.5	0	0.0	1	27.5	0	0.0	
Conditions originating in perinatal period	P00- P96	8	15.1	24.1	8	1002.5	0	0.0	0	0.0	
External causes	V01-Y89	49	92.6	92.2	1	125.3	0	0.0	0	0.0	
Residual	Rest of D50-Q99	70	132.3	117.9	1	125.3	1	27.5	0	0.0	
Females											
All causes	A00-Y89	285	491.7	400.3	7	913.8	3	85.7	0	0.0	
Symptoms and ill defined conditions	R00-R99	4	6.9	6.7	0	0.0	1	28.6	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	16	27.6	21.9	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	56	96.6	76.6	0	0.0	1	28.6	0	0.0	
Diseases of circulatory system	I00-I99	135	232.9	179.9	1	130.6	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	3	5.2	9.4	3	391.6	0	0.0	0	0.0	
External causes	V01-Y89	10	17.3	15.8	0	0.0	0	0.0	0	0.0	
Residual	Rest of D50-Q99	61	105.2	90.1	3	391.6	1	28.6	0	0.0	
Virgin Islands (US), 2001											
Both Sexes											
All causes	A00-Y89	605	543.6	456.4	13	779.6	3	44.0	7	34.5	
Symptoms and ill defined conditions	R00-R99	11	9.9	9.6	2	119.8	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	28	25.2	20.7	1	59.9	0	0.0	0	0.0	
Neoplasms	C00-D48	117	105.1	82.8	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	227	204.0	162.0	1	59.9	0	0.0	1	5.0	
Conditions originating in perinatal period	P00- P96	7	6.3	10.1	7	419.4	0	0.0	0	0.0	
External causes	V01-Y89	73	65.6	66.6	0	0.0	3	43.9	2	9.8	
Residual	Rest of D50-Q99	142	127.6	104.5	2	119.8	0	0.0	4	19.7	
Males											
All causes	A00-Y89	333	627.4	560.0	4	471.5	3	86.3	4	39.4	
Symptoms and ill defined conditions	R00-R99	4	7.5	8.3	1	117.5	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	13	24.5	21.7	1	117.5	0	0.0	0	0.0	
Neoplasms	C00-D48	62	116.8	98.7	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	111	209.1	177.2	0	0.0	0	0.0	1	9.9	
Conditions originating in perinatal period	P00- P96	1	1.9	2.8	1	117.5	0	0.0	0	0.0	
External causes	V01-Y89	63	118.7	122.6	0	0.0	3	86.1	1	9.8	
Residual	Rest of D50-Q99	79	148.8	128.7	1	117.5	0	0.0	2	19.6	
Females											
All causes	A00-Y89	272	467.3	368.0	9	1100.2	0	0.0	3	29.6	
Symptoms and ill defined conditions	R00-R99	7	12.0	10.4	1	122.3	0	0.0	0	0.0	
Communicables diseases	A00-B99,G00-G03 J00-J22	15	25.8	19.2	0	0.0	0	0.0	0	0.0	
Neoplasms	C00-D48	55	94.5	70.9	0	0.0	0	0.0	0	0.0	
Diseases of circulatory system	I00-I99	116	199.3	149.4	1	122.3	0	0.0	0	0.0	
Conditions originating in perinatal period	P00- P96	6	10.3	17.6	6	733.5	0	0.0	0	0.0	
External causes	V01-Y89	10	17.2	16.6	0	0.0	0	0.0	1	9.9	
Residual	Rest of D50-Q99	63	108.2	83.9	1	122.3	0	0.0	2	19.7	

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Virgin Islands (US), 2000										
Both Sexes										
All causes	A00-Y89	17	114.5	62	207.4	179.0	650.6	357	3764.2	1.4
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	3	31.6	0.8
Communicables diseases	A00-B99,G00-G03 J00-J22	1	6.7	5	16.7	11.0	40.0	13	137.1	1.0
Neoplasms	C00-D48	0	0.0	9	30.1	44.0	159.9	80	843.5	1.5
Diseases of circulatory system	I00-I99	0	0.0	14	46.8	77.0	279.9	175	1845.2	1.1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	2.9
External causes	V01-Y89	13	87.6	22	73.6	14.0	50.9	9	94.9	5.4
Residual	Rest of D50-Q99	3	20.2	12	40.1	33.0	119.9	77	811.9	1.3
Males										
All causes	A00-Y89	12	167.2	43	311.2	116.0	880.2	169	4111.9	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	0	0.0	0
Communicables diseases	A00-B99,G00-G03 J00-J22	1	13.9	2	14.5	6.0	45.5	5	121.7	0
Neoplasms	C00-D48	0	0.0	3	21.7	29.0	220.1	46	1119.2	0
Diseases of circulatory system	I00-I99	0	0.0	9	65.1	48.0	364.2	75	1824.8	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	10	139.4	22	159.2	12.0	91.1	4	97.3	0
Residual	Rest of D50-Q99	1	13.9	7	50.7	21.0	159.3	39	948.9	0
Females										
All causes	A00-Y89	5	65.2	19	118.1	63.0	439.5	188	3498.3	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	3	55.8	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	3	18.7	5.0	34.9	8	148.9	0
Neoplasms	C00-D48	0	0.0	6	37.3	15.0	104.6	34	632.7	0
Diseases of circulatory system	I00-I99	0	0.0	5	31.1	29.0	202.3	100	1860.8	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	3	39.1	0	0.0	2.0	14.0	5	93.0	0
Residual	Rest of D50-Q99	2	26.1	5	31.1	12.0	83.7	38	707.1	0
Virgin Islands (US), 2001										
Both Sexes										
All causes	A00-Y89	20	131.9	64	219.1	141.0	503.6	356	3597.9	1.3
Symptoms and ill defined conditions	R00-R99	0	0.0	2	6.8	0.0	0.0	7	70.6	0.6
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	2	6.8	7.0	25.0	18	181.7	1.0
Neoplasms	C00-D48	1	6.6	4	13.7	33.0	117.6	79	797.3	1.2
Diseases of circulatory system	I00-I99	1	6.6	10	34.3	52.0	186.3	161	1631.6	1.1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0.2
External causes	V01-Y89	18	118.4	30	102.5	12.0	42.8	8	80.7	6.9
Residual	Rest of D50-Q99	0	0.0	16	54.7	37.0	131.9	83	837.6	1.4
Males										
All causes	A00-Y89	18	245.2	44	327.0	87.0	651.2	172	4035.5	1
Symptoms and ill defined conditions	R00-R99	0	0.0	2	14.8	0.0	0.0	1	23.4	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	1	7.4	5.0	37.3	6	140.4	0
Neoplasms	C00-D48	1	13.6	0	0.0	16.0	119.4	45	1052.6	0
Diseases of circulatory system	I00-I99	1	13.7	4	29.9	30.0	225.9	74	1746.7	1
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	16	217.3	26	192.7	11.0	82.1	6	140.4	0
Residual	Rest of D50-Q99	0	0.0	11	81.5	25.0	186.6	40	935.7	0
Females										
All causes	A00-Y89	2	25.5	20	126.8	54.0	368.5	184	3265.9	0
Symptoms and ill defined conditions	R00-R99	0	0.0	0	0.0	0.0	0.0	6	106.5	0
Communicables diseases	A00-B99,G00-G03 J00-J22	0	0.0	1	6.3	2.0	13.7	12	213.0	0
Neoplasms	C00-D48	0	0.0	4	25.4	17.0	116.0	34	603.5	0
Diseases of circulatory system	I00-I99	0	0.0	6	38.0	22.0	150.1	87	1544.2	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	2	25.5	4	25.4	1.0	6.8	2	35.5	0
Residual	Rest of D50-Q99	0	0.0	5	31.7	12.0	81.9	43	763.2	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	Total		Age adj. rate	< 1		1 - 4		5 -14	
		No.	Rate		No.	Rate	No.	Rate	No.	Rate
Virgin Islands (US), 2002										
Both Sexes										
All causes	A00-Y89	617	553.2	456.3	8	802.7	1	15.1	1	5.0
Symptoms and ill defined conditions	R00-R99	11	9.9	8.5	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	31	27.8	25.5	2	200.6	0	0.0	0	0.0
Neoplasms	C00-D48	131	117.4	90.1	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	238	213.4	163.8	0	0.0	0	0.0	1	5.0
Conditions originating in perinatal period	P00- P96	4	3.6	9.6	4	401.2	0	0.0	0	0.0
External causes	V01-Y89	71	63.7	64.8	0	0.0	1	15.1	0	0.0
Residual	Rest of D50-Q99	131	117.4	94.1	2	200.6	0	0.0	0	0.0
Males										
All causes	A00-Y89	371	697.9	602.2	1	197.4	0	0.0	0	0.0
Symptoms and ill defined conditions	R00-R99	5	9.4	8.7	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	20	37.6	35.2	1	196.9	0	0.0	0	0.0
Neoplasms	C00-D48	86	161.8	131.6	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	135	253.9	208.9	0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	P00- P96	0	0.0	0.0	0	0.0	0	0.0	0	0.0
External causes	V01-Y89	54	101.6	106.0	0	0.0	0	0.0	0	0.0
Residual	Rest of D50-Q99	71	133.6	111.9	0	0.0	0	0.0	0	0.0
Females										
All causes	A00-Y89	246	421.4	337.3	7	1431.5	1	30.8	1	10.0
Symptoms and ill defined conditions	R00-R99	6	10.3	8.1	0	0.0	0	0.0	0	0.0
Communicables diseases	A00-B99,G00-G03 J00-J22	11	18.8	17.6	1	204.5	0	0.0	0	0.0
Neoplasms	C00-D48	45	77.1	57.1	0	0.0	0	0.0	0	0.0
Diseases of circulatory system	I00-I99	103	176.4	127.0	0	0.0	0	0.0	1	10.0
Conditions originating in perinatal period	P00- P96	4	6.9	19.6	4	818.0	0	0.0	0	0.0
External causes	V01-Y89	17	29.1	28.0	0	0.0	1	30.8	0	0.0
Residual	Rest of D50-Q99	60	102.8	79.8	2	409.0	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/67 list, by country and year**

Cause group	ICD-10 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Virgin Islands (US), 2002										
Both Sexes										
All causes	A00-Y89	24	152.3	67	236.4	160.0	562.1	355	3435.4	1.7
Symptoms and ill defined conditions	R00-R99	0	0.0	4	15.9	1.0	4.4	5	50.7	0.9
Communicables diseases	A00-B99,G00-G03									
	J00-J22	1	6.3	3	10.6	9.0	31.6	16	154.6	2.0
Neoplasms	C00-D48	0	0.0	8	28.2	43.0	150.8	80	773.0	2.1
Diseases of circulatory system	I00-I99	0	0.0	13	45.8	59.0	206.9	165	1594.4	1.4
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0.0
External causes	V01-Y89	23	145.6	29	102.1	11.0	38.6	7	67.6	3.5
Residual	Rest of D50-Q99	0	0.0	10	35.2	37.0	129.8	82	792.4	1.3
Males										
All causes	A00-Y89	21	274.4	48	368.7	106.0	782.7	194	4375.3	1
Symptoms and ill defined conditions	R00-R99	0	0.0	2	19.2	1.0	9.2	1	28.1	1
Communicables diseases	A00-B99,G00-G03									
	J00-J22	1	13.0	2	15.3	5.0	36.8	11	247.4	0
Neoplasms	C00-D48	0	0.0	3	23.0	29.0	213.6	54	1214.6	0
Diseases of circulatory system	I00-I99	0	0.0	8	61.3	40.0	294.6	87	1956.8	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	20	260.6	23	176.2	8.0	58.9	3	67.5	0
Residual	Rest of D50-Q99	0	0.0	10	76.6	23.0	169.4	38	854.7	0
Females										
All causes	A00-Y89	3	37.0	19	123.8	54.0	361.6	161	2727.4	0
Symptoms and ill defined conditions	R00-R99	0	0.0	2	13.0	0.0	0.0	4	67.8	0
Communicables diseases	A00-B99,G00-G03									
	J00-J22	0	0.0	1	6.5	4.0	26.8	5	84.7	0
Neoplasms	C00-D48	0	0.0	5	32.6	14.0	93.7	26	440.5	0
Diseases of circulatory system	I00-I99	0	0.0	5	32.6	19.0	127.2	78	1321.4	0
Conditions originating in perinatal period	P00- P96	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	V01-Y89	3	37.0	6	39.1	3.0	20.1	4	67.8	0
Residual	Rest of D50-Q99	0	0.0	0	0.0	14.0	93.7	44	745.4	0

See Technical Notes. a) Masculinity ratio shown for both sexes, otherwise values refer to deaths unknown by age.