
GTSS Global Adult Tobacco Survey (GATS)



Question by Question Specifications

Global Adult Tobacco Survey (GATS) Question by Question Specifications

Version 2.0 November 2010

Global Adult Tobacco Survey (GATS)

Comprehensive Standard Protocol

GATS Questionnaire

Core Questionnaire with Optional Questions
Question by Question Specifications

GATS Sample Design

Sample Design Manual Sample Weights Manual

GATS Fieldwork Implementation

Field Interviewer Manual Field Supervisor Manual Mapping and Listing Manual

GATS Data Management

Programmer's Guide to General Survey System
Core Questionnaire Programming Specifications
Data Management Implementation Plan
Data Management Training Guide

GATS Quality Assurance: Guidelines and Documentation

GATS Analysis and Reporting Package

Fact Sheet Template
Country Report: Tabulation Plan and Guidelines
Indicator Definitions

GATS Data Release and Dissemination

Data Release Policy

Data Dissemination: Guidance for the Initial Release of the Data

Tobacco Questions for Surveys: A Subset of Key Questions from the Global Adult Tobacco Survey (GATS)

Suggested Citation

Global Adult Tobacco Survey Collaborative Group. *Global Adult Tobacco Survey (GATS):* Question by Question Specifications, Version 2.0. Atlanta, GA: Centers for Disease Control and Prevention, 2010.

Acknowledgements

GATS Collaborating Organizations

- Centers for Disease Control and Prevention
- CDC Foundation
- Johns Hopkins Bloomberg School of Public Health
- RTI International
- University of North Carolina Gillings School of Public Health
- World Health Organization

Financial Support


Financial support is provided by the Bloomberg Initiative to Reduce Tobacco Use, a program of Bloomberg Philanthropies, through the CDC Foundation.

Disclaimer: The views expressed in this manual are not necessarily those of the GATS collaborating organizations.



Contents

Cha	oter Pag	
1.	Introduction	1-1
	1.1 Overview of the Global Adult Tobacco Survey	1-1
	1.2 Use of this Manual	1-2
2.	Household Questionnaire	2-1
3.	Individual Questionnaire	3-1
	Consent	3-1
	Section A. Background Characteristics	3-9
	Section B. Tobacco Smoking	3-19
	Section C. Smokeless Tobacco	3-47
	Section D1. Cessation – Tobacco Smoking	3-73
	Section D2. Cessation – Smokeless Tobacco	3-85
	Section E. Secondhand Smoke	3-97
	Section F. Economics – Manufactured Cigarettes	3-111
	Section G. Media (Structure #1 – Asking About Only One Product)	3-119
	Section G. Media (Structure #2 – Asking About Two or More Products)	3-131
	Section H. Knowledge, Attitudes, & Perceptions	3-151
	End Individual Questionnaire	3-155



1. Introduction

Tobacco use is a major preventable cause of premature death and disease worldwide. Approximately 5.4 million people die each year due to tobacco-related illnesses – a figure expected to increase to more than 8 million a year by 2030. If current trends continue, tobacco use may kill a billion people by the end of this century. It is estimated that more than three quarters of these deaths will be in low- and middle-income countries¹. An efficient and systematic surveillance mechanism is essential to monitor and manage the epidemic.

The *Global Adult Tobacco Survey* (GATS), a component of Global Tobacco Surveillance System (GTSS), is a global standard for systematically monitoring adult tobacco use and tracking key tobacco control indicators. GATS is a nationally representative household survey of adults 15 years of age or older using a standard core questionnaire, sample design, and data collection and management procedures that were reviewed and approved by international experts. GATS is intended to enhance the capacity of countries to design, implement and evaluate tobacco control interventions.

In order to maximize the efficiency of the data collected from GATS, a series of manuals has been created. These manuals are designed to provide countries with standard requirements as well as several recommendations on the design and implementation of the survey in every step of the GATS process. They are also designed to offer guidance on how a particular country might

GATS manuals provide systematic guidance on the design and implementation of the survey.

adjust features of the GATS protocol in order to maximize the utility of the data within the country. In order to maintain consistency and comparability across countries, following the standard protocol is strongly encouraged.

1.1 Overview of the Global Adult Tobacco Survey

GATS is designed to produce national and sub-national estimates among adults across countries. The target population includes all non-institutionalized men and women 15 years of age or older who consider the country to be their usual place of residence. All members of the target population will be sampled from the household that is their usual place of residence.

GATS uses a geographically clustered multistage sampling methodology to identify the specific households that Field Interviewers will contact. First, a country is divided into Primary Sampling Units, segments within these Primary Sampling Units, and households within the segments. Then, a random sample of households is selected to participate in GATS.

The GATS interview consists of two parts: the *Household Questionnaire* and the *Individual Questionnaire*. The *Household Questionnaire* (household screening) and the *Individual Questionnaire* (individual interview) will be conducted using an electronic data collection device.

The GATS interview is composed of two parts: Household Questionnaire and Individual Questionnaire. These questionnaires are administered using an electronic data collection device.

Global Adult Tobacco Survey (GATS)

¹ Mathers, C.D., and Loncar D. Projections of Global Mortality and Burden of Disease from 2002 to 2030. PLoS Medicine, 2006, 3(11):e442.

At each address in the sample, Field Interviewers will administer the *Household Questionnaire* to one adult who resides in the household. The purposes of the *Household Questionnaire* are to determine if the selected household meets GATS eligibility requirements and to make a list, or roster, of all eligible members of the household. Once a roster of eligible residents of the household is completed, one individual will be randomly selected to complete the *Individual Questionnaire*. The *Individual Questionnaire* asks questions about background characteristics; tobacco smoking; smokeless tobacco; cessation; secondhand smoke; economics; media; and knowledge, attitudes, and perceptions about tobacco.

1.2 Use of this Manual

This manual provides question by question instructions to the field interviewers for administering the GATS Core Household and Individual Questionnaires using the handheld computer administration. This chapter provides background information on the GATS. Next, the manual provides specific details for all of the core household and individual survey questions including purpose, instructions, and routing information. Note that GATS countries should modify this manual to match their country-adapted questionnaires.

2. Household Questionnaire

INTRO

[THE HOUSEHOLD SCREENING RESPONDENT MUST BE 18 YEARS OF AGE OR OLDER AND YOU MUST BE CONFIDENT THAT THIS PERSON CAN PROVIDE ACCURATE INFORMATION ABOUT ALL MEMBERS OF THE HOUSEHOLD.

IF NEEDED, VERIFY THE AGE OF THE HOUSEHOLD SCREENING RESPONDENT TO MAKE SURE HE/SHE IS 18 YEARS OF AGE OR OLDER.]

INTRO1

An important survey of adult tobacco use behavior is being conducted by the (FILL COUNTRY SPONSORING AGENCY) throughout (FILL COUNTRY NAME) and your household has been selected to participate.

All houses selected were chosen from a scientific sample and it is very important to the success of this project that each participates in the survey. All information gathered will be kept strictly confidential. I have a few questions to find out who in your household is eligible to participate.

Purpose: Provides introduction of the GATS survey to the household.

Instructions: The household screening interview should be completed by someone who is 18 years or older and lives in the household. You must be confident that this household member is able to provide accurate information about all of the people who live in the household. (The only exception is when a household does not have anyone 18 or older who lives there. Then you can conduct the household screening interview with someone who is younger than 18.)

Read the introduction to a household member that is 18 years or older. Answer any questions the household member may have about the survey and attempt to convince member to participate if he/she is hesitant.

HH1
First, I'd like to ask you a few questions about your household. In total, how many persons live in this household?
[INCLUDE ANYONE WHO CONSIDERS THIS HOUSEHOLD THEIR USUAL PLACE OF RESIDENCE]
[RANGE: 0 – 50]
[IF HH1 = 00, GO TO NOELIGIBLE]

Purpose: Determines how many people live in the household.

Instructions: Ask question and record the total number of people who live in the household.

Anyone who considers the household to be their usual place of residence should be included. Although you will not formally verify that all household members consider the selected household to be their usual place of residence, if you are specifically asked whether someone should be considered a resident, you should use the guidelines provided on the following page.

The program will not let you enter an answer that is over 50. Enter 50 if the answer is higher.

If the answer is 0, the program will route you to NOELIGIBLE to end the interview (provided below). (The result code 201 "Completed Household Questionnaire, No One Selected" will be automatically selected in the Record of Calls by the Case Management System.)

2-2

NOELIGIBLE

[THERE ARE NO ELIGIBLE HOUSEHOLD MEMBERS.

THANK THE RESPONDENT FOR HIS/HER TIME.

THIS WILL BE RECORDED IN THE RECORD OF CALLS AS A CODE 201.]

GATS Target Population

The target population for GATS surveys should include all civilian, non-institutionalized men and women 15 years of age or older, and living in the included areas of the country, who meet GATS residency requirements at the country and household levels.

Individuals are viewed as residents of a GATS country if they are: (i) citizens of and residing in the country, or (ii) non-citizens living in the country, but who consider the country to be their **usual** country of residence (i.e., they have lived in the GATS country for at least half of the time during the 12 months prior to completing the *Household Questionnaire*).

Individuals aged 15 years of age or older, who are explicitly **excluded** from the survey, are those who, at the time that the *Household Questionnaire* is completed, are: (i) non-citizens visiting the country for a few weeks (e.g. tourists, in the country to see friends/relatives, etc.), (ii) citizens who indicate that their usual place of residence is on a military base, or (iii) citizens who are institutionalized—including people residing in hospitals, prisons, nursing homes, and other such institutions that will not be sampled in GATS.

Household Residence Guidelines

[COUNTRIES SHOULD UPDATE AS APPROPRIATE]

All civilian, non-institutionalized men and women of age 15 years of age or older in a sample household meet the household residence requirement if the sample household is considered to be their usual place of residence at the time that the *Household Questionnaire* is completed.

A usual member of a sample household is any person who has been normally living in the household or one who has no other residence. A person who has moved to the sample household recently is considered to be a member of that sample household if he/she does not plan to return to the old household. Similarly, a person who has recently moved out of the sample household with no intention to return is no longer considered a member of the sample household.

For household members with more than one residence, the "usual" place of residence means the residence where the household member spent at least half of the time in the past 12 months.

Some individuals who consider the sample household their usual residence may be temporarily living away from the sample household. Some common examples of this kind of household resident are: (i) students away at school and staying in a dormitory², (ii) family members currently living away at a vacation home, and (iii) laborers who are temporarily living where they are working.

Note that if these temporary absentees are randomly selected to complete an *Individual Questionnaire*, every possible effort should be made to complete the interview with them. They should **not** be arbitrarily (or even randomly) replaced by another eligible member of the household.

² Since school dormitories will not be included on the lists used to select households, but students temporarily living away from home are included in the GATS target population, we must consider persons living in these dormitories to be residents of the household of which they are a part where they are not in school.

HH2
How many of these household members are 15 years of age or older?
[RANGE: 0 – 20]
[VALIDATION: HH2 <= HH1 (IF NOT, GO TO TooMany)] [IF HH2 = 00, GO TO NOELIGIBLE]
TooMany
[YOU CAN'T/SHOULDN'T HAVE MORE PEOPLE >= 15 YEARS OLD THAN THERE ARE TOTAL HH MEMBERS; PLEASE DOUBLE CHECK THE ANSWERS SO FAR.]
[GO TO HH2]

Purpose: Determines how many people age 15 or older live in the household.

Instructions: Ask question and record the total number of people 15 years of age or older who live in the household.

Anyone who is age 15 or older and considers the household to be their primary place of residence should be included.

The program will not let you enter an answer that is over 20. Enter 20 if the answer is higher.

If the answer is 0, the program will route you to NOELIGIBLE to end the interview (provided below). (The result code 201 "Completed Household Questionnaire, No One Selected" will be automatically selected in the Record of Calls by the Case Management System.)

NOELIGIBLE

[THERE ARE NO ELIGIBLE HOUSEHOLD MEMBERS.

THANK THE RESPONDENT FOR HIS/HER TIME.

THIS WILL BE RECORDED IN THE RECORD OF CALLS AS A CODE 201.]

HH4both

I now would like to collect information about only these persons that live in this household who are 15 years of age or older.

Let's start listing them from oldest to youngest.

Purpose: To collect information on all household members age 15 or older. The household roster is used for selecting a respondent to complete the individual interview.

Instructions: Read this introduction and start asking the next questions about the oldest person (that is 15 or older) in the household and move toward the youngest. Try and list everyone in the order of their age. (It is okay if the listing is not done in order, as the program will sort the household members by age before selecting a respondent.)

HH4a
What is the {FILL: oldest/next oldest} person's first name?

Instructions: Ask for first name only. Used only for respondent selection purposes. Initials or nicknames can be used if more than one household member has the same first name or if the household screening respondent is reluctant to provide this information.

HH4b
What is this person's age?
[IF RESPONDENT DOESN'T KNOW, PROBE FOR AN ESTIMATE]
[RANGE: 15 – 110] [IF HH4b >= 15 and <=17, GO TO HH4c. OTHERWISE, GO TO HH4d]

Instructions: If the household screening respondent does not know the age, probe for an estimate.

The allowable age range in the program is from 15 to 110. If the reported age is less than 15, this household member should not be included on the roster. If needed, back-up to correct the number of household members age 15 or older.

If the age is reported as greater than 110, enter 110.

Routing: If the reported age is 15-17, the program will ask for month and year of date of birth.

HH4c
What is the month of this person's date of birth?
01 1
02 2
03 3
04 4
05 5
06 6
07 7
08 8
09 9
10 10
11
12 12
DON'T KNOW 77
REFUSED 99
HH4cYEAR
What is the year of this person's date of birth?
[IF DON'T KNOW, ENTER 7777 IF REFUSED, ENTER 9999]
[RANGE: 1900 – 2000, 7777, 9999]
[IF HH4c = 77 OR HH4c = 99 OR HH4cYear = 7777 OR HH4cYear = 9999, THEN GO TO HH4d] [VALIDATION: CALCULATED DATE OF BIRTH >= 15 YEARS OLD (IF NOT, GO TO ValidateAge)] [ELSE, GO TO HH4d]
ValidateAge
[AGE CALCULATED FROM BIRTH MONTH AND BIRTH YEAR IS LESS THAN 15. PLEASE DOUBLE CHECK THESE ANSWERS.]
[GO TO HH4c]

Instructions: If the reported age of a household member is 15 to 17, you will ask for date of birth in order to verify the age.

The date of birth should calculate to 15 or older—if it does not, you will receive a prompt that the household member should not be included on the roster.

If the household screening respondent does not know or refuses to provide the month and/or year, the program will continue to HH4d.

IH4d	_
s this person male or female?	
MALE 1 FEMALE 2	

Instructions: Ask the question and record the gender (male or female) of the household member. Do not make an assumption about the gender from the name of the household member.

HH4e
Does this person currently smoke tobacco, including (FILL APPROPRIATE COUNTRY EXAMPLES: cigarettes, cigars, pipes)?
YES

2-10

Instructions: Ask question and record answer.

EDITROSTERINTRO

[IF YOU NEED TO REVIEW THE ROSTER, SELECT "ROSTER" FROM THE TOOLS MENU.

TAP THE BACK BUTTON IF YOU NEED TO MAKE CHANGES.

TAP THE NEXT BUTTON TO SELECT THE RESPONDENT.]

Purpose: To collect information on all household members age 15 or older. The household roster is used for selecting a respondent to complete the individual interview.

Instructions: After asking the questions about each household member age 15 or older, the program will ask you if you need to review or make changes.

If you need to review the roster, select the "Tools" menu and then the "Roster" menu. Here you can view the completed roster.

If corrections are needed, you will need to back-up to make changes (e.g., add or delete a person).

Selecting the "Next" button will randomly select a respondent to complete the individual interview. After doing this, you will not be able to back-up to make changes to the roster.

HH5

[NAME OF THE SELECTED ELIGIBLE PERSON IS:

{FILL SELECTED HH MEMBER'S FIRST NAME}

ASK IF THE SELECTED RESPONDENT IS AVAILABLE AND IF SO, PROCEED TO THE INDIVIDUAL QUESTIONNAIRE.

IF THE SELECTED RESPONDENT IS NOT AVAILABLE, MAKE AN APPOINTMENT AND RECORD IT AS A COMMENT ON RECORD OF CALLS.]

Purpose: Selects household member to participate in the individual interview.

Instructions: A household member from the household roster will be randomly selected by the program for the individual interview. (The result code 200 "Completed Household Questionnaire, One Person Selected" will be automatically selected in the Record of Calls by the Case Management System.)

Ask to interview the selected household member. Attempt to set an appointment for the individual interview if the selected respondent is not available for the interview at that time.

3. Individual Questionnaire

Consent
CONCENTA
CONSENT1
[SELECT THE APPROPRIATE AGE CATEGORY BELOW. IF NEEDED, CHECK THE AGE OF THE SELECTED RESPONDENT FROM THE "CASE INFO" SCREEN IN THE TOOLS MENU.]
15-17

Purpose: Determines the appropriate routing to obtain consent to participate in the survey.

Instructions: The name and age of the selected respondent will be listed in the case details for the household questionnaire. Select the appropriate age category.

If the selected respondent is 15 to 17 years old, you will need to obtain consent from a parent or guardian in addition to the respondent. If there is no one living in the household that is 18 years of age or older, select the EMANCIPATED MINOR (15-17) category. Parental/Guardian consent is not required for these situations.

Routing:

If the answer is 15-17, the program will go to CONSENT2 (consent from parent/guardian and respondent).

If the answer is 18 OR OLDER, the program will go to CONSENT5 (consent from individual respondent).

If the answer is EMANCIPATED MINOR (15-17), the program will go to CONSENT5 (consent from individual respondent).

CONSENT2

Before starting the interview, I need to obtain consent from a parent or guardian of [NAME OF RESPONDENT] and from [NAME OF RESPONDENT].

[IF BOTH SELECTED RESPONDENT AND PARENT/GUARDIAN ARE AVAILABLE, CONTINUE WITH INTERVIEW.

IF PARENT/GUARDIAN IS NOT AVAILABLE, BREAK-OFF INTERVIEW AND SCHEDULE AN APPOINTMENT TO RETURN.

IF MINOR RESPONDENT IS NOT AVAILABLE, CONTINUE WITH OBTAINING PARENTAL CONSENT.]

Purpose: Determines whether the parent/guardian is available to provide consent.

Instructions: Read the introduction filling in the name of the selected respondent (provided in the case details of the household questionnaire).

If the selected respondent and parent/guardian are both available at the same time, you will continue with the interview (CONSENT3) to obtain consent from both at the same time.

If the parent/guardian is not available to provide consent, you should break-off the interview and schedule an appointment to return when the parent/guardian will be able to provide consent.

If the selected respondent (minor) is not available but the parent/guardian is available, continue with obtaining consent from the parent/guardian at this time. You will obtain the consent from the selected respondent (minor) during the scheduled appointment to conduct the interview.

CONSENT3

[READ THE FOLLOWING TO THE PARENT/GUARDIAN AND SELECTED RESPONDENT (IF AVAILABLE):]

I am working with [Name of Organization]. This institution is doing a survey about tobacco use in [Country]. This information will be used for planning public health programs by the Ministry of Health.

Your household and [NAME OF RESPONDENT] have been selected at random. [NAME OF RESPONDENT] responses are very important to us and the community. These answers will represent many other persons. The interview will last approximately 30 minutes. [NAME OF RESPONDENT] participation in this survey is entirely voluntary. If you or [NAME OF RESPONDENT] decide not to participate, you will not lose any services that you would normally receive. There is no penalty if you do not participate.

The information that [NAME OF RESPONDENT] will provide will be kept strictly confidential and [NAME OF RESPONDENT] will not be identified by his/her responses. Personal information will not be shared with anyone else, not even other family members including you. [NAME OF RESPONDENT] can withdraw from the survey at any time, and may refuse to answer any question.

We don't expect any risks to [NAME OF RESPONDENT] or you from participating in this survey. There will not be any direct benefits to [NAME OF RESPONDENT] or you, but the results will help the Ministry of Health plan public health programs for the country.

We will leave the necessary contact information with you. If you have any questions about this survey or [NAME OF RESPONDENT] rights as a participant, you can contact the telephone numbers listed.

If you agree with [NAME OF RESPONDENT]'s participation in this survey, we will conduct a private interview with him/her.

[ASK PARENT/GUARDIAN:] Do you agree with [NAME OF RESPONDENT]'s participation?	
YES	

Purpose: Obtains consent from the parent/quardian of the selected minor respondent.

Instructions: Read this text to the parent/guardian and the selected respondent (if present) at the same time. Ask the parent/guardian if he/she agrees for the selected respondent to participate. Answer any questions the parent/guardian or selected respondent may have about the survey and attempt to convince them to participate if they are hesitant.

You can provide the household with a list of contact information in order to obtain further information about the survey.

Routing:

If the answer is YES, the program will go to CONSENT4.

If the answer is NO, the program will go to the end of the interview. You should then select code 304 (refusal) in the Record of Calls in the Case Management System.

CONSENT4
[WAS THE SELECTED MINOR RESPONDENT PRESENT?]
PRESENT 1 [GO TO CONSENT6] NOT PRESENT 2 [GO TO CONSENT5]

Purpose: Determines whether the selected minor respondent was present during the reading of the consent information in CONSENT3.

Instructions: Select the appropriate answer.

Routing: If the selected minor respondent was PRESENT during CONSENT3, the program will go to CONSENT6 to ask the selected minor respondent for his/her consent.

If the selected minor respondent was NOT PRESENT during CONSENT3, the program will go to CONSENT5. You will break-off the interview at this point and when you return to interview the selected minor respondent, you will read the consent information in CONSENT5.

CONSENT5

[READ TO THE SELECTED RESPONDENT:]

I am working with [Name of Organization]. This institution is doing a survey about tobacco use in [Country]. This information will be used for planning public health purposes by the Ministry of Health.

Your household and you have been selected at random. Your responses are very important to us and the community. These answers will represent many other persons. The interview will last approximately 30 minutes. Your participation in this survey is entirely voluntary. If you decide not to participate, you will not lose any services that you would normally receive. There is no penalty if you do not participate.

The information that you will provide us will be kept strictly confidential, and you will not be identified by your responses. Personal information will not be shared with anyone else, not even other family members. You can withdraw from the survey at any time, and may refuse to answer any question.

We don't expect any risks to you from participating in this survey. There will not be any direct benefits to you, but the results will help the Ministry of Health plan public health programs for the country.

We will leave the necessary contact information with you. If you have any questions about this survey or your rights as a participant, you can contact the telephone numbers listed.

{FILL IF CONSENT4=2: Your parent/guardian has given his/her permission for you to participate in this survey.}

If you agree to participate, we will conduct a private interview with you.

Purpose: Consent information read to the selected respondent.

Instructions: Read this consent text to the selected respondent. Answer any questions the selected respondent may have about the survey and attempt to convince him/her to participate if he/she is hesitant.

You can provide the household with a list of contact information in order to obtain further information about the survey.

If this text is being read to a selected minor respondent, the program will automatically display the sentence: "Your parent/guardian has given his/her permission for you to participate in this survey."

CONSENT6	
[ASK SELECTED RESPONDENT:] Do you agree to participate?	
YES 1 [GO TO INTLANG] NO 2 [END INTERVIEW]	

Purpose: Obtains consent from the selected respondent.

Instructions: Ask the selected respondent if he/she agrees to participate and record the answer. Answer any questions the selected respondent may have about the survey and attempt to convince him/her to participate if he/she is hesitant.

Routing:

If the answer is YES, the program will go to INTLANG.

If the answer is NO, the program will go to the end of the interview. You should then select code 304 (refusal) in the Record of Calls in the Case Management System.

INTLANG	
[INTERVIEW LANGUAGE]	
[SPECIFY] 1 [SPECIFY] 2 [SPECIFY] 3 [SPECIFY] 4	

Purpose: Records the language that the interview was conducted in.

Instructions: This screen will only be included for surveys that are being conducted in more than one language. Select the language (or dialect) that the interview is being conducted in, regardless of the language of the survey program.

Section A. Background Characteristics

A00

I am going to first ask you a few questions about your background.

Purpose: Section A includes questions about the respondent's background.

Instructions: Read introduction to respondent and administer Section A.

A01	_
[RECORD GENDER FROM OBSERVATION. ASK IF NECESSARY.]	
MALE 1 FEMALE 2	

Purpose: Identifies gender of respondent.

Instructions: Record gender from observation. Ask only if the respondent's gender is not obvious to you.

A02a			
What is the month of your date of b	irth?		
01 1			
02 2			
03 3			
04 4			
05 5			
06 6			
07 7			
08 8			
09 9			
10 10			
11 11			
12 12			
DON'T KNOW 77			
REFUSED 99			

Purpose: Determines the date of birth of respondent.

Instructions: Ask question and record the month of the respondent's date of birth.

A02b

What is the year of your date of birth?

[IF DON'T KNOW, ENTER 7777 IF REFUSED, ENTER 9999]

____ [RANGE: 1900 – 2000, 7777, 9999]

[IF A02a = 77 OR A02b = 7777 OR A02a = 99 OR A02b = 9999, THEN GO TO A03]

[VALIDATION: CALCULATED DATE OF BIRTH >= 15 YEARS OLD (IF NOT, GO TO ValidateAge)]

[OTHERWISE, GO TO A04]

ValidateAge

[MUST BE GREATER THAN OR EQUAL TO 15 YEARS OF AGE TO PARTICIPATE. SYSTEM AGE CALCULATED TO BE {CalcYears}

IF AGE IS CORRECT, SELECT "NEXT" TO END INTERVIEW AND TALK TO YOUR SUPERVISOR
OTHERWISE SELECT "BACK" TO CORRECT THE DATE OF BIRTH]

[GO TO 101]

Purpose: Determines date of birth of respondent.

Instructions: Ask question A02b and record the year of the respondent's date of birth. If the respondent doesn't know the year or refuses to give the year, record "7777" or "9999" in the field.

Routing: If the respondent doesn't know or refuses to give the month and/or year of his/her date of birth, the program will go to question A03.

If the respondent's age is calculated to be less than 15 years old, you will be prompted by the program and you should confirm the date of birth (or age) with the respondent. If the date of birth is not correct, back-up to change the date of birth.

If date of birth or age is correct (less than 15), select "Next" to go to l01 to end the interview. (The result code 403 "Selected Individual Was Later Determine to Be Survey Ineligible" will be automatically selected in the Record of Calls by the Case Management System.)

A03
How old are you?
[IF RESPONDENT IS UNSURE, PROBE FOR AN ESTIMATE AND RECORD AN ANSWER IF REFUSED, BREAK-OFF AS WE CANNOT CONTINUE INTERVIEW WITHOUT AGE]
[RANGE: 5 – 110]
[VALIDATION: A03 >= 15 (IF NOT, GO TO ValidateAge2)] [OTHERWISE GO TO A03a]
ValidateAge2
[MUST BE GREATER THAN OR EQUAL TO 15 YEARS OF AGE TO PARTICIPATE. AGE IS REPORTED AS {A03}
IF AGE IS CORRECT, SELECT "NEXT" TO END INTERVIEW AND TALK TO YOUR SUPERVISOR
OTHERWISE SELECT "BACK" TO CORRECT THE AGE]
[GO TO 101]
A03a
[WAS RESPONSE ESTIMATED?]
YES

Purpose: Collects age of respondent if he/she does not know his/her date of birth.

Instructions: Question A03 will be asked if the respondent does not know or refuses to provide the month and/or year of date of birth in question A02a/b. If the respondent is unsure of his/her age, probe to determine an estimate. For question A03a, select "YES" if the answer was an estimate or select "NO" if the answer was not an estimate.

If the respondent refuses, try to convince him/her by saying that in order to continue the interview, he/she will need to provide an age. If the respondent still will not provide an age, you will need to break-off the interview and record result code 302 "Completed Part of Individual Questionnaire" in the Record of Calls of the Case Management System. Include a description of what occurred and talk to your supervisor to discuss any future action with this case.

If the respondent's age is calculated to be less than 15 years old, you will be prompted by the program and you should confirm the age with the respondent. If the age is not correct, back-up to change it. If the age is correct (less than 15), select "Next" to go to l01 to end the interview. (The result code 403 "Selected Individual Was Later Determine to Be Survey Ineligible" will be automatically selected in the Record of Calls by the Case Management System.)

A04
What is the highest level of education you have completed?
[SELECT ONLY ONE CATEGORY]
NO FORMAL SCHOOLING

Purpose: Determines the highest level of education that the respondent completed.

Instructions: Ask question but do not read response categories. Select only one answer that comes closest to the respondent's answer.

Note that the response categories are adjusted for the specific country.

A05

Which of the following best describes your *main* work status over the past 12 months? Government employee, non-government employee, self-employed, student, homemaker, retired, unemployed-able to work, or unemployed-unable to work?

[INCLUDE SUBSISTENCE FARMING AS SELF-EMPLOYED]

GOVERNMENT EMPLOYEE		1
NON-GOVERNMENT EMPLOYEE		2
SELF-EMPLOYED		3
STUDENT		4
HOMEMAKER		5
RETIRED		6
UNEMPLOYED, ABLE TO WORK		7
UNEMPLOYED, UNABLE TO WORK	_	
DON'T KNOW		77
REFUSED		99

Purpose: Determines information about employment status during the past 12 months.

Instructions: Ask question and read the response categories. Select only one answer that comes closest to the respondent's answer.

A06a
Please tell me whether this household or any person who lives in the household has the following items:
Electricity?
YES
A06b
(Please tell me whether this household or any person who lives in the household has the following items:)
Flush toilet?
YES
A06c
(Please tell me whether this household or any person who lives in the household has the following items:)
Fixed telephone?
YES
A06d
(Please tell me whether this household or any person who lives in the household has the following items:)
Cell telephone?
YES

A06e
(Please tell me whether this household or any person who lives in the household has the following items:)
Television?
YES
A06f
(Please tell me whether this household or any person who lives in the household has the following items:)
Radio?
YES
A06g
(Please tell me whether this household or any person who lives in the household has the following items:)
Refrigerator?
YES
REFUSED 9
A06h
REFUSED 9

Purpose: The A06 series of questions determines whether the respondent's household has any of the various items.

Instructions: Read stem question in A06a and ask each item part (A06a through A06j). Note that the stem question in parentheses for A06b through A06j does not need to be repeated for each item – only read if needed.

An item that is not working still should be included as a household possession.

Note that these items (a though j) are core. Countries might add items to this list.

Section B. Tobacco Smoking

B00

I would now like to ask you some questions about *smoking* tobacco, including (FILL APPROPRIATE COUNTRY EXAMPLES: cigarettes, cigars, pipes).

Please do not answer about smokeless tobacco at this time.

Purpose: Section B includes questions about tobacco smoking.

Instructions: Read introduction and administer Section B. Note that respondent should not be answering about smokeless tobacco during Section B as this is covered in Section C. This instruction will not be included if Section C is not being administered.

Note that the examples are adjusted for the specific country.

B01
Do you *currently* smoke tobacco on a daily basis, less than daily, or not at all?
DAILY

Purpose: Determines the current tobacco smoking status of the respondent.

Instructions: Ask question and select only one answer.

If the respondent answers "don't know," probe for an answer as the respondent should be able to provide his/her current smoking status.

QxQ Screen: Daily means smoking at least one tobacco product every day or nearly every day over a period of a month or more.

Routing:

If the answer is DAILY, questions B02 and B03 will be skipped and the program will go to question B04.

If the answer is LESS THAN DAILY, the program will go to question B02.

If the answer is NOT AT ALL, question B02 will be skipped and the program will go to question B03.

If the answer is DON'T KNOW or REFUSED, the program will skip to the next section.

302
Have you smoked tobacco daily in the past?
YES

Purpose: Determines if the respondent smoked tobacco on a daily basis in the past.

Instructions: This question will be asked only to those respondents who said they currently smoke less than daily in question B01. Ask question and select only one answer.

If the respondent answers "don't know," probe for an answer as the respondent should be able to say whether he/she smoked daily in the past, unless the respondent truly cannot remember (e.g., due to memory loss).

QxQ Screen: Daily means smoking at least one tobacco product every day or nearly every day over a period of a month or more.

Routing:

If the answer is YES, the program will go to question B08.

If the answer is NO, DON'T KNOW, or REFUSED, the program will go to question B10a.

B03	
In the *past*, have you smoked tobacco on a daily basis, less than daily, or not at all?	
[IF RESPONDENT HAS DONE BOTH "DAILY" AND "LESS THAN DAILY" IN THE PAST, CHECK "DAILY"]	
DAILY	

Purpose: Determines the respondent's previous tobacco smoking status if he/she is not a current smoker.

Instructions: This question will be asked if the respondent says he/she does not smoke at all in question B01. Ask question and select only one answer. Note that if a respondent says he/she smoked daily and less than daily in the past, select the answer for DAILY.

If the respondent answers "don't know," probe for an answer as the respondent should be able to provide his/her past smoking status, unless the respondent truly cannot remember (e.g., due to memory loss).

QxQ Screen: Daily means smoking at least one tobacco product every day or nearly every day over a period of a month or more.

Rare instances of smoking or experimental smoking (tried once or twice in lifetime) should be counted in the NOT AT ALL category.

Routing:

If the answer is DAILY, the program will go to question B11.

If the answer is LESS THAN DAILY, the program will go to question B13a.

If the answer is NOT AT ALL, DON'T KNOW, or REFUSED, the rest of Section B will be skipped and the program will go to Section C (or the next applicable section after Section B).

B04
How old were you when you first started smoking tobacco *daily*?
[IF DON'T KNOW OR REFUSED, ENTER "99"]
[RANGE: 1 – 98, 99]
[IF B04 = 99, GO TO B05] [IF B04 = 1 – 4, GO TO CheckDailyAge1] [IF B04 > R'S AGE, GO TO ValDailyAge1A] [OTHERWISE GO TO B06a]
B05
How many years ago did you first start smoking tobacco *daily*?
[IF REFUSED, ENTER 99]
[RANGE: 0 – 98, 99]

Purpose: Determines the age of the respondent when he/she first started smoking tobacco on a daily basis.

Instructions: B04 is asked to respondents who currently smoke tobacco daily. Ask question and record answer. If the respondent does not know the answer or refuses, record "99" and then the program will go to question B05.

B05 determines when the respondent first started smoking tobacco on a daily basis if he/she does not know how old he/she was. If the respondent reports the answer in fraction of years (e.g., two years and two months), round up or down to the nearest whole number (round up for "a half" or "6 months"). If the respondent reports a range, probe for a specific answer.

QxQ Screen: Daily means smoking at least one tobacco product every day or nearly every day over a period of a month or more.

Validation Check: Validation check screens will appear when the reported age of daily smoking initiation is: 1) between 1 and 4 years old, 2) greater than the respondents age (from B04), or 3) calculated to be 0 or negative (from B05).

[IF B05 = 99, GO TO B06a]

[ELSE, GO TO B06a]

[R'S AGE - B05 = AGE OF DAILY SMOKING INITIATION]

[IF AGE OF DAILY SMOKING INITIATION = 1 - 4, GO TO CheckDailyAge1] [IF AGE OF DAILY SMOKING INITIATION IS <= 0, GO TO ValDailyAge1B]

CheckDailyAge1

[YOU HAVE ENTERED AN AGE OF DAILY SMOKING INITIATION THAT IS LESS THAN 5
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO B06a]

ValDailyAge1A

[THE AGE OF DAILY SMOKING INITIATION CANNOT BE MORE THAN THE RESPONDENT'S AGE GO BACK TO CORRECT AGE OF DAILY SMOKING INITIATION OR RESPONDENT'S AGE]
[GO TO B04]

ValDailyAge1B

[THE AGE OF DAILY SMOKING INITIATION CANNOT BE ZERO OR NEGATIVE

GO BACK TO CORRECT AGE OF DAILY SMOKING INITIATION OR RESPONDENT'S AGE]

[GO TO B05]

Purpose: Validation check screens for reported age of daily smoking initiation (B04/B05).

Instructions:

CheckDailyAge1 appears when the reported age of daily smoking initiation is between 1 and 4 years old. If not correct, back-up to change the answer. If correct, select next to continue with the interview.

ValDailyAge1A appears when the reported age of daily smoking initiation is greater than the respondent's age (from B04). You will need to go back to correct either the age reported in B04 or the respondent's age if reported incorrectly in Section A.

ValDailyAge1B appears when the reported age of daily smoking initiation is calculated to be 0 or negative (from B05). You will need to go back to correct either the number of years reported in B05 or the respondent's age if reported incorrectly in Section A.

	n	60
D	u	υa

On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.

Manufactured cigarettes?

[IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888

IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]

_____ [RANGE: 0 – 200, 888, 999]

[IF B06a = 888, GO TO B06a1] [IF B06a = 999, GO TO B06b]

[IF B06a = 1-3 or 100-200, GO TO ValidateB06a]

[OTHERWISE GO TO B06b]

ValidateB06a

[CONFIRM THAT THE RESPONDENT SMOKES {B06a} CIGARETTES PER DAY. (THIS SHOULD NOT BE REPORTED IN PACKS)

IF NOT CORRECT, SELECT BACK TO CHANGE

IF CORRECT, SELECT NEXT TO CONTINUE]

[GO TO B06b]

B06a1

On average, how many manufactured cigarettes do you currently smoke each week?

[IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]

____ [RANGE: 0 – 200, 999]

[IF B06a1 = 1-3 or 100-200, GO TO ValidateB06a1]

[OTHERWISE GO TO B06b]

ValidateB06a1

[CONFIRM THAT THE RESPONDENT SMOKES $\{B06a1\}$ CIGARETTES PER WEEK (THIS SHOULD NOT BE REPORTED IN PACKS)

IF NOT CORRECT, SELECT BACK TO CHANGE

IF CORRECT, SELECT NEXT TO CONTINUE]

[GO TO B06b]

B06b
(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.)
Hand-rolled cigarettes?
[IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 888, 999] [IF B06b = 888, GO TO B06b1. OTHERWISE GO TO B06c]
B06b1
On average, how many hand-rolled cigarettes do you currently smoke each week?
[IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 999]
B06c
(On average, how many of the following products do you currently smoke each day? Also, let me know if
you smoke the product, but not every day.)
you smoke the product, but not every day.)
you smoke the product, but not every day.) Kreteks?
Vou smoke the product, but not every day.) Kreteks? [IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888 IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN
Kreteks? [IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888 IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER] [RANGE: 0 – 200, 888, 999]
Kreteks? [IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888 IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER] [RANGE: 0 – 200, 888, 999] [IF B06c = 888, GO TO B06c1. OTHERWISE GO TO B06d]
Kreteks? [IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888 IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER] [RANGE: 0 – 200, 888, 999] [IF B06c = 888, GO TO B06c1. OTHERWISE GO TO B06d]
Kreteks? [IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888 IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER] [RANGE: 0 – 200, 888, 999] [IF B06c = 888, GO TO B06c1. OTHERWISE GO TO B06d] B06c1 On average, how many kreteks do you currently smoke each week? [IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN

B06d
(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.)
Pipes full of tobacco?
[IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 100, 888, 999] [IF B06d = 888, GO TO B06d1. OTHERWISE GO TO B06e]
B06d1
On average, how many pipes full of tobacco do you currently smoke each week?
[IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 100, 999]
B06e
(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.)
Cigars, cheroots, or cigarillos?
IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 100, 888, 999] [IF B06e = 888, GO TO B06e1. OTHERWISE GO TO B06f]
B06e1
On average, how many cigars, cheroots, or cigarillos do you currently smoke each week?
[IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 100, 999]

B06f
(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.)
Number of water pipe sessions per day?
[IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888]
[RANGE: 0 – 100, 888, 999] [IF B06f = 888, GO TO B06f1. OTHERWISE GO TO B06g]
B06f1
On average, how many water pipe sessions do you currently participate in each week?
[RANGE: 0 – 100, 999]
B06g
(On average, how many of the following products do you currently smoke each day? Also, let me know if you smoke the product, but not every day.)
Any others?
[IF RESPONDENT REPORTS SMOKING THE PRODUCT BUT NOT EVERY DAY, ENTER 888
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 888, 999] [IF B06g = 1 – 200 OR 888, GO TO B06g1. OTHERWISE GO TO B06comp]
B06g1
Please specify the other type you currently smoke each day.
[IF B06g = 888, GO TO B06g2. OTHERWISE GO TO B07]
B06g2
On average, how many {FILL ANSWER FROM B06g1} do you currently smoke each week?
[IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 999]
[GO TO B07]

B06comp

[If B06a=0 and B06b=0 and B06c=0 and B06d=0 and B06e=0 and B06f=0 and B06g=0, then go to B06valid. Otherwise, go to B07]

B06valid

[RESPONDENT HAS REPORTED SMOKING NO PRODUCTS DAILY, BUT SAID HE/SHE WAS A DAILY SMOKER

GO BACK TO CORRECT]

[GO TO B06a]

Purpose: The B06 series of questions determines the number of tobacco products that the respondent smokes each day (or each week).

Instructions: Asked to respondents who currently smoke tobacco daily. Ask the stem question in B06a and each item part (B06a through B06g). Note that the stem questions in parentheses for B06b through B06g do not need to be repeated for each item – only read if needed.

For B06a through B06g, if the respondent answers that he/she smokes one of the products but not every day, you should enter "888" into the program. Then, the program will immediately administer a follow-up question (for that specific tobacco product) asking about per week usage.

If the respondent reports an answer in packs or cartons, it is important to probe to determine a total number. You should not enter the number of packs or cartons. You may need to assist the respondent in determining the number (of the tobacco product of interest) that are in each pack or carton and calculating the total number.

If the respondent refuses to answer a question, enter "999" for refused.

For item part g, if respondent reports a type not already listed, you will be prompted to record the type in B06q1.

Note that the item parts (tobacco products) are adjusted for the specific country.

QxQ: IF REFUSED, ENTER 999.

Validation Check: A validation check screen will appear when the reported number of manufactured cigarettes smoked daily in B06a (or weekly in B06a1) is 1 to 3 or 100 to 200, in order to review the following: 1) For 1 to 3, confirm that the total number of cigarettes smoked daily (or weekly) is being entered rather than number of packs (or cartons), and 2) For 100-200, confirm that the high amount being entered is correct.

If the answers to B06a through B06g all are 0, a check screen will appear to indicate the respondent has reported smoking no products daily, but was classified as a daily smoker.

B07
How soon after you wake up do you usually have your first smoke? Would you say within 5 minutes, 6 to 30 minutes, 31 to 60 minutes, or more than 60 minutes?
WITHIN 5 MINUTES,
[GO TO NEXT SECTION]

Purpose: Determines how soon the respondent smokes tobacco after waking up in the morning.

Instructions: Asked to respondents who currently smoke tobacco daily. Ask question and select only one answer that comes closest to the respondent's answer.

Routing: The rest of Section B will be skipped, and the interview sequence will now go to Section C (or the next applicable section after Section B).

How old were you when you first started smoking tobacco *daily*?

[IF DON'T KNOW OR REFUSED, ENTER "99"]

_____ [RANGE: 1 – 98, 99]

[IF B08 = 99, GO TO B09]

[IF B08 = 1 – 4, GO TO CheckDailyAge2]

[IF B08 > R'S AGE, GO TO ValDailyAge2A]

OTHERWISE GO TO B10a]

B09

How many years ago did you first start smoking tobacco *daily*?

[IF REFUSED, ENTER 99]

_____ [RANGE: 0 – 98, 99]

[IF B09 = 99, GO TO B10a]

[R'S AGE - B09 = AGE OF DAILY SMOKING INITIATION]

Purpose: Determines the age of the respondent when he/she first started smoking tobacco on a daily basis.

[IF AGE OF DAILY SMOKING INITIATION = 1 - 4, GO TO CheckDailyAge2] [IF AGE OF DAILY SMOKING INITIATION IS <= 0, GO TO ValDailyAge2B]

Instructions: B08 is asked to respondents who currently smoke tobacco less than daily, but have smoked tobacco on a daily basis in the past. Ask question and record answer. If the respondent does not know the answer or refuses, record "99" and then the program will go to question B09.

B09 determines when the respondent first started smoking tobacco on a daily basis if he/she does not know how old he/she was. If the respondent reports the answer in fraction of years (e.g., two years and two months), round up or down to the nearest whole number (round up for "a half" or "6 months"). If the respondent reports a range, probe for a specific answer.

QxQ Screen: Daily means smoking at least one tobacco product every day or nearly every day over a period of a month or more.

Validation Check: Validation check screens will appear when the reported age of daily smoking initiation is: 1) between 1 and 4 years old, 2) greater than the respondents age (from B08), or 3) calculated to be 0 or negative (from B09).

[ELSE, GO TO B10a]

CheckDailyAge2

[YOU HAVE ENTERED AN AGE OF DAILY SMOKING INITIATION THAT IS LESS THAN 5
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO B10a]

ValDailyAge2A

[THE AGE OF DAILY SMOKING INITIATION CANNOT BE MORE THAN THE RESPONDENT'S AGE GO BACK TO CORRECT AGE OF DAILY SMOKING INITIATION OR RESPONDENT'S AGE]
[GO TO B08]

ValDailyAge2B

[THE AGE OF DAILY SMOKING INITIATION CANNOT BE ZERO OR NEGATIVE

GO BACK TO CORRECT AGE OF DAILY SMOKING INITIATION OR RESPONDENT'S AGE]

[GO TO B09]

Purpose: Validation check screens for reported age of daily smoking initiation (B08/B09).

Instructions:

CheckDailyAge2 appears when the reported age of daily smoking initiation is between 1 and 4 years old. If not correct, back-up to change the answer. If correct, select next to continue with the interview.

ValDailyAge2A appears when the reported age of daily smoking initiation is greater than the respondent's age (from B08). You will need to go back to correct either the age reported in B08 or the respondent's age if reported incorrectly in Section A.

ValDailyAge2B appears when the reported age of daily smoking initiation is calculated to be 0 or negative (from B09). You will need to go back to correct either the number of years reported in B09 or the respondent's age if reported incorrectly in Section A.

B10a
How many of the following do you currently smoke during a usual week?
Manufactured cigarettes?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888'
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 888, 999]
[IF B10a = 1-3 or 100-200, GO TO ValidateB10a] [OTHERWISE GO TO B10b]
ValidateB10a
[CONFIRM THAT THE RESPONDENT SMOKES {B10a} CIGARETTES PER WEEK (THIS SHOULD NOT BE REPORTED IN PACKS)
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO B10b]
B10b
(How many of the following do you currently smoke during a usual week?)
Hand-rolled cigarettes?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888'
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 888, 999]

B10c
(How many of the following do you currently smoke during a usual week?)
Kreteks?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888'
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 888, 999]
B10d
(How many of the following do you currently smoke during a usual week?)
Pipes full of tobacco?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888'
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 100, 888, 999]
B10e
(How many of the following do you currently smoke during a usual week?)
Cigars, cheroots, or cigarillos?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888'
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 100, 888, 999]

B10f
(How many of the following do you currently smoke during a usual week?)
Number of water pipe sessions per week?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888']
[RANGE: 0 – 100, 888, 999]
B10g
(How many of the following do you currently smoke during a usual week?)
Any others?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888'
IF RESPONDENT REPORTS IN PACKS OR CARTONS, PROBE TO FIND OUT HOW MANY ARE IN EACH AND CALCULATE TOTAL NUMBER]
[RANGE: 0 – 200, 888, 999] [IF B10g = 1 – 200 OR 888, GO TO B10g1. OTHERWISE GO TO B10comp]
B10g1
Please specify the other type you currently smoke during a usual week.
[GO TO NEXT SECTION]
B10comp
[If B10a=0 and B10b=0 and B10c=0 and B10d=0 and B10e=0 and B10f=0 and B10g=0, then go to B10valid. Otherwise, go to next section]
B10valid
[RESPONDENT HAS REPORTED SMOKING NO PRODUCTS, BUT SAID HE/SHE WAS A LESS THAN DAILY SMOKER
GO BACK TO CORRECT]
[GO TO B10a]

Purpose: The B10 series of questions determines the number of tobacco products that the respondent smokes each week.

Instructions: Asked to respondents who currently smoke tobacco less than daily. Ask the stem question in B10a and each item part (B10a through B10g). Note that the stem questions in parentheses for B10b through B10g do not need to be repeated for each item – only read if needed.

For B10a through B10g, if the respondent answers that he/she smokes one of the products but not every day, you should enter "888" into the program. Then, the program will immediately administer a follow-up question (for that specific tobacco product) asking about per week usage.

If the respondent says he/she has smoked one of the products within the past 30 days but uses less than once per week (e.g., once per month), enter "888."

If the respondent reports an answer in packs or cartons, it is important to probe to determine a total number. You should not enter the number of packs or cartons. You may need to assist the respondent in determining the number (of the tobacco product of interest) that are in each pack or carton and calculating the total number.

If the respondent refuses to answer a question, enter "999" for refused.

For item part g, if respondent reports a type not already listed, you will be prompted to record the type in B10g1.

Note that the item parts (tobacco products) are adjusted for the specific country.

QxQ Screen: IF REFUSED, ENTER 999.

Validation Check: A validation check screen will appear when the reported number of manufactured cigarettes smoked weekly in B10a is 1 to 3 or 100 to 200, in order to review the following: 1) For 1 to 3, confirm that the total number of cigarettes smoked weekly is being entered rather than number of packs (or cartons), and 2) For 100-200, confirm that the high amount being entered is correct.

If the answers to B10a through B10g all are 0, a check screen will appear to indicate the respondent has reported smoking no products, but was classified as a less than daily smoker.

Routing: The rest of Section B will be skipped, and the interview sequence will now go to Section C (or the next applicable section after Section B).

	4	4
\mathbf{L}	7	1
\mathbf{n}		

How old were you when you first started smoking tobacco *daily*?

[IF DON'T KNOW OR REFUSED, ENTER "99"]

[RANGE: 1 – 98, 99]

[IF B11 = 99, GO TO B12]

[IF B11 = 1 – 4, GO TO CheckDailyAge3] [IF B11 > R'S AGE, GO TO ValDailyAge3A]

[OTHERWISE GO TO B13a]

B12

How many years ago did you first start smoking tobacco *daily*?

[IF REFUSED, ENTER 99]

____ [RANGE: 0 – 98, 99]

[IF B12 = 99, GO TO B13a]

[R'S AGE – B12 = AGE OF DAILY SMOKING INITIATION]

[IF AGE OF DAILY SMOKING INITIATION = 1 - 4, GO TO CheckDailyAge3]

[IF AGE OF DAILY SMOKING INITIATION IS <= 0, GO TO ValDailyAge3B]

[ELSE, GO TO B13a]

Purpose: Determines the age of the respondent when he/she first started smoking tobacco on a daily basis.

Instructions: B11 is asked to respondents who do not currently smoke, but have smoked tobacco on a daily basis in the past. Ask question and record answer. If the respondent does not know the answer or refuses, record "99" and then the program will go to question B12.

B12 determines when the respondent first started smoking tobacco on a daily basis if he/she does not know how old he/she was. If the respondent reports the answer in fraction of years (e.g., two years and two months), round up or down to the nearest whole number (round up for "a half" or "6 months"). If the respondent reports a range, probe for a specific answer.

QxQ Screen: Daily means smoking at least one tobacco product every day or nearly every day over a period of a month or more.

Validation Check: Validation check screens will appear when the reported age of daily smoking initiation is: 1) between 1 and 4 years old, 2) greater than the respondents age (from B11), or 3) calculated to be 0 or negative (from B12).

CheckDailyAge3

[YOU HAVE ENTERED AN AGE OF DAILY SMOKING INITIATION THAT IS LESS THAN 5
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO B13a]

ValDailyAge3A

[THE AGE OF DAILY SMOKING INITIATION CANNOT BE MORE THAN THE RESPONDENT'S AGE GO BACK TO CORRECT AGE OF DAILY SMOKING INITIATION OR RESPONDENT'S AGE]
[GO TO B11]

ValDailyAge3B

[THE AGE OF DAILY SMOKING INITIATION CANNOT BE ZERO OR NEGATIVE

GO BACK TO CORRECT AGE OF DAILY SMOKING INITIATION OR RESPONDENT'S AGE]

[GO TO B12]

Purpose: Validation check screens for reported age of daily smoking initiation (B11/B12).

Instructions:

CheckDailyAge3 appears when the reported age of daily smoking initiation is between 1 and 4 years old. If not correct, back-up to change the answer. If correct, select next to continue with the interview.

ValDailyAge3A appears when the reported age of daily smoking initiation is greater than the respondent's age (from B11). You will need to go back to correct either the age reported in B11 or the respondent's age if reported incorrectly in Section A.

ValDailyAge3B appears when the reported age of daily smoking initiation is calculated to be 0 or negative (from B12). You will need to go back to correct either the number of years reported in B12 or the respondent's age if reported incorrectly in Section A.

B13a
How long has it been since you stopped smoking?
[ONLY INTERESTED IN WHEN RESPONDENT STOPPED SMOKING REGULARLY - DO NOT INCLUDE RARE INSTANCES OF SMOKING
ENTER UNIT ON THIS SCREEN AND NUMBER ON NEXT SCREEN]
YEARS 1 MONTHS 2 WEEKS 3 DAYS 4 LESS THAN 1 DAY 5 DON'T KNOW 7 REFUSED 9
[IF B13a = 1, GO TO B13bYears] [IF B13a = 2, GO TO B13bMonths] [IF B13a = 3, GO TO B13bWeeks] [IF B13a = 4, GO TO B13bDays] [IF B13a = 5, GO TO B14] [IF B13a = 7 OR 9, GO TO NEXT SECTION]
B13bYears
(How long has it been since you stopped smoking?)
[ENTER NUMBER OF YEARS]
[RANGE: 1 – 100]
[IF B13bYears > R'S AGE, GO TO B13bYearsCheck]
[GO TO NEXT SECTION]
B13bYearsCheck
THE NUMBER OF YEARS SINCE QUITTING CANNOT BE GREATER THAN THE RESPONDENT'S AGE.
GO BACK TO CORRECT NUMBER OF YEARS]
[GO TO B13bYears]

B13bMonths
(How long has it been since you stopped smoking?)
[ENTER NUMBER OF MONTHS]
[RANGE: 1 – 24]
[IF B13bMonths < 12, GO TO B14. OTHERWISE GO TO NEXT SECTION.]
B13bWeeks
(How long has it been since you stopped smoking?)
[ENTER NUMBER OF WEEKS]
[RANGE: 1 – 51]
[GO TO B14]
B13bDays
(How long has it been since you stopped smoking?)
[ENTER NUMBER OF DAYS]
[RANGE: 1 – 60]
[GO TO B14]

Purpose: Determines when the respondent stopped smoking.

Instructions: The B13 questions are asked to respondents who do not currently smoke tobacco but have smoked in the past. You will ask the question in B13a and record the answer using only one unit (years, months, weeks, or days) or select the appropriate category if the answer is less than one day (less than 24 hours). You will enter the unit in B13a and the number in the next screen (B13b).

Do not count instances where the respondent might have smoked a tobacco product on a rare occasion (e.g., one cigar at a wedding). We are interested in knowing the time frame from when the respondent stopped smoking tobacco on a regular basis.

If the answer is reported as a fraction (e.g., one year and two months), either convert the amount to a different unit (e.g., one year and two months = 14 months) or round up or down to the nearest whole number (round up for a half).

Routing: If the answer to B13a/b is less than one year (less than 12 months), the program will go to question B14. If the answer to B13a/b is one year or more (12 months or more), the rest of Section B will be skipped and the program will go to Section C (or the next applicable section after Section B).

B14
Have you visited a doctor or other health care provider in the past 12 months?
YES

Purpose: Determines if the respondent went to a doctor or health care provider in the past 12 months.

Instructions: Asked to respondents who do not currently smoke tobacco, but have quit smoking within the past 12 months. Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question B18a.

B15
How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?
1 OR 2

Purpose: Determines how many times a respondent visited a doctor or health care provider in the past 12 months.

Instructions: Asked to respondents who said they have visited a doctor or health care provider in the past 12 months (in question B14). Ask question and select only one answer.

B16
During any visit to a doctor or health care provider in the past 12 months, were you asked if you smoke tobacco?
YES

Purpose: Determines if, during a visit in the past 12 months to a doctor or health care provider, the respondent was asked if he/she smokes tobacco.

Instructions: Asked if the respondent visited a doctor or health care provider in the past 12 months. Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question B18a.

B17
During any visit to a doctor or health care provider in the past 12 months, were you advised to quit smoking tobacco?
YES

Purpose: Determines whether a respondent was advised by a doctor or health care provider (during any visit in the past 12 months) to quit smoking tobacco.

Instructions: Asked if a doctor or health care provider during any visit in the past 12 months asked the respondent if he/she smokes tobacco. Ask question and select only one answer.

B18a
During the past 12 months, did you use any of the following to try to stop smoking tobacco?
Counseling, including at a smoking cessation clinic?
YES
B18b
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Nicotine replacement therapy, such as the patch or gum?
YES
B18c
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Other prescription medications, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES
B18d
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Traditional medicines, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES
B18e
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
A quit line or a smoking telephone support line?
YES

B18f
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Switching to smokeless tobacco?
YES
B18g
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Anything else?
YES 1 NO 2 REFUSED 9
[IF B18g = 1, GO TO B18g1. OTHERWISE GO TO NEXT SECTION.]
B18g1
Please specify what you used to try to stop smoking.

Purpose: The B18 series of questions determines if the respondent used any of the listed methods to try to stop smoking tobacco in the past 12 months.

Instructions: Asked to respondents who do not currently smoke tobacco, but have quit smoking within the past 12 months. Ask stem question in B18a and each item part (B18a through B18g). Note that the stem question in parentheses for B18b through B18g does not need to be repeated for each item — only read if needed.

For item part g, if respondent reports a method not already listed, you will be prompted to record it in B18g1.

Note that the methods and examples are adjusted for the specific country.

Section C. Smokeless Tobacco

C00

The next questions are about using smokeless tobacco, such as (FILL APPROPRIATE COUNTRY EXAMPLES: snuff, chewing tobacco, and dip). Smokeless tobacco is tobacco that is not smoked, but is sniffed through the nose, held in the mouth, or chewed.

Purpose: Section C includes questions about using smokeless tobacco.

Instructions: Read introduction to respondent and administer Section C. Note that the examples are adjusted for the specific country.

C01
Do you *currently* use smokeless tobacco on a daily basis, less than daily, or not at all?
[IF RESPONDENT DOES NOT KNOW WHAT SMOKELESS TOBACCO IS, EITHER PRESENT A SHOWCARD OR READ DEFINITION FROM QXQ SCREEN]
DAILY

Purpose: Determines if the respondent currently uses smokeless tobacco.

Instructions: Ask question and select only one answer.

If the respondent says he/she does not know what smokeless tobacco is, you should read the definition from the QxQ screen (and provide a showcard if applicable). It is important not to select the "DON'T KNOW" answer for this situation. If a respondent does not know what smokeless tobacco is, most likely he/she is not using smokeless tobacco.

QxQ Screen: Smokeless tobacco is tobacco that is not smoked, but is sniffed through the nose, held in the mouth, or chewed.

Daily means using smokeless tobacco at least one time every day or nearly every day over a period of a month or more.

Routing:

If the answer is DAILY, questions C02 and C03 will be skipped and the program will go to question C04.

If the answer is LESS THAN DAILY, the program will go to question C02.

If the answer is NOT AT ALL, question C02 will be skipped and the program will go to question C03.

If the answer is DON'T KNOW or REFUSED, the program will skip to the next section.

C02
Have you used smokeless tobacco daily in the past?
YES

Purpose: Determines if the respondent used smokeless tobacco on a daily basis in the past.

Instructions: This question will only be asked to those respondents who said they currently use smokeless tobacco less than daily in question C01. Ask question and select only one answer.

If the respondent answers "don't know," probe for an answer as the respondent should be able to say whether he/she used smokeless tobacco daily in the past, unless the respondent truly cannot remember (e.g., due to memory loss).

QxQ Screen: Smokeless tobacco is tobacco that is not smoked, but is sniffed through the nose, held in the mouth, or chewed.

Daily means using smokeless tobacco at least one time every day or nearly every day over a period of a month or more.

Routing:

If the answer is YES, the program will go to guestion C08.

If the answer is NO, DON'T KNOW, or REFUSED, the program will go to question C10a.

Purpose: Determines if the respondent used smokeless tobacco in the past if he/she currently does not use smokeless tobacco.

Instructions: This question will be asked if the respondent says he/she does not currently use smokeless tobacco at all in question C01. Ask question and select only one answer. Note that if a respondent says he/she used smokeless tobacco on a daily basis and less than daily in the past, select DAILY.

If the respondent answers "don't know," probe for an answer as the respondent should be able to provide his/her past smokeless tobacco use status, unless the respondent truly cannot remember (e.g., due to memory loss).

QxQ Screen: Smokeless tobacco is tobacco that is not smoked, but is sniffed through the nose, held in the mouth, or chewed.

Daily means using smokeless tobacco at least one time every day or nearly every day over a period of a month or more.

Rare instances of smokeless tobacco use or experimental use (tried once or twice in lifetime) should be counted in the NOT AT ALL category.

Routing:

If the answer is DAILY, the program will go to question C11.

REFUSED 9 → GO TO NEXT SECTION

If the answer is LESS THAN DAILY, the program will go to question C13a.

If the answer is NOT AT ALL, DON'T KNOW, or REFUSED, the rest of Section C will be skipped and the program will go to Section D.

How old were you when you first started using smokeless tobacco *daily*?

[IF DON'T KNOW OR REFUSED, ENTER "99"]

_____ [RANGE: 1 – 98, 99]

[IF C04 = 99, GO TO C05]

[IF C04 = 1 – 4, GO TO CheckDailyAgeSL1]

[IF C04 > R'S AGE, GO TO ValDailyAgeSL1A]

[OTHERWISE GO TO C06a]

How many years ago did you first start using smokeless tobacco *daily*?

[IF REFUSED, ENTER 99]

____ [RANGE: 0 – 98, 99]

[IF C05 = 99, GO TO C06a]

[R'S AGE - C05 = AGE OF DAILY SMOKELESS INITIATION]

[IF AGE OF DAILY SMOKELESS INITIATION = 1 - 4, GO TO CheckDailyAgeSL1]

[IF AGE OF DAILY SMOKELESS INITIATION IS <= 0, GO TO ValDailyAgeSL1B]

[ELSE, GO TO C06a]

Purpose: Determines the age of the respondent when he/she first started using smokeless tobacco on a daily basis.

Instructions: C04 is asked to respondents who currently use smokeless tobacco daily. Ask question and record answer. If the respondent does not know the answer or refuses, record "99" and then the program will go to question C05.

C05 determines when the respondent first started using smokeless tobacco on a daily basis if he/she does not know how old he/she was. If the respondent reports the answer in fraction of years (e.g., two years and two months), round up or down to the nearest whole number (round up for "a half" or "6 months"). If the respondent reports a range, probe for a specific answer.

QxQ Screen: Daily means using smokeless tobacco at least one time every day or nearly every day over a period of a month or more.

Validation Check: Validation check screens will appear when the reported age of daily smokeless use initiation is: 1) between 1 and 4 years old, 2) greater than the respondents age (from C04), or 3) calculated to be 0 or negative (from C05).

CheckDailyAgeSL1

[YOU HAVE ENTERED AN AGE OF DAILY SMOKELESS INITIATION THAT IS LESS THAN 5
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO C06a]

ValDailyAgeSL1A

[THE AGE OF DAILY SMOKELESS INITIATION CANNOT BE MORE THAN THE RESPONDENT'S AGE GO BACK TO CORRECT AGE OF DAILY SMOKELESS INITIATION OR RESPONDENT'S AGE]
[GO TO C04]

ValDailyAgeSL1B

[THE AGE OF DAILY SMOKELESS INITIATION CANNOT BE ZERO OR LESS

GO BACK TO CORRECT AGE OF DAILY SMOKELESS INITIATION OR RESPONDENT'S AGE]

[GO TO C05]

Purpose: Validation check screens for reported age of daily smokeless use initiation (C04/C05).

Instructions:

CheckDailyAgeSL1 appears when the reported age of daily smokeless use initiation is between 1 and 4 years old. If not correct, back-up to change the answer. If correct, select next to continue with the interview.

ValDailyAgeSL1A appears when the reported age of daily smokeless use initiation is greater than the respondent's age (from C04). You will need to go back to correct either the age reported in C04 or the respondent's age if reported incorrectly in Section A.

ValDailyAgeSL1B appears when the reported age of daily smokeless use initiation is calculated to be 0 or negative (from C05). You will need to go back to correct either the number of years reported in C05 or the respondent's age if reported incorrectly in Section A.

C06a
On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.
Snuff, by mouth?
[IF RESPONDENT REPORTS USING THE PRODUCT BUT NOT EVERY DAY, ENTER 888]
[RANGE: 0 – 85, 888, 999] [IF C06a = 888, GO TO C06a1. OTHERWISE GO TO C06b]
C06a1
On average, how many times a week do you currently use snuff, by mouth?
[RANGE: 0 – 85, 999]
C06b
(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.)
Snuff, by nose?
[IF RESPONDENT REPORTS USING THE PRODUCT BUT NOT EVERY DAY, ENTER 888]
[RANGE: 0 - 85, 888, 999] [IF C06b = 888, GO TO C06b1. OTHERWISE GO TO C06c]
C06b1
On average, how many times a week do you currently use snuff, by nose?
[RANGE: 0 – 85, 999]
C06c
(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.)
Chewing tobacco?
[IF RESPONDENT REPORTS USING THE PRODUCT BUT NOT EVERY DAY, ENTER 888]
[RANGE: 0 – 85, 888, 999] [IF C06c = 888, GO TO C06c1. OTHERWISE GO TO C06d]

C06c1
On average, how many times a week do you currently use chewing tobacco?
[RANGE: 0 – 85, 999]
C06d
(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.)
Betel quid with tobacco?
[IF RESPONDENT REPORTS USING THE PRODUCT BUT NOT EVERY DAY, ENTER 888]
[RANGE: 0 – 85, 888, 999] [IF C06d = 888, GO TO C06d1. OTHERWISE GO TO C06e]
C06d1
On average, how many times a week do you currently use betel quid with tobacco?
[RANGE: 0 – 85, 999]
C06e
(On average, how many times a day do you use the following products? Also, let me know if you use the product, but not every day.)
Any others?
[IF RESPONDENT REPORTS USING THE PRODUCT BUT NOT EVERY DAY, ENTER 888]
[RANGE: 0 – 85, 888, 999] [IF C06e = 1 – 85 OR 888, GO TO C06e1. OTHERWISE GO TO C06comp]
C06e1
Please specify the other type you currently use each day.
[IF C06e = 888, GO TO C06e2. OTHERWISE GO TO C07]
C06e2
On average, how many times a week do you currently use {FILL ANSWER FROM C06e1}?
[RANGE: 0 – 85, 999]
[GO TO C07]

C06comp

[If C06a=0 and C06b=0 and C06c=0 and C06d=0 and C06e=0, then go to C06valid. Otherwise, go to C07]

C06valid

[RESPONDENT HAS REPORTED USING NO SMOKELESS PRODUCTS DAILY, BUT SAID HE/SHE WAS A DAILY USER

GO BACK TO CORRECT]

[GO TO C06a]

Purpose: The C06 series of questions determines the number of times a day (or week) a respondent uses various smokeless tobacco products.

Instructions: Asked to respondents who currently use smokeless tobacco on a daily basis. Ask stem question in C06a and each item part (C06a through C06e). Note that the stem question in parentheses for C06b through C06e does not need to be repeated for each item – only read if needed.

For C06a through C06e, if the respondent answers that he/she uses one of the products but not every day, you should enter "888" into the program. Then, the program will immediately administer a follow-up question (for that specific smokeless tobacco product) asking about per week usage.

If the respondent refuses to answer a question, enter "999" for refused.

For item part e, if respondent reports a type not already listed, you will be prompted to record the type in C06e1.

Note that the item parts (smokeless tobacco products) are adjusted for the specific country.

QxQ Screen: IF REFUSED, ENTER 999.

Validation Check: If the answers to C06a through C06e all are 0, a check screen will appear to indicate the respondent has reported using no smokeless tobacco products daily, but was classified as a daily smokeless tobacco user.

C07
How soon after you wake up do you usually use smokeless tobacco for the first time? Would you say within 5 minutes, 6 to 30 minutes, 31 to 60 minutes, or more than 60 minutes?
WITHIN 5 MINUTES,
[GO TO NEXT SECTION]

Purpose: Determines how soon the respondent uses smokeless tobacco after waking up in the morning.

Instructions: Asked to respondents who currently use smokeless tobacco daily. Ask question and select only one answer that comes closest to the respondent's answer.

Routing: The rest of Section C will be skipped, and the interview sequence will now go to Section D.

How old were you when you first started using smokeless tobacco *daily*?

[IF DON'T KNOW OR REFUSED, ENTER "99"]

_____ [RANGE: 1 – 98, 99]

[IF C08 = 99, GO TO C09]

[IF C08 = 1 – 4, GO TO CheckDailyAgeSL2]

[IF C08 > R'S AGE, GO TO ValDailyAgeSL2A]

[OTHERWISE GO TO C10a]

C09

How many years ago did you first start using smokeless tobacco *daily*?

[IF REFUSED, ENTER 99]

____ [RANGE: 0 – 98, 99]

[IF C09 = 99, GO TO C10a]

[R'S AGE - C09 = AGE OF DAILY SMOKELESS INITIATION]

[IF AGE OF DAILY SMOKELESS INITIATION = 1 - 4, GO TO CheckDailyAgeSL2]

[IF AGE OF DAILY SMOKELESS INITIATION IS <= 0, GO TO ValDailyAgeSL2B]

[ELSE, GO TO C10a]

Purpose: Determines the age of the respondent when he/she first started using smokeless tobacco on a daily basis.

Instructions: C08 is asked to respondents who currently use smokeless tobacco less than daily, but have used smokeless tobacco on a daily basis in the past. Ask question and record answer. If the respondent does not know the answer or refuses, record "99" and then the program will go to question C09.

C09 determines when the respondent first started using smokeless tobacco on a daily basis if he/she does not know how old he/she was. If the respondent reports the answer in fraction of years (e.g., two years and two months), round up or down to the nearest whole number (round up for "a half" or "6 months"). If the respondent reports a range, probe for a specific answer.

QxQ Screen: Daily means using smokeless tobacco at least one time every day or nearly every day over a period of a month or more.

Validation Check: Validation check screens will appear when the reported age of daily smokeless use initiation is: 1) between 1 and 4 years old, 2) greater than the respondents age (from C08), or 3) calculated to be 0 or negative (from C09).

CheckDailyAgeSL2

[YOU HAVE ENTERED AN AGE OF DAILY SMOKELESS INITIATION THAT IS LESS THAN 5
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO C10a]

ValDailyAgeSL2A

[THE AGE OF DAILY SMOKELESS INITIATION CANNOT BE MORE THAN THE RESPONDENT'S AGE
GO BACK TO CORRECT AGE OF DAILY SMOKELESS INITIATION OR RESPONDENT'S AGE]
[GO TO C08]

ValDailyAgeSL2B

[THE AGE OF DAILY SMOKELESS INITIATION CANNOT BE ZERO OR LESS

GO BACK TO CORRECT AGE OF DAILY SMOKELESS INITIATION OR RESPONDENT'S AGE]

[GO TO C09]

Purpose: Validation check screens for reported age of daily smokeless use initiation (C08/C09).

Instructions:

CheckDailyAgeSL2 appears when the reported age of daily smokeless use initiation is between 1 and 4 years old. If not correct, back-up to change the answer. If correct, select next to continue with the interview.

ValDailyAgeSL2A appears when the reported age of daily smokeless use initiation is greater than the respondent's age (from C08). You will need to go back to correct either the age reported in C08 or the respondent's age if reported incorrectly in Section A.

ValDailyAgeSL2B appears when the reported age of daily smokeless use initiation is calculated to be 0 or negative (from C09). You will need to go back to correct either the number of years reported in C09 or the respondent's age if reported incorrectly in Section A.

C10a
How many times a week do you usually use the following?
Snuff, by mouth?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888']
[RANGE: 0 – 85, 888, 999]
C10b
(How many times a week do you usually use the following?)
Snuff, by nose?
(IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888']
[RANGE: 0 – 85, 888, 999]
C10c
(How many times a week do you usually use the following?)
Chewing tobacco?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888']
[RANGE: 0 – 85, 888, 999]
C10d
(How many times a week do you usually use the following?)
Betel quid with tobacco?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888']
[RANGE: 0 – 85, 888, 999]

3-59

C10e
(How many times a week do you usually use the following?)
Any others?
[IF RESPONDENT REPORTS DOING THE ACTIVITY *WITHIN THE PAST 30 DAYS*, BUT LESS THAN ONCE PER WEEK, ENTER '888']
[RANGE: 0 – 85, 888, 999] [IF C10e = 1 – 85 OR 888, GO TO C10e1. OTHERWISE GO TO C10comp]
C10e1
Please specify the other type you currently use during a usual week.
[GO TO NEXT SECTION]
C10comp
[If C10a=0 and C10b=0 and C10c=0 and C10d=0 and C10e=0, then go to C10valid. Otherwise, go to nex section]
C10valid

[RESPONDENT HAS REPORTED USING NO SMOKELESS PRODUCTS, BUT SAID HE/SHE WAS A LESS THAN DAILY USER

GO BACK TO CORRECT]

[GO TO C10a]

Purpose: The C10 series of questions determines the number of times per week a respondent uses various smokeless tobacco products.

Instructions: Asked to respondents who currently use smokeless tobacco less than daily. Ask the stem question in C10a and each item part (C10a through C10e). Note that the stem question in parentheses for C10b through C10e does not need to be repeated for each item – only read if needed.

For C10a through C10e, if the respondent says he/she has used one of the products within the past 30 days but uses less than once per week (e.g., once per month), enter "888."

If the respondent refuses to answer a question, enter "999" for refused.

For item part e, if respondent reports a type not already listed, you will be prompted to record the type in C10e1.

Note that the item parts (smokeless tobacco products) are adjusted for the specific country.

QxQ Screen: IF REFUSED, ENTER 999.

Validation Check: If the answers to C10a through C10e all are 0, a check screen will appear to indicate the respondent has reported using no smokeless tobacco products, but was classified as a less than daily smokeless tobacco user.

Routing: The rest of Section C will be skipped, and the interview sequence will now go to Section D.

\sim	1	-
C	ı	

How old were you when you first started using smokeless tobacco *daily*?

[IF DON'T KNOW OR REFUSED, ENTER "99"]

____ [RANGE: 1 – 98, 99]

[IF C11 = 99, GO TO C12]

[IF C11 = 1 – 4, GO TO CheckDailyAgeSL3] [IF C11 > R'S AGE, GO TO ValDailyAgeSL3A]

[OTHERWISE GO TO C13a]

C12

How many years ago did you first start using smokeless tobacco *daily*?

[IF REFUSED, ENTER 99]

____ [RANGE: 0 – 98, 99]

[IF C12 = 99, GO TO C13a]

[R'S AGE - C12 = AGE OF DAILY SMOKELESS INITIATION]

[IF AGE OF DAILY SMOKELESS INITIATION = 1 - 4, GO TO CheckDailyAgeSL3]

[IF AGE OF DAILY SMOKELESS INITIATION IS <= 0, GO TO ValDailyAgeSL3B]

[ELSE, GO TO C13a]

Purpose: Determines the age of the respondent when he/she first started using smokeless tobacco on a daily basis.

Instructions: C11 is asked to respondents who do not currently use smokeless tobacco, but have used it on a daily basis in the past. Ask question and record answer. If the respondent does not know the answer or refuses, record "99" and then the program will go to question C12.

C12 determines when the respondent first started using smokeless tobacco on a daily basis if he/she does not know how old he/she was. If the respondent reports the answer in fraction of years (e.g., two years and two months), round up or down to the nearest whole number (round up for "a half" or "6 months"). If the respondent reports a range, probe for a specific answer.

QxQ Screen: Daily means using smokeless tobacco at least one time every day or nearly every day over a period of a month or more.

Validation Check: Validation check screens will appear when the reported age of daily smokeless use initiation is: 1) between 1 and 4 years old, 2) greater than the respondents age (from C11), or 3) calculated to be 0 or negative (from C12).

CheckDailyAgeSL3

[YOU HAVE ENTERED AN AGE OF DAILY SMOKELESS INITIATION THAT IS LESS THAN 5
IF NOT CORRECT, SELECT BACK TO CHANGE
IF CORRECT, SELECT NEXT TO CONTINUE]
[GO TO C13a]

ValDailyAgeSL3A

[THE AGE OF DAILY SMOKELESS INITIATION CANNOT BE MORE THAN THE RESPONDENT'S AGE
GO BACK TO CORRECT AGE OF DAILY SMOKELESS INITIATION OR RESPONDENT'S AGE]
[GO TO C11]

ValDailyAgeSL3B

[THE AGE OF DAILY SMOKELESS INITIATION CANNOT BE ZERO OR LESS

GO BACK TO CORRECT AGE OF DAILY SMOKELESS INITIATION OR RESPONDENT'S AGE]

[GO TO C12]

Purpose: Validation check screens for reported age of daily smokeless use initiation (C11/C12).

Instructions:

CheckDailyAgeSL3 appears when the reported age of daily smokeless use initiation is between 1 and 4 years old. If not correct, back-up to change the answer. If correct, select next to continue with the interview.

ValDailyAgeSL3A appears when the reported age of daily smokeless use initiation is greater than the respondent's age (from C11). You will need to go back to correct either the age reported in C11 or the respondent's age if reported incorrectly in Section A.

ValDailyAgeSL3B appears when the reported age of daily smokeless use initiation is calculated to be 0 or negative (from C12). You will need to go back to correct either the number of years reported in C12 or the respondent's age if reported incorrectly in Section A.

C13a
How long has it been since you stopped using smokeless tobacco?
[ONLY INTERESTED IN WHEN RESPONDENT STOPPED USING REGULARLY - DO NOT INCLUDE RARE INSTANCES OF USING SMOKELESS TOBACCO
ENTER UNIT ON THIS SCREEN AND NUMBER ON NEXT SCREEN]
YEARS
[IF C13a = 1, GO TO C13bYears] [IF C13a = 2, GO TO C13bMonths] [IF C13a = 3, GO TO C13bWeeks] [IF C13a = 4, GO TO C13bDays] [IF C13a = 5, GO TO C13Comp] [IF C13a = 7 OR 9, GO TO NEXT SECTION]
C13bYears
(How long has it been since you stopped using smokeless tobacco?)
[ENTER NUMBER OF YEARS]
[RANGE: 1 – 100]
[IF C13bYears > R'S AGE, GO TO C13bYearsCheck]
[GO TO NEXT SECTION]
C13bYearsCheck
THE NUMBER OF YEARS SINCE QUITTING CANNOT BE GREATER THAN THE RESPONDENT'S AGE.
GO BACK TO CORRECT NUMBER OF YEARS]
[GO TO C13bYears]

3-64

C13bMonths
(How long has it been since you stopped using smokeless tobacco?)
[ENTER NUMBER OF MONTHS]
[RANGE: 1 – 24]
[IF C13bMonths < 12, GO TO C13comp. OTHERWISE GO TO NEXT SECTION.]
C13bWeeks
(How long has it been since you stopped using smokeless tobacco?)
[ENTER NUMBER OF WEEKS]
[RANGE: 1 – 51]
[GO TO C13comp]
C13bDays
(How long has it been since you stopped using smokeless tobacco?)
[ENTER NUMBER OF DAYS]
[RANGE: 1 – 60]
[GO TO C13comp]

Purpose: Determines when the respondent stopped smokeless tobacco.

Instructions: The C13 questions are asked to respondents who do not currently use smokeless tobacco but have used it in the past.

You will ask the question in C13a and record the answer using only one unit (years, months, weeks, or days) or select the appropriate category if the answer is less than one day (less than 24 hours). You will enter the unit in C13a and the number in the next screen (C13b).

Do not count instances where the respondent might have used a smokeless tobacco product on a rare occasion (e.g., one pinch of snuff at a wedding). We are interested in knowing the time frame from when the respondent stopped using smokeless tobacco on a regular basis.

If the answer is reported as a fraction (e.g., one year and two months), either convert the amount to a different unit (e.g., one year and two months = 14 months) or round up or down to the nearest whole number (round up for a half).

Routing: If the answer to C13a/b is less than one year (less than 12 months), the program will go to routing item C13Comp. If the answer to C13a/b is one year or more (12 months or more), the rest of Section C will be skipped and the program will go to Section D.

C13Comp

[IF B14 HAS NOT BEEN ASKED, GO TO C14] [IF B14 = YES, GO TO C16] [IF B14 = NO OR REFUSED, GO TO C18a]

Purpose: Determines the appropriate routing sequence for the interview.

Instructions: The program will determine the appropriate routing based on previous questions. You will not see this screen.

Routing:

If question B14 was not administered, the program will go to question C14.

If the answer to question B14 was YES, the program will go to question C16.

If the answer to question B14 was NO or REFUSED, the program will go to question C18a.

C14
Have you visited a doctor or other health care provider in the past 12 months?
YES

Purpose: Determines if the respondent went to a doctor or health care provider in the past 12 months.

Instructions: Asked to respondents who do not currently use smokeless tobacco, but have quit using it within the past 12 months. Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question C18a.

C15
How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?
1 OR 2

Purpose: Determines how many times a respondent visited a doctor or health care provider in the past 12 months.

Instructions: Asked to respondents who said they have visited a doctor or health care provider in the past 12 months (in question C14). Ask question and select only one answer.

C16
During any visit to a doctor or health care provider in the past 12 months, were you asked if you use smokeless tobacco?
YES

Purpose: Determines if, during a visit in the past 12 months to a doctor or health care provider, the respondent was asked if he/she uses smokeless tobacco.

Instructions: Asked if the respondent visited a doctor or health care provider in the past 12 months. Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question C18a.

C17
During any visit to a doctor or health care provider in the past 12 months, were you advised to stop using smokeless tobacco?
YES 1
NO 2
REFUSED 9

Purpose: Determines whether a respondent was advised by a doctor or health care provider (during any visit in the past 12 months) to stop using smokeless tobacco.

Instructions: Asked if a doctor or health care provider during any visit in the past 12 months asked the respondent if he/she uses smokeless tobacco. Ask question and select only one answer.

C18a
During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?
Counseling, including at a cessation clinic?
YES
C18b
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Nicotine replacement therapy, such as the patch or gum?
YES
C18c
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Other prescription medications, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES
C18d
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Traditional medicines, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES
C18e
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
A quit line or a telephone support line?
YES

C18g
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Anything else?
YES
[IF C18g = 1, GO TO C18g1. OTHERWISE GO TO NEXT SECTION.]
C18g1
Please specify what you used to try to stop using smokeless tobacco.

Purpose: The C18 series of questions determines if the respondent used any of the listed methods to try to stop using smokeless tobacco in the past 12 months.

Instructions: Asked to respondents who do not currently use smokeless tobacco, but have quit using it within the past 12 months. Ask stem question in item C18a and each item part (C18a through C18g). Note that the stem question in parentheses for C18b through C18g does not need to be repeated for each item – only read if needed.

For item part g, if respondent reports a method not already listed, you will be prompted to record it in C18g1.

Note that the methods and examples are adjusted for the specific country.

Section D1. Cessation - Tobacco Smoking

D00Comp

[IF B01 = 1 OR 2, GO TO D01] [OTHERWISE, GO TO NEXT SECTION (D08Comp)]

Purpose: Section D1 includes questions about attempts to stop smoking tobacco. This item determines the appropriate routing sequence for the interview.

Instructions: The program will determine the appropriate routing based on previous questions. You will not see this screen.

Routing:

If the respondent is a current tobacco smoker (B01 = 1 or 2), the program will go to question D01.

If the respondent is not a current tobacco smoker, then the rest of Section D1 will be skipped and the interview will proceed to Section D2 (or the next applicable section after Section D1).

D01
The next questions ask about any attempts to stop smoking that you might have made during the past 12 months. Please think about tobacco smoking.
During the past 12 months, have you tried to stop smoking?
YES
Purpose: Determines if the respondent tried to stop smoking in the past 12 months.
Instructions: Read introduction, ask question and select only one answer.
Routing:
If the respondent answers YES, the program will go to question D02.
If the respondent answers NO or REFUSED, the program will go to D03Comp.

Purpose: Determines how long the respondent stopped smoking the last time he/she tried to quit in the past 12 months.

Instructions: The D02 questions are asked to respondents who are current smokers and have tried to stop smoking the last 12 months. You will ask the question in D02a and record the answer using only one unit (months, weeks, or days) or select the appropriate category if the answer is less than one day (less than 24 hours). You will enter the unit in D02a and the number in the next screen (D02b).

If the answer is reported as a fraction (e.g., three and a half weeks), round up or down to the nearest whole number (round up for a half.)

D03a
During the past 12 months, did you use any of the following to try to stop smoking tobacco?
Counseling, including at a smoking cessation clinic?
YES
D03b
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Nicotine replacement therapy, such as the patch or gum?
YES
D03c
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Other prescription medications, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES
D03d
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Traditional medicines, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES
D03e
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
A quit line or a smoking telephone support line?
YES

3-77

D03f
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Switching to smokeless tobacco?
YES
D03g
(During the past 12 months, did you use any of the following to try to stop smoking tobacco?)
Anything else?
YES
[IF D03g = 1, GO TO D03g1. OTHERWISE GO TO D03Comp.]
D03g1
Please specify what you used to try to stop smoking.

Purpose: The D03 series of questions determines if the respondent used any of the listed methods to try to stop smoking tobacco in the past 12 months.

Instructions: Ask stem question in item D03a and each item part (D03a through D03g). Note that the stem question in parentheses for D03b through D03g does not need to be repeated for each item – only read if needed.

For item part g, if the respondent reports a method not already listed, you will be prompted to record it in D03g1.

Note that the methods and examples are adjusted for the specific country.

D03Comp

[IF C14 HAS NOT BEEN ASKED, GO TO D04] [IF C14 = YES, GO TO D06] [IF C14 = NO OR REFUSED, GO TO D08]

Purpose: Determines the appropriate routing sequence for the interview.

Instructions: The program will determine the appropriate routing based on previous questions. You will not see this screen.

Routing:

If question C14 was not administered, the program will go to question D04.

If the answer to question C14 was YES, the program will go to question D06.

If the answer to question C14 was NO or REFUSED, the program will go to question D08.

D04
Have you visited a doctor or other health care provider in the past 12 months?
YES

Purpose: Determines if the respondent went to a doctor or health care provider in the past 12 months.

Instructions: Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question D08.

D05
How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?
1 OR 2

Purpose: Determines how many times a respondent visited a doctor or health care provider in the past 12 months.

Instructions: Asked to respondents who said they have visited a doctor or health care provider in the past 12 months (in question D04). Ask question and select only one answer.

D06
During any visit to a doctor or health care provider in the past 12 months, were you asked if you smoke tobacco?
YES

Purpose: Determines if, during a visit in the past 12 months to a doctor or health care provider, the respondent was asked if he/she smokes tobacco.

Instructions: Asked if the respondent visited a doctor or health care provider in the past 12 months. Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question D08.

D07
During any visit to a doctor or health care provider in the past 12 months, were you advised to quit smoking tobacco?
YES

Purpose: Determines whether a respondent was advised by a doctor or health care provider (during any visit in the past 12 months) to quit smoking tobacco.

Instructions: Asked if a doctor or health care provider during any visit in the past 12 months asked the respondent if he/she smokes tobacco. Ask question and select only one answer.

D08	
Which of the following best describes your thinking about quitting smoking? I am planning to quit within the next month, I am thinking about quitting within the next 12 months, I will quit someday but not within the next 12 months, or I am not interested in quitting?	
QUIT WITHIN THE NEXT MONTH	

Purpose: Determines if the respondent is planning or thinking about quitting smoking in the future.

Instructions: Ask question and select only one answer that comes closest to the respondent's answer.

Section D2. Cessation - Smokeless Tobacco

D08Comp

[IF C01 = 1 OR 2, GO TO D09] [OTHERWISE, GO TO NEXT SECTION]

Purpose: Section D2 includes questions about attempts to stop using smokeless tobacco. This item determines the appropriate routing sequence for the interview.

Instructions: The program will determine the appropriate routing based on previous questions. You will not see this screen.

Routing:

If the respondent is a current smokeless tobacco user (C01 = 1 or 2), the program will go to question D09.

If the respondent is not a current smokeless tobacco user, then the rest of Section D2 will be skipped and the interview will proceed to Section E.

D09
The next questions ask about any attempts to stop using smokeless tobacco that you might have made during the past 12 months. Please think about your use of smokeless tobacco.
During the past 12 months, have you tried to stop using smokeless tobacco?
YES
Purpose: Determines if the respondent tried to stop using smokeless tobacco in the past 12 months.
Instructions: Ask question and select only one answer.
Routing:
If the respondent answers YES, the program will go to question D10.
If the respondent answers NO or REFUSED, the program will go D11Comp.

D10a
Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?
[ENTER UNIT ON THIS SCREEN AND NUMBER ON NEXT SCREEN]
MONTHS
[IF D10a = 1, GO TO D10bMonths] [IF D10a = 2, GO TO D10bWeeks] [IF D10a = 3, GO TO D10bDays] [IF D10a = 4, 7, OR 9 GO TO D11a]
D10bMonths
(Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?)
[ENTER NUMBER OF MONTHS]
[RANGE: 1 – 11]
[GO TO D11a]
D10bWeeks
(Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?)
[ENTER NUMBER OF WEEKS]
[RANGE: 1 – 51]
[GO TO D11a]
D10bDays
(Thinking about the last time you tried to quit, how long did you stop using smokeless tobacco?)
[ENTER NUMBER OF DAYS]
[RANGE: 1 – 60]
[GO TO D11a]

3-87

Purpose: Determines how long the respondent stopped using smokeless tobacco the last time he/she tried to quit in the past 12 months.

Instructions: The D10 questions are asked to respondents who are current smokeless tobacco users and have tried to stop using it in the last 12 months. You will ask the question in D10a and record the answer using only one unit (months, weeks, or days) or select the appropriate category if the answer is less than one day (less than 24 hours). You will enter the unit in D10a and the number in the next screen (D10b).

If the answer is reported as a fraction (e.g., three and a half weeks), round up or down to the nearest whole number (round up for a half.)

D11a
During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?
Counseling, including at a cessation clinic?
YES
D11b
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Nicotine replacement therapy, such as the patch or gum?
YES
D11c
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Other prescription medications, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES 1 NO 2 REFUSED 9
D11d
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Traditional medicines, for example (FILL EXAMPLES RELEVANT TO THE COUNTRY)?
YES 1 NO 2 REFUSED 9
D11e
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
A quit line or a telephone support line?
YES

3-89

D11g
(During the past 12 months, did you use any of the following to try to stop using smokeless tobacco?)
Anything else?
YES
D11g1
Please specify what you used to try to stop using smokeless tobacco.

Purpose: The D11 series of questions determines if the respondent used any of the listed methods to try to stop using smokeless tobacco in the past 12 months.

Instructions: Ask stem question in item D11a and each item part (D11a through D11g). Note that the stem question in parentheses for D11b through D11g does not need to be repeated for each item – only read if needed.

For item part g, if the respondent reports a method not already listed, you will be prompted to record it in D11g1.

Note that the methods and examples are adjusted for the specific country.

D11Comp

[IF BOTH B14 AND D04 HAVE NOT BEEN ASKED, GO TO D12] [IF B14 OR D04 = YES, GO TO D14] [IF B14 OR D04 = NO OR REFUSED, GO TO D16]

Purpose: Determines the appropriate routing sequence for the interview.

Instructions: The program will determine the appropriate routing based on previous questions. You will not see this screen.

Routing:

If both questions B14 and D04 were not administered, the program will go to question D12.

If the answer to question B14 or D04 was YES, the program will go to question D14.

If the answer to question B14 or D4 was NO or REFUSED, the program will go to question D16.

D12
Have you visited a doctor or other health care provider in the past 12 months?
YES

Purpose: Determines if the respondent went to a doctor or health care provider in the past 12 months.

Instructions: Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question D16.

D13
How many times did you visit a doctor or health care provider in the past 12 months? Would you say 1 or 2 times, 3 to 5 times, or 6 or more times?
1 OR 2

Purpose: Determines how many times a respondent visited a doctor or health care provider in the past 12 months.

Instructions: Asked to respondents who said they have visited a doctor or health care provider in the past 12 months (in question D12). Ask question and select only one answer.

D14
During any visit to a doctor or health care provider in the past 12 months, were you asked if you used smokeless tobacco?
YES

Purpose: Determines if, during a visit in the past 12 months to a doctor or health care provider, the respondent was asked if he/she uses smokeless tobacco.

Instructions: Asked if the respondent visited a doctor or health care provider in the past 12 months. Ask question and select only one answer.

Routing: If the answer is NO or REFUSED, the program will go to question D16.

D15
During any visit to a doctor or health care provider in the past 12 months, were you advised to stop using smokeless tobacco?
YES 1 NO 2 REFUSED 9

Purpose: Determines whether a respondent was advised by a doctor or health care provider (during any visit in the past 12 months) to stop using smokeless tobacco.

Instructions: Asked if a doctor or health care provider during any visit in the past 12 months asked the respondent if he/she uses smokeless tobacco. Ask question and select only one answer.

Which of the following best describes your thinking about quitting smokeless tobacco? I am planning to quit within the next month, I am thinking about quitting within the next 12 months, I will quit someday but not within the next 12 months, or I am not interested in quitting? QUIT WITHIN THE NEXT MONTH	
THINKING WITHIN THE NEXT 12 MONTHS 2 QUIT SOMEDAY, BUT NOT NEXT 12 MONTHS 3	
DON'T KNOW	

Purpose: Determines if the respondent is planning or thinking about quitting smokeless tobacco in the future.

Instructions: Ask question and select only one answer that comes closest to the respondent's answer.

Section E. Secondhand Smoke

I would now like to ask you a few questions about smoking in various places.

Which of the following best describes the rules about smoking inside of your home: Smoking is allowed inside of your home, smoking is generally not allowed inside of your home but there are exceptions, smoking is never allowed inside of your home, or there are no rules about smoking in your home?

ALLOWED	1			
NOT ALLOWED, BUT EXCEPTIONS				
NEVER ALLOWED				
NO RULES	4 →	GO	TO	E03
DON'T KNOW				
REFUSED	9 →	GO	TO	E03

Purpose: Section E includes questions about exposure to secondhand smoke. This item determines whether smoking is allowed in the respondent's home.

Instructions: Read introduction, ask question and select only one answer.

QxQ Screen: This question is asking about the rules for inside the respondent's home. This only includes enclosed areas of the home – the respondent should not include areas outside of the home including patios, porches, etc. that are not fully enclosed.

Routing:

E01

If answer is NEVER ALLOWED, the program will go to question E04.

If answer is NO RULES, DON'T KNOW, OR REFUSED, the program will go to guestion E03.

E02
Inside your home, is smoking allowed in every room?
YES

Purpose: Determines whether smoking is allowed in every room inside of the respondent's home.

Instructions: Asked if the respondent reports that smoking is allowed in his/her home in question E01. Ask question and select only one answer.

QxQ Screen: This question is asking about the rules for inside the respondent's home. This only includes enclosed areas of the home – the respondent should not include areas outside of the home including patios, porches, etc. that are not fully enclosed.

E03	
How often does *anyone* smoke inside your home monthly, or never?	? Would you say daily, weekly, monthly, less than
DAILY 1	
WEEKLY 2	
MONTHLY 3	
LESS THAN MONTHLY 4	
NEVER 5	
DON'T KNOW 7	
REFUSED 9	

Purpose: Determines the frequency of anyone smoking inside the respondent's home.

Instructions: Asked if the respondent reports that smoking is allowed in his/her home in question E01 (or answered NO RULES, DON'T KNOW, or REFUSED to E01). Ask question and select only one answer. The respondent should select one of the response categories that comes closest to his/her situation.

QxQ Screen: This question is asking about inside the respondent's home. This only includes enclosed areas of the home – the respondent should not include areas outside of the home including patios, porches, etc. that are not fully enclosed.

04	_
o you currently work outside of your home?	
ES	

Purpose: Determines whether the respondent works outside of the home.

Instructions: Ask question and select only one answer. If the respondent says he/she does not currently work, select NO/DON'T WORK.

Routing: If the answer is NO/DON'T WORK or REFUSED, the program will go to question E09.

E05	
Do you usually work indoors or outdoors?	
INDOORS	

Purpose: Determines if the respondent usually works inside or outside.

Instructions: Ask question and select only one answer. If the respondent says he/she works both indoors and outdoors, select BOTH.

Routing: If the answer is INDOORS or BOTH, the program will go to question E07.

E06
Are there any indoor areas at your work place?
YES

Purpose: Determines whether there are any indoor areas at the respondent's workplace if he/she reports usually working outside. Attempts to capture situations where a respondent primarily works outside but sometimes there is an indoor area where workers can go.

Instructions: Asked to respondents who report usually working outdoors in question E05. Ask question and select only one answer.

Routing: If the answer is NO, DON'T KNOW, or REFUSED, the program will go to question E09.

E07
Which of the following best describes the indoor smoking policy where you work: Smoking is allowed anywhere, smoking is allowed only in some indoor areas, smoking is not allowed in any indoor areas, or there is no policy?
ALLOWED ANYWHERE

Purpose: Determines the smoking policy for indoor workplaces where respondent works.

Instructions: Asked if the respondent reports that he/she usually works indoors or if there are indoor places at work. Ask question and select only one answer that comes closest to the respondent's answer.

E08
During the past 30 days, did anyone smoke in indoor areas where you work?
YES

Purpose: Determines if anyone smoked in indoor areas where the respondent works in the past 30 days, regardless of the indoor smoking policy.

QxQ Screen: The respondent should answer yes if he/she saw somebody smoke or smelled the smoke inside the indoor areas where he/she works.

3-104

This question is asking about enclosed indoor areas, not outside areas (such as a courtyard within a complex).

Instructions: Ask question and select only one answer.

E09
During the past 30 days, did you visit any government buildings or government offices?
YES
E40
E10
Did anyone smoke inside of any government buildings or government offices that you visited in the past 30 days?

Instructions: Question E09 is asked to determine if the respondent visited the place. If the answer is YES, the follow-up question E10 is asked to determine if anyone smoked inside during the respondent's visit in the past 30 days.

QxQ Screen: The respondent should answer yes if he/she saw somebody smoke or smelled the smoke inside the place of interest.

This question is asking about enclosed indoor areas, not outside areas (such as a courtyard within a complex).

Routing: If the answer to E09 is NO, DON'T KNOW, or REFUSED, the program will go to question E11.

E11
During the past 30 days, did you visit any health care facilities?
YES
E12
Did anyone smoke inside of any health care facilities that you visited in the past 30 days?
YES 1 NO 2

Instructions: Question E11 is asked to determine if the respondent visited the place. If the answer is YES, the follow-up question E12 is asked to determine if anyone smoked inside during the respondent's visit in the past 30 days.

QxQ Screen: The respondent should answer yes if he/she saw somebody smoke or smelled the smoke inside the place of interest.

This question is asking about enclosed indoor areas, not outside areas (such as a courtyard within a complex).

Routing: If the answer to E11 is NO, DON'T KNOW, or REFUSED, the program will go to question E13.

E13
During the past 30 days, did you visit any restaurants?
YES
E14
Did anyone smoke inside of any restaurants that you visited in the past 30 days?
YES 1 NO 2

Instructions: Question E13 is asked to determine if the respondent visited the place. If the answer is YES, the follow-up question E14 is asked to determine if anyone smoked inside during the respondent's visit in the past 30 days.

QxQ Screen: The respondent should answer yes if he/she saw somebody smoke or smelled the smoke inside the place of interest.

This question is asking about enclosed indoor areas, not outside areas (such as a courtyard within a complex).

Routing: If the answer to E13 is NO, DON'T KNOW, or REFUSED, the program will go to question E15.

E15
During the past 30 days, did you use any public transportation?
YES
E16
Did anyone smoke inside of any public transportation that you used in the past 30 days?

Instructions: Question E15 is asked to determine if the respondent visited the place. If the answer is YES, the follow-up question E16 is asked to determine if anyone smoked inside during the respondent's visit in the past 30 days.

QxQ Screen: The respondent should answer yes if he/she saw somebody smoke or smelled the smoke inside the place of interest.

This question is asking about enclosed indoor areas, not outside areas (such as a courtyard within a complex).

Routing: If the answer to E15 is NO, DON'T KNOW, or REFUSED, the program will go to question E17.

E17
Based on what you know or believe, does breathing other people's smoke cause serious illness in non-smokers?
YES

Purpose: Determines whether the respondent thinks secondhand smoke can cause serious illness in non-smokers.

3-109

Instructions: Ask question and select only one answer.

Section F. Economics – Manufactured Cigarettes

F00Comp

[(IF B01 = 1 OR 2) AND (B06a OR B10a = 1 - 200 OR 888), GO TO F01a. OTHERWISE GO TO NEXT SECTION]

Purpose: Section F includes questions about the last purchase of manufactured cigarettes. This item determines the appropriate routing sequence for the interview.

Instructions: The program will determine the appropriate routing based on previous questions. You will not see this screen.

Routing:

If the respondent is a current smoker (B01 = 1 or 2) and the respondent reported that he/she smokes manufactured cigarettes (B06a or B10a = 1 - 200 or 888), the program will go to question F01.

If the respondent is not a current smoker or the respondent does not smoke manufactured cigarettes, Section F will be skipped and the interview will go to Section G.

F01a
The next few questions are about the last time you purchased cigarettes for yourself to smoke.
The last time you bought cigarettes for yourself, how many cigarettes did you buy?
[ENTER UNIT ON THIS SCREEN AND NUMBER ON NEXT SCREEN]
CIGARETTES $1 \rightarrow$ GO TO F01bCig PACKS $2 \rightarrow$ GO TO F01bPack CARTONS $3 \rightarrow$ GO TO F01bCart OTHER (SPECIFY) $4 \rightarrow$ GO TO F01c NEVER BOUGHT CIGARETTES $5 \rightarrow$ GO TO NEXT SECTION REFUSED $9 \rightarrow$ GO TO F03
F01c
[SPECIFY THE UNIT]
[GO TO F01bOther]
F01bCig
(The last time you bought cigarettes for yourself, how many cigarettes did you buy?)
[ENTER NUMBER OF CIGARETTES (NOT IN PACKS OR CARTONS)]
[RANGE: 1 – 250]
[GO TO F02]
F01bPack
(The last time you bought cigarettes for yourself, how many cigarettes did you buy?)
[ENTER NUMBER OF PACKS]
[RANGE: 1 – 100]
[GO TO F01dPack]

F01bCart
(The last time you bought cigarettes for yourself, how many cigarettes did you buy?)
[ENTER NUMBER OF CARTONS]
[RANGE: 1 – 65]
[GO TO F01dCart]
F01bOther
(The last time you bought cigarettes for yourself, how many cigarettes did you buy?)
[ENTER NUMBER OF {F01c}]
[RANGE: 1 – 200]
[GO TO F01dOther]
F01dPack
Did each pack contain 10 cigarettes, 20 cigarettes, or another amount?
10
[IF F01dPack = 7, GO TO F01dPackA] [ELSE GO TO F02]
F01dPackA
How many cigarettes were in each pack?
[RANGE: 2 – 50]
[GO TO F02]
F01dCart
Did each carton contain 100 cigarettes, 200 cigarettes, or another amount?
100
[IF F01dCart = 7, GO TO F01dCartA] [ELSE GO TO F02]

F01dCartA
How many cigarettes were in each carton?
[RANGE: 50 – 600]
[GO TO F02]
F01dOther
How many cigarettes were in each {F01c}?
How many cigarettes were in each {F01c}? [IF REFUSED, ENTER 999]

Purpose: Determines the quantity of cigarettes that were purchased the last time the respondent bought cigarettes for him/herself. This question (along with F02) will be used to calculate how much money was spent on cigarettes.

Instructions: The F01 questions are asked to respondents who are current smokers of manufactured cigarettes. You will ask question in F01a and record the answer using only one unit (cigarettes, packs, cartons, other). You will enter the unit in F01a and the number in the next screen (F01b). You will record the unit type in F01c if OTHER is selected in F01a. If the answer was reported in packs, cartons, or other, the program will then go to F01d to ask the respondent how many cigarettes were in each.

It is important to record the correct unit and corresponding number. For example, if the unit CIGARETTES is selected in F01a, you need to enter the total number of cigarettes purchased in F01b, not the number of packs or cartons.

QxQ Screen: Only report number of cigarettes that the respondent purchased to smoke. Do not include cigarettes purchased by a vendor for resale.

Routing:

If the respondent answers that he/she has never bought cigarettes for him/herself in F01a, the rest of Section F will be skipped and the program will go to Section G.

If the respondent refuses to answer question F01a, the program will go to question F03.

F02
In total, how much money did you pay for this purchase?
[IF DON'T KNOW OR REFUSED, ENTER 999]
[RANGE: 1 – 500, 999] [ALLOW DECIMAL]

Purpose: Determines how much money the respondent paid for the last purchase of cigarettes by the respondent. This question (along with the F01 questions) will be used to calculate how much money was spent on cigarettes.

Instructions: Ask question and enter in amount of purchase. A decimal (.) is allowed to be entered but a comma (,) is not. This needs to be emphasized in training for countries that use a comma (,) for reporting monetary amounts.

Note that the type of currency will be adjusted for the specific country (including the range and Don't Know/Refused value).

QxQ Screen: Only report money paid for cigarettes that the respondent purchased to smoke. Do not include cigarettes purchased by a vendor for resale.

F03
What brand did you buy the last time you purchased cigarettes for yourself?
[INSERT LIST OF BRANDS FOR SPECIFIC COUNTRY]
BRAND A 1 OTHER
[IF F03 = OTHER, GO TO F03a. OTHERWISE GO TO F04]
F03a
[SPECIFY BRAND]

Purpose: Determines the cigarette brand purchased by the respondent the last time he/she purchased cigarettes for him/herself.

Instructions: Ask question and check all categories that apply. You will record the brand in F03a if OTHER is selected in F03.

Note that the categories are adjusted for the specific country.

QxQ Screen: Only report brand of cigarettes that the respondent purchased to smoke. Do not include cigarettes purchased by a vendor for resale.

04
e last time you purchased cigarettes for yourself, where did you buy them?
ENDING MACHINE 1
TORE 2
TREET VENDOR
LITARY STORE 4
JTY-FREE SHOP 5
JTSIDE THE COUNTRY 6
OSKS
TERNET 8
ROM ANOTHER PERSON 9
ΓHER 10
DN'T REMEMBER 77
EFUSED 99
F04 = 10, GO TO F04a. OTHERWISE GO TO NEXT SECTION]
94a
PECIFY LOCATION]

Purpose: Determines the place where the respondent made his/her last purchase of cigarettes for himself/herself.

Instructions: Ask question but do not read response categories. Select only one answer that comes closest to the respondent's answer. You will record the location in F04a if OTHER is selected in F04.

Note that the categories are adjusted for the specific country.

Section G. Media (Structure #1 - Asking About Only One Product)

G01intro

The next few questions ask about your exposure to the media and advertisements in the last 30 days.

Purpose: Section G includes questions about the respondent's exposure to the media and advertisements about tobacco in the last 30 days. Structure #1 is used for countries that only ask about one tobacco product (e.g., cigarettes) in Section G.

Instructions: Read the introduction to the respondent and go to the next question.

G01a
In the last 30 days, have you noticed *information* about the dangers of smoking cigarettes or that encourages quitting in any of the following places?
In newspapers or in magazines?
YES
G01b
(In the last 30 days, have you noticed *information* about the dangers of smoking cigarettes or that encourages quitting in any of the following places?)
On television?
YES
G01c
(In the last 30 days, have you noticed *information* about the dangers of smoking cigarettes or that encourages quitting in any of the following places?)
On the radio?
YES
G01d
(In the last 30 days, have you noticed *information* about the dangers of smoking cigarettes or that encourages quitting in any of the following places?)
On billboards?
YES

GU1e
(In the last 30 days, have you noticed *information* about the dangers of smoking cigarettes or that encourages quitting in any of the following places?)
Somewhere else?
[DO NOT INCLUDE HEALTH WARNINGS ON CIGARETTE PACKAGES]
YES
[IF G01e = 1, GO TO G01e1. OTHERWISE GO TO G02.]
G01e1
Please specify where.

Purpose: The G01 series of questions determines if the respondent noticed information or news stories from various sources about the dangers of smoking cigarettes or that encourages quitting in the past 30 days

Instructions: Ask stem question in item G01a and each item part (G01a through G01e). Note that the stem question in parentheses for G01b through G01e does not need to be repeated for each item – only read if needed.

For item part e, if the respondent reports a source not already listed, you will be prompted to record it in G01e1. We do not want to include health warnings on cigarette packages for this question because we specifically ask about health warnings in a later question.

Note that the item parts are adjusted for the specific country.

QxQ Screen: If the respondent says he/she did not do the activity in the past 30 days, select the NOT APPLICABLE category but do not offer this category to the respondents.

G02	
In the last 30 days, did you notice any health warnings on cigarette packages?	
YES	
G03	
In the last 30 days, have warning labels on cigarette packages led you to think about quitting?	
YES	

Purpose: Determines if the respondent noticed any health warnings on cigarette packages in the past 30 days, and if yes, whether the warning labels on cigarette packages caused current smokers to think about quitting in the past 30 days.

Instructions: Ask questions and select only one answer.

G03 is only asked if the respondent is a current smoker (B01 = 1 or 2) and noticed the health warnings on cigarette packages in the past 30 days.

Routing: For G02, if the answer is NO, REFUSED, or if the respondent says he/she did not see any cigarette packages in the past 30 days, the program will go to question G04a. If the answer is YES and the respondent currently smokes tobacco (B01 = 1 or 2), the program will go to question G03. If the answer is YES and respondent is not a current smoker, the program will go to question G04a.

G04a
In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?
In stores where cigarettes are sold?
YES
G04bComp
[IF G01b=7, GO TO G04cComp]
G04b
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On television?
YES
G04cComp
[IF G01c=7, GO TO G04dComp]
G04c
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On the radio?
YES

G04dComp
[IF G01d=7, GO TO G04e]
G04d
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On billboards?
YES
G04e
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On posters?
YES
G04fComp
[IF G01a=7, GO TO G04g]
G04f
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
In newspapers or magazines?
YES

G04g (In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following
places?)
In cinemas?
YES
G04h
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On the internet?
YES 1
NO 2 NOT APPLICABLE 7
REFUSED
G04i
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On public transportation vehicles or stations?
YES 1
NO 2 NOT APPLICABLE 7
REFUSED 9
G04j
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
On public walls?
YES

G04k
(In the last 30 days, have you noticed any *advertisements or signs promoting* cigarettes in the following places?)
Anywhere else?
YES
G04k1
Please specify where.

Purpose: The G04 series of questions determines if the respondent has seen advertisements or signs promoting cigarettes in various places in the past 30 days.

Instructions: Ask stem question in item G04a and each item part (G04a through G04k). Note that the stem question in parentheses for G04b through G04k does not need to be repeated for each item – only read if needed.

Some of the questions may be automatically skipped by the program if the answers were recorded as NOT APPLICABLE in G01 for the same items (e.g., television, radio, billboards, newspapers or magazines). For example, if in G01b, the respondent says he/she did not watch television in the past 30 days, we will not ask G04b about noticing cigarettes advertisements on television.

For item part k, if the respondent reports a place not already listed, you will be prompted to record it in G04k1.

Note that item 'a' should be included for all countries but the other items are adjusted for the specific country.

QxQ Screen: If the respondent says he/she did not do the activity in the past 30 days, select the NOT APPLICABLE category but do not offer this category to the respondents.

G05
In the last 30 days, have you noticed any sport or sporting event that is associated with cigarette brands or cigarette companies?
YES

3-127

Purpose: Determines whether respondent has noticed a sport or sporting event associated with cigarettes.

Instructions: Ask question and select only one answer.

G06a
In the last 30 days, have you noticed any of the following types of cigarette promotions?
Free samples of cigarettes?
YES
G06b
(In the last 30 days, have you noticed any of the following types of cigarette promotions?)
Cigarettes at sale prices?
YES
G06c
(In the last 30 days, have you noticed any of the following types of cigarette promotions?)
Coupons for cigarettes?
YES
G06d
(In the last 30 days, have you noticed any of the following types of cigarette promotions?)
Free gifts or special discount offers on other products when buying cigarettes?
YES

Purpose: The G06 series of questions determines if the respondent has seen various cigarette promotions in the past 30 days.

Instructions: Ask stem question in item G06a and each item part (G06a through G06f). Note that the stem question in parentheses for G06b through G06f does not need to be repeated for each item – only read if needed.

Note that the item parts are adjusted for the specific country.

Section G. Media (Structure #2 - Asking About Two or More Products)

G201intro

The next few questions ask about your exposure to the media and advertisements in the last 30 days. For each item, I am going to ask about cigarettes and smokeless tobacco.

Purpose: Section G includes questions about the respondent's exposure to the media and advertisements about tobacco in the last 30 days. Structure #2 is used for countries that ask about two or more tobacco products (e.g., cigarettes and smokeless tobacco) in Section G.

Instructions: Read the introduction to the respondent and go to the next question.

G201a1
In the last 30 days, have you noticed any information in *newspapers or in magazines* about the dangers of use or that encourages quitting of the following tobacco products?
Cigarettes?
YES
G201a2
(In the last 30 days, have you noticed any information in *newspapers or in magazines* about the dangers of use or that encourages quitting of the following tobacco products?)
Smokeless tobacco?
YES 1 NO 2 REFUSED 9
G201b1
In the last 30 days, have you seen any information on *television* about the dangers of use or that encourages quitting of the following tobacco products?
Cigarettes?
YES
G201b2
(In the last 30 days, have you seen any information on *television* about the dangers of use or that encourages quitting of the following tobacco products?)
Smokeless tobacco?
YES

G201c1
In the last 30 days, have you heard any information on the *radio* about the dangers of use or that encourages quitting of the following tobacco products?
Cigarettes?
YES
G201c2
(In the last 30 days, have you heard any information on the *radio* about the dangers of use or that encourages quitting of the following tobacco products?)
Smokeless tobacco?
YES
G201d1
In the last 30 days, have you noticed any information on *billboards* about the dangers of use or that encourages quitting of the following tobacco products?
Cigarettes?
YES
G201d2
(In the last 30 days, have you noticed any information on *billboards* about the dangers of use or that encourages quitting of the following tobacco products?)
Smokeless tobacco?
YES

G201e1
In the last 30 days, have you noticed any information *somewhere else* about the dangers of use or that encourages quitting of the following tobacco products?
Cigarettes?
[DO NOT INCLUDE HEALTH WARNINGS ON CIGARETTE PACKAGES]
YES
[IF G201e1 = 1, GO TO G201e1a. OTHERWISE GO TO G201e2.]
G201e1a
Please specify where.
G201e2
(In the last 30 days, have you noticed any information *somewhere else* about the dangers of use or that encourages quitting of the following tobacco products?)
Smokeless tobacco?
[DO NOT INCLUDE HEALTH WARNINGS ON SMOKELESS PACKAGES]
YES
[IF G201e2 = 1, GO TO G201e2a. OTHERWISE GO TO G202.]
G201e2a
Please specify where.

Purpose: The G201 series of questions determines if the respondent noticed information or news stories from various sources about the dangers of tobacco products or that encourages quitting in the past 30 days

Instructions: Structure #2 is set-up so that you will ask about each tobacco product of interest (e.g., cigarettes and then smokeless tobacco) for each source. Note that the stem question in parentheses does not need to be repeated again for each additional tobacco product after it is read for cigarettes – only read if needed.

For item parts e1 or e2, if the respondent reports a source not already listed, you will be prompted to record it in G201e1a or G201e2a. We do not want to include health warnings on cigarette or other tobacco packages for these questions because we specifically ask about health warnings in later questions.

Note that the item parts (sources and tobacco products) are adjusted for the specific country.

QxQ Screen: If the respondent says he/she did not do the activity in the past 30 days, select the NOT APPLICABLE category but do not offer this category to the respondents.

G202
In the last 30 days, did you notice any health warnings on cigarette packages?
YES
G203
In the last 30 days, have warning labels on cigarette packages led you to think about quitting?
YES

Purpose: Determines if the respondent noticed any health warnings on cigarette packages in the past 30 days, and if yes, whether the warning labels on cigarette packages caused current smokers to think about quitting in the past 30 days.

Instructions: Ask questions and select only one answer.

G203 is only asked if the respondent is a current smoker (B01 = 1 or 2) and noticed the health warnings on cigarette packages in the past 30 days.

Routing: For G202, if the answer is NO, REFUSED, or if the respondent says he/she did not see any cigarette packages in the past 30 days, the program will go to question G202a. If the answer is YES and the respondent currently smokes tobacco (B01 = 1 or 2), the program will go to question G203. If the answer is YES and respondent is not a current smoker, the program will go to question G202a.

G202a
In the last 30 days, did you notice any health warnings on smokeless tobacco products?
YES
G203a
In the last 30 days, have warning labels on smokeless tobacco products led you to think about quitting?
YES

Purpose: Determines if the respondent noticed any health warnings on smokeless tobacco products in the past 30 days, and if yes, whether the warning labels on smokeless tobacco products caused current smokeless tobacco users to think about quitting in the past 30 days.

Instructions: Ask questions and select only one answer.

G203a is only asked if the respondent is a current smokeless tobacco user (C01 = 1 or 2) and noticed the health warnings on smokeless tobacco products in the past 30 days.

Routing: For G202a, if the answer is NO, REFUSED, or if the respondent says he/she did not see any smokeless tobacco products in the past 30 days, the program will go to question G204a1. If the answer is YES and the respondent currently uses smokeless tobacco (C01 = 1 or 2), the program will go to question G203a. If the answer is YES and respondent is not a current user, the program will go to question G204a1.

G204a1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *stores where the products are sold*?
Cigarettes?
YES
G204a2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *stores where the products are sold*?)
Smokeless tobacco?
YES
G204b1comp
[IF G201b1=7, GO TO G204c1comp]
G204b1
In the last 30 days, have you seen any advertisements or signs promoting the following tobacco products on *television*?
Cigarettes?
YES
G204b2
(In the last 30 days, have you seen any advertisements or signs promoting the following tobacco products on *television*?)
Smokeless tobacco?
YES

3-138

G204c1comp
[IF G201c1=7, GO TO G204d1comp]
G204c1
In the last 30 days, have you heard any advertisements promoting the following tobacco products on the *radio*?
Cigarettes?
YES
G204c2
(In the last 30 days, have you heard any advertisements promoting the following tobacco products on the *radio*?)
Smokeless tobacco?
YES
G204d1comp
[IF G201d1=7, GO TO G204e1]
G204d1
In the last 30 days, have you noticed any advertisements promoting the following tobacco products on *billboards*?
Cigarettes?
YES

G204d2
(In the last 30 days, have you noticed any advertisements promoting the following tobacco products on *billboards*?)
Smokeless tobacco?
YES 1 NO 2 REFUSED 9
G204e1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *posters*?
Cigarettes?
YES
G204e2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *posters*?)
Smokeless tobacco?
YES
G204f1comp
[IF G201a1=7, GO TO G204g1]
G204f1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *newspapers or in magazines*?
Cigarettes?
YES

G204f2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *newspapers or in magazines*?)
Smokeless tobacco?
YES
G204g1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *cinemas*?
Cigarettes?
YES
G204g2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products in *cinemas*?)
Smokeless tobacco?
YES
G204h1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on the *internet*?
Cigarettes?
YES

G204h2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on the *internet*?)
Smokeless tobacco?
YES
G204i1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public transportation vehicles or stations*?
Cigarettes?
YES
G204i2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public transportation vehicles or stations*?)
Smokeless tobacco?
YES
G204j1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public walls*?
Cigarettes?
YES

G204j2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products on *public walls*?)
Smokeless tobacco?
YES 1 NO 2 REFUSED 9
G204k1
In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products *anywhere else*?
Cigarettes?
YES 1 NO 2 REFUSED 9
[IF G204k1 = 1, GO TO G204k1a. OTHERWISE GO TO G204k2.]
G204k1a
Please specify where.
G204k2
(In the last 30 days, have you noticed any advertisements or signs promoting the following tobacco products *anywhere else*?)
Smokeless tobacco?
YES 1 NO 2 REFUSED 9
[IF G204k2 = 1, GO TO G204k2a. OTHERWISE GO TO G205.]
G204k2a
Please specify where.

Purpose: The G204 series of questions determines if the respondent has seen advertisements or signs promoting tobacco products in various places in the past 30 days.

Instructions: Structure #2 is set-up so that you will ask about each tobacco product of interest (e.g., cigarettes and then smokeless tobacco) for each location. Note that the stem question in parentheses does not need to be repeated again for each additional tobacco product after it is read for cigarettes – only read if needed.

Some of the questions may be automatically skipped by the program if the answers were recorded as NOT APPLICABLE in G201 for the same items (e.g., television, radio, billboards, newspapers or magazines). For example, if in G201b1, the respondent says he/she did not watch television in the past 30 days, we will not ask G204b1 about noticing cigarettes advertisements on television.

For item parts k1 or k2, if the respondent reports a place not already listed, you will be prompted to record it in G204k1a or G204k2a.

Note that the item parts (places and tobacco products) are adjusted for the specific country.

QxQ Screen: If the respondent says he/she did not do the activity in the past 30 days, select the NOT APPLICABLE category but do not offer this category to the respondents.

G205
In the last 30 days, have you noticed any sport or sporting event that is associated with cigarette brands or cigarette companies?
YES
G205a
In the last 30 days, have you noticed any sport or sporting event that is associated with smokeless tobacco brands or smokeless tobacco companies?
YES

Purpose: Determines whether the respondent has noticed a sport or sporting event associated with tobacco brands or tobacco companies.

3-145

Instructions: Ask questions and select only one answer for each.

G206a1
In the last 30 days, have you noticed any free samples of the following tobacco products?
Cigarettes?
YES
G206a2
(In the last 30 days, have you noticed any free samples of the following tobacco products?)
Smokeless tobacco?
YES
G206b1
In the last 30 days, have you noticed any of the following tobacco products sold at sale prices?
Cigarettes?
YES
G206b2
(In the last 30 days, have you noticed any of the following tobacco products sold at sale prices?)
Smokeless tobacco?
YES

G206c1
In the last 30 days, have you noticed any coupons for the following tobacco products?
Cigarettes?
YES
G206c2
(In the last 30 days, have you noticed any coupons for the following tobacco products?)
Smokeless tobacco?
YES
G206d1
In the last 30 days, have you noticed any free gifts or special discount offers on other products when buying any of the following tobacco products?
Cigarettes?
YES
G206d2
(In the last 30 days, have you noticed any free gifts or special discount offers on other products when buying any of the following tobacco products?)
Smokeless tobacco?
YES

G206e1
In the last 30 days, have you noticed any clothing or other items with a brand name or logo of the following tobacco products?
Cigarettes?
YES
G206e2
(In the last 30 days, have you noticed any clothing or other items with a brand name or logo of the following tobacco products?)
Smokeless tobacco?
YES
G206f1
In the last 30 days, have you noticed any promotions in the mail for the following tobacco products?
Cigarettes?
YES
G206f2
(In the last 30 days, have you noticed any promotions in the mail for the following tobacco products?)
Smokeless tobacco?
YES

Purpose: The G206 series of questions determines if the respondent has seen various tobacco promotions in the past 30 days.

Instructions: Structure #2 is set-up so that you will ask about each tobacco product of interest (e.g., cigarettes and then smokeless tobacco) for each type of promotion. Note that the stem question in parentheses does not need to be repeated again for each additional tobacco product after it is read for cigarettes – only read if needed.

Note that the item parts (type of promotions and tobacco products) are adjusted for the specific country.

Purpose: Determines whether the respondent thinks smoking tobacco can cause serious illness.

Instructions: Ask question and select only one answer.

Section H. Knowledge, Attitudes, & Perceptions

H02a
Based on what you know or believe, does smoking tobacco cause the following
Stroke (blood clots in the brain that may cause paralysis)?
YES
H02b
(Based on what you know or believe, does smoking tobacco cause the following)
Heart attack?
YES
H02c
(Based on what you know or believe, does smoking tobacco cause the following)
Lung cancer?
YES

Purpose: H02a-c determine whether the respondent thinks smoking tobacco can cause various health problems.

Instructions: Ask stem question in item H02a and each item part (H02a through H02c). Note that the stem question in parentheses for H02b and H02c does not need to be repeated - only read if needed.

Note that these questions are asked of all respondents, regardless of how they answered question H01.

H03
Based on what you know or believe, does using *smokeless tobacco* cause serious illness?
YES

Purpose: Determines whether the respondent thinks using smokeless tobacco can cause serious illness.

3-153

Instructions: Ask question and select only one answer.

End Individual Questionnaire

100

Those are all of the questions I have. Thank you very much for partcipating in this important survey.

[GO TO 102]

101

I'm sorry but you are not eligible to participate in this survey. Thank you very much for your time.

[GO TO 102]

102

[RECORD ANY NOTES ABOUT INTERVIEW:]

Purpose: End of the interview.

Instructions:

I00 will be administered for respondents who have completed the entire survey. (The result code 400 "Completed Individual Questionnaire" will be automatically selected in the Record of Calls by the Case Management System.)

I01 will be administered for respondents who were determined to be ineligible to complete the survey based on answers in Section A. (The result code 403 "Selected Individual Was Later Determine to Be Survey Ineligible" will be automatically selected in the Record of Calls by the Case Management System.)

102 provides a place to record any notes about the interview that you think are important for the project to know.

3-156

