

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	Total		Age		< 1		1 - 4		5 -14	
		No.	Rate	Adj. rate		No.	Rate	No.	Rate	No.	Rate
Aruba, 1990											
Both Sexes											
All causes	001-E999	398	597.1	569.6		15	1355.0	2	46.6	3	29.6
Symptoms and ill defined conditions	780-799	74	111.0	105.0		2	180.7	1	23.3	2	19.7
Communicables diseases	001-139, 320-322 460-466, 480-487	22	33.0	31.9		1	90.3	0	0.0	0	0.0
Neoplasms	140-239	79	118.5	111.5		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	135	202.5	190.7		1	90.3	0	0.0	1	9.9
Conditions originating in perinatal period	760-779	8	12.0	17.3		8	722.7	0	0.0	0	0.0
External causes	E800-E999	6	9.0	8.3		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	74	111.0	105.0		3	271.0	1	23.3	0	0.0
Males											
All causes	001-E999	222	685.8	723.4		5	881.8	2	91.3	2	38.2
Symptoms and ill defined conditions	780-799	49	151.4	156.0		2	352.7	1	45.7	2	38.2
Communicables diseases	001-139, 320-322 460-466, 480-487	10	30.9	33.3		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	44	135.9	145.7		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	78	241.0	256.6		1	176.4	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	1	3.1	4.2		1	176.4	0	0.0	0	0.0
External causes	E800-E999	3	9.3	9.1		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	37	114.3	118.3		1	176.4	1	45.7	0	0.0
Females											
All causes	001-E999	176	513.4	453.1		10	1851.9	0	0.0	1	20.4
Symptoms and ill defined conditions	780-799	25	72.9	60.8		0	0.0	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	12	35.0	31.7		1	185.2	0	0.0	0	0.0
Neoplasms	140-239	35	102.1	87.7		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	57	166.3	139.8		0	0.0	0	0.0	1	20.4
Conditions originating in perinatal period	760-779	7	20.4	31.1		7	1296.3	0	0.0	0	0.0
External causes	E800-E999	3	8.8	7.9		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	37	107.9	94.2		2	370.4	0	0.0	0	0.0
Aruba, 1995											
Both Sexes											
All causes	001-E999	507	747.4	651.7		4	368.3	3	71.3	4	40.6
Symptoms and ill defined conditions	780-799	32	47.2	41.7		0	0.0	1	23.8	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	32	47.2	40.6		0	0.0	1	23.8	0	0.0
Neoplasms	140-239	105	154.8	134.2		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	190	280.1	238.5		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	2	2.9	4.4		2	184.2	0	0.0	0	0.0
External causes	E800-E999	54	79.6	74.5		1	92.1	1	23.8	3	30.5
Residual	Rest of 001-779	92	135.6	117.8		1	92.1	0	0.0	1	10.2
Males											
All causes	001-E999	288	880.1	840.1		2	359.7	2	93.2	3	57.5
Symptoms and ill defined conditions	780-799	15	45.7	43.6		0	0.0	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	15	45.7	44.9		0	0.0	1	46.6	0	0.0
Neoplasms	140-239	55	167.7	161.3		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	98	300.5	287.2		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	1	3.0	4.3		1	179.9	0	0.0	0	0.0
External causes	E800-E999	46	140.3	130.8		1	179.9	1	46.6	2	38.4
Residual	Rest of 001-779	58	176.9	168.0		0	0.0	0	0.0	1	19.2
Females											
All causes	001-E999	218	623.3	494.3		2	377.4	1	48.5	1	21.6
Symptoms and ill defined conditions	780-799	17	48.5	39.7		0	0.0	1	48.5	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	17	48.5	36.6		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	50	142.7	112.0		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	91	261.0	199.3		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	1	2.9	4.5		1	188.7	0	0.0	0	0.0
External causes	E800-E999	8	22.8	24.6		0	0.0	0	0.0	1	21.6
Residual	Rest of 001-779	34	97.0	77.6		1	188.7	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Aruba, 1990										
Both Sexes										
All causes	001-E999	7	63.0	34	152.8	79	621.5	258	5121.1	1.3
Symptoms and ill defined conditions	780-799	5	45.0	14	62.9	11.0	86.5	39	774.1	2.1
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	0	0.0	5.0	39.3	16	317.6	0.9
Neoplasms	140-239	0	0.0	2	9.0	21.0	165.2	56	1111.6	1.3
Diseases of circulatory system	390-459	0	0.0	5	22.5	28.0	220.3	100	1984.9	1.5
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0.2
External causes	E800-E999	1	9.0	1	4.5	0.0	0.0	4	79.4	1.1
Residual	Rest of 001-779	1	9.0	12	53.9	14.0	110.1	43	853.5	1.1
Males										
All causes	001-E999	5	88.4	23	213.6	46	784.3	139	6666.7	0
Symptoms and ill defined conditions	780-799	4	70.8	10	92.9	8.0	136.4	22	1055.2	0
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	0	0.0	2.0	34.1	8	383.7	0
Neoplasms	140-239	0	0.0	1	9.3	9.0	153.5	34	1630.7	0
Diseases of circulatory system	390-459	0	0.0	4	37.1	20.0	341.0	53	2542.0	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	0	0.0	1	9.3	0.0	0.0	2	95.9	0
Residual	Rest of 001-779	1	17.7	7	65.0	7.0	119.4	20	959.2	0
Females										
All causes	001-E999	2	36.6	11	95.9	33	482.0	119	4029.8	0
Symptoms and ill defined conditions	780-799	1	18.3	4	34.9	3.0	43.8	17	575.7	0
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	0	0.0	3.0	43.8	8	270.9	0
Neoplasms	140-239	0	0.0	1	8.7	12.0	175.3	22	745.0	0
Diseases of circulatory system	390-459	0	0.0	1	8.7	8.0	116.8	47	1591.6	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	1	18.3	0	0.0	0.0	0.0	2	67.7	0
Residual	Rest of 001-779	0	0.0	5	43.6	7.0	102.2	23	778.9	0
Aruba, 1995										
Both Sexes										
All causes	001-E999	14	155.2	41	173.7	122	843.8	318	5663.4	1.4
Symptoms and ill defined conditions	780-799	1	11.1	3	12.7	8.0	55.3	19	338.4	0.9
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	3	12.7	2.0	13.8	26	463.0	0.9
Neoplasms	140-239	3	33.3	5	21.2	32.0	221.3	65	1157.6	1.2
Diseases of circulatory system	390-459	0	0.0	3	12.7	49.0	338.9	137	2439.9	1.2
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	1.1
External causes	E800-E999	9	99.8	21	89.0	6.0	41.5	13	231.5	6.2
Residual	Rest of 001-779	1	11.1	6	25.4	25.0	172.9	58	1032.9	1.8
Males										
All causes	001-E999	9	194.4	36	319.6	85	1279.9	151	6461.3	0
Symptoms and ill defined conditions	780-799	1	21.6	2	17.8	5.0	75.3	7	299.5	0
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	2	17.8	1.0	15.1	11	470.7	0
Neoplasms	140-239	2	43.2	3	26.6	20.0	301.2	30	1283.7	0
Diseases of circulatory system	390-459	0	0.0	3	26.6	32.0	481.9	63	2695.8	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	6	129.6	21	186.4	5.0	75.3	10	427.9	0
Residual	Rest of 001-779	0	0.0	5	44.4	22.0	331.3	30	1283.7	0
Females										
All causes	001-E999	5	113.8	5	40.5	37	473.3	167	5094.6	0
Symptoms and ill defined conditions	780-799	0	0.0	1	8.1	3.0	38.4	12	366.1	0
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	1	8.1	1.0	12.8	15	457.6	0
Neoplasms	140-239	1	22.8	2	16.2	12.0	153.5	35	1067.7	0
Diseases of circulatory system	390-459	0	0.0	0	0.0	17.0	217.5	74	2257.5	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	3	68.3	0	0.0	1.0	12.8	3	91.5	0
Residual	Rest of 001-779	1	22.8	1	8.1	3.0	38.4	28	854.2	0

See Technical Notes. a) Male : female ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	Total		Age		< 1		1 - 4		5 -14	
		No.	Rate	Adj. rate		No.	Rate	No.	Rate	No.	Rate
Dominica, 1995											
Both Sexes											
All causes	001-E999	584	800.6	799.4		24	1640.6	7	109.2	3	21.4
Symptoms and ill defined conditions	780-799	67	91.8	97.5		5	386.6	2	36.3	1	8.3
Communicables diseases	001-139, 320-322 460-466, 480-487	37	50.7	48.3		2	133.2	0	0.0	0	0.0
Neoplasms	140-239	91	124.7	132.7		0	0.0	1	15.2	0	0.0
Diseases of circulatory system	390-459	200	274.2	263.6		2	134.9	2	31.1	0	0.0
Conditions originating in perinatal period	760-779	14	19.2	22.4		14	932.7	0	0.0	0	0.0
External causes	E800-E999	35	48.0	47.1		0	0.0	1	15.7	1	7.2
Residual	Rest of 001-779	140	191.9	188.4		1	66.6	1	15.4	1	7.0
Males											
All causes	001-E999	293	800.8	931.5		10	1342.1	5	153.4	2	28.2
Symptoms and ill defined conditions	780-799	37	101.1	119.3		3	467.4	2	71.2	1	16.4
Communicables diseases	001-139, 320-322 460-466, 480-487	19	51.9	61.2		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	51	139.4	172.6		0	0.0	1	29.8	0	0.0
Diseases of circulatory system	390-459	76	207.7	246.8		1	130.5	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	6	16.4	18.8		6	783.3	0	0.0	0	0.0
External causes	E800-E999	31	84.7	81.3		0	0.0	1	30.8	1	14.2
Residual	Rest of 001-779	73	199.5	231.2		0	0.0	1	30.3	0	0.0
Females											
All causes	001-E999	291	796.4	689.5		14	1951.7	2	63.4	1	14.4
Symptoms and ill defined conditions	780-799	30	82.1	78.2		2	302.3	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	18	49.3	40.1		2	272.1	0	0.0	0	0.0
Neoplasms	140-239	40	109.5	103.4		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	124	339.4	275.0		1	139.4	2	63.4	0	0.0
Conditions originating in perinatal period	760-779	8	21.9	26.1		8	1088.4	0	0.0	0	0.0
External causes	E800-E999	4	10.9	11.9		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	67	183.4	155.7		1	136.1	0	0.0	1	14.1
Dominica, 1996											
Both Sexes											
All causes	001-E999	607	830.4	842.3		24	1722.3	6	95.2	7	49.7
Symptoms and ill defined conditions	780-799	76	104.0	108.5		3	243.5	1	18.2	2	15.7
Communicables diseases	001-139, 320-322 460-466, 480-487	43	58.8	57.7		2	143.2	2	32.3	0	0.0
Neoplasms	140-239	99	135.4	138.3		0	0.0	0	0.0	3	21.2
Diseases of circulatory system	390-459	210	287.3	282.6		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	14	19.2	23.6		14	981.8	0	0.0	0	0.0
External causes	E800-E999	25	34.2	36.4		0	0.0	0	0.0	1	6.9
Residual	Rest of 001-779	140	191.5	195.5		5	350.6	3	46.5	1	6.9
Males											
All causes	001-E999	322	877.4	1022.7		15	2122.6	4	125.2	4	56.4
Symptoms and ill defined conditions	780-799	41	111.7	125.5		2	322.3	1	35.6	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	25	68.1	79.3		1	143.3	2	63.4	0	0.0
Neoplasms	140-239	65	177.1	204.7		0	0.0	0	0.0	3	41.7
Diseases of circulatory system	390-459	88	239.8	287.5		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	7	19.1	23.1		7	962.9	0	0.0	0	0.0
External causes	E800-E999	22	59.9	67.8		0	0.0	0	0.0	1	13.7
Residual	Rest of 001-779	74	201.6	234.1		5	687.8	1	30.4	0	0.0
Females											
All causes	001-E999	285	783.1	691.2		9	1305.9	2	64.0	3	42.9
Symptoms and ill defined conditions	780-799	35	96.2	90.9		1	161.5	0	0.0	2	31.8
Communicables diseases	001-139, 320-322 460-466, 480-487	18	49.5	38.7		1	143.1	0	0.0	0	0.0
Neoplasms	140-239	34	93.4	89.0		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	122	335.2	275.2		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	7	19.2	24.0		7	1001.4	0	0.0	0	0.0
External causes	E800-E999	3	8.2	7.0		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	66	181.4	167.1		0	0.0	2	63.1	1	14.1

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Dominica, 1995										
Both Sexes										
All causes	001-E999	10	68.8	49	233.5	78	987.1	398	6935.4	1.0
Symptoms and ill defined conditions	780-799	2	14.9	7	38.0	11.0	156.7	30	585.6	1.2
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	2	9.3	3.0	37.0	30	509.4	1.1
Neoplasms	140-239	0	0.0	4	18.6	21.0	258.8	65	1103.8	1.3
Diseases of circulatory system	390-459	0	0.0	3	14.2	21.0	261.3	169	2915.2	0.6
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0.8
External causes	E800-E999	7	48.5	17	82.9	4.0	54.6	3	57.7	7.7
Residual	Rest of 001-779	1	6.7	16	74.8	18.0	223.9	101	1726.9	1.1
Males										
All causes	001-E999	7	94.5	32	288.1	49	1360.4	180	7568.6	8
Symptoms and ill defined conditions	780-799	0	0.0	5	52.3	6.0	193.4	14	683.4	6
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	0	0.0	3.0	81.0	16	654.4	0
Neoplasms	140-239	0	0.0	1	8.8	12.0	324.1	37	1513.3	0
Diseases of circulatory system	390-459	0	0.0	1	8.8	13.0	351.1	61	2494.9	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	7	95.0	16	144.8	3.0	83.7	2	84.5	1
Residual	Rest of 001-779	0	0.0	9	79.9	12.0	328.6	50	2073.4	1
Females										
All causes	001-E999	3	42.0	17	172.0	29	673.7	218	6485.9	7
Symptoms and ill defined conditions	780-799	2	30.4	2	21.9	5.0	125.9	16	516.2	3
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	2	19.7	0.0	0.0	14	406.5	0
Neoplasms	140-239	0	0.0	3	29.6	9.0	204.0	28	813.0	0
Diseases of circulatory system	390-459	0	0.0	2	20.2	8.0	185.9	108	3213.6	3
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	0	0.0	1	13.2	1.0	30.2	1	38.7	1
Residual	Rest of 001-779	1	13.7	7	69.1	6.0	136.0	51	1480.8	0
Dominica, 1996										
Both Sexes										
All causes	001-E999	12	85.3	54	246.7	88	1104.0	403	7056.3	1.1
Symptoms and ill defined conditions	780-799	2	16.2	12	62.3	12.0	169.3	34	668.4	1.2
Communicables diseases	001-139, 320-322 460-466, 480-487	2	14.4	3	13.8	4.0	51.1	29	506.5	1.4
Neoplasms	140-239	1	7.0	6	27.0	17.0	210.2	71	1230.3	1.9
Diseases of circulatory system	390-459	0	0.0	5	22.5	27.0	333.4	177	3048.2	0.7
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	1.0
External causes	E800-E999	4	27.7	11	49.1	6.0	73.6	3	51.4	7.3
Residual	Rest of 001-779	3	20.8	17	75.8	22.0	269.8	89	1526.1	1.1
Males										
All causes	001-E999	9	125.9	37	320.5	52	1430.4	192	8178.9	9
Symptoms and ill defined conditions	780-799	2	31.9	10	98.6	6.0	187.9	14	679.1	6
Communicables diseases	001-139, 320-322 460-466, 480-487	2	28.3	2	17.5	4.0	111.4	13	560.7	1
Neoplasms	140-239	1	13.8	3	25.7	9.0	244.4	48	2018.6	1
Diseases of circulatory system	390-459	0	0.0	4	34.1	16.0	432.7	67	2806.2	1
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	4	54.4	9	75.8	6.0	160.4	2	82.8	0
Residual	Rest of 001-779	0	0.0	9	75.8	11.0	294.1	48	1987.6	0
Females										
All causes	001-E999	3	43.1	17	163.6	36	827.9	211	6262.9	4
Symptoms and ill defined conditions	780-799	0	0.0	2	21.4	6.0	153.6	20	660.8	4
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	1	9.5	0.0	0.0	16	468.2	0
Neoplasms	140-239	0	0.0	3	28.5	8.0	181.4	23	673.1	0
Diseases of circulatory system	390-459	0	0.0	1	9.5	11.0	249.4	110	3219.2	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	0	0.0	2	19.0	0.0	0.0	1	29.3	0
Residual	Rest of 001-779	3	42.5	8	75.9	11.0	249.4	41	1199.9	0

See Technical Notes. a) Male : female ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	Total		Age		< 1		1 - 4		5 -14	
		No.	Rate	Adj. rate		No.	Rate	No.	Rate	No.	Rate
Dominica, 1997											
Both Sexes											
All causes	001-E999	513	702.6	707.5		22	1725.1	3	51.7	4	29.9
Symptoms and ill defined conditions	780-799	52	71.2	79.0		0	0.0	0	0.0	1	10.8
Communicables diseases	001-139, 320-322 460-466, 480-487	32	43.8	42.9		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	85	116.4	125.0		0	0.0	0	0.0	1	7.1
Diseases of circulatory system	390-459	176	241.1	229.9		0	0.0	1	16.6	0	0.0
Conditions originating in perinatal period	760-779	13	17.8	22.9		13	953.1	0	0.0	0	0.0
External causes	E800-E999	28	38.4	37.0		1	73.3	0	0.0	2	16.0
Residual	Rest of 001-779	127	173.9	171.9		8	620.4	2	34.7	0	0.0
Males											
All causes	001-E999	255	695.0	800.3		10	1574.9	1	34.8	3	44.6
Symptoms and ill defined conditions	780-799	33	89.9	114.4		0	0.0	0	0.0	1	21.3
Communicables diseases	001-139, 320-322 460-466, 480-487	16	43.6	53.9		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	54	147.2	181.9		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	64	174.4	197.2		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	8	21.8	27.6		8	1151.2	0	0.0	0	0.0
External causes	E800-E999	22	60.0	53.4		0	0.0	0	0.0	2	31.4
Residual	Rest of 001-779	58	158.1	173.1		2	314.9	1	34.8	0	0.0
Females											
All causes	001-E999	258	710.4	629.9		12	1881.2	2	69.2	1	14.7
Symptoms and ill defined conditions	780-799	19	52.3	50.6		0	0.0	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	16	44.1	34.1		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	31	85.4	81.8		0	0.0	0	0.0	1	14.5
Diseases of circulatory system	390-459	112	308.4	255.4		0	0.0	1	33.9	0	0.0
Conditions originating in perinatal period	760-779	5	13.8	17.9		5	747.4	0	0.0	0	0.0
External causes	E800-E999	6	16.5	19.0		1	149.5	0	0.0	0	0.0
Residual	Rest of 001-779	69	190.0	171.4		6	937.6	1	34.5	0	0.0
Dominica, 1998											
Both Sexes											
All causes	001-E999	595	818.1	831.6		18	1193.0	2	36.6	12	86.3
Symptoms and ill defined conditions	780-799	53	72.9	77.1		2	150.1	1	21.0	1	11.2
Communicables diseases	001-139, 320-322 460-466, 480-487	26	35.7	35.2		0	0.0	1	17.9	0	0.0
Neoplasms	140-239	113	155.4	162.4		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	187	257.1	250.0		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	11	15.1	16.9		11	703.3	0	0.0	0	0.0
External causes	E800-E999	44	60.5	60.0		0	0.0	0	0.0	7	51.0
Residual	Rest of 001-779	161	221.4	231.3		5	321.9	0	0.0	4	27.7
Males											
All causes	001-E999	330	902.2	1065.1		7	946.8	0	0.0	8	114.6
Symptoms and ill defined conditions	780-799	26	71.1	90.8		0	0.0	0	0.0	1	22.0
Communicables diseases	001-139, 320-322 460-466, 480-487	15	41.0	48.5		0	0.0	0	0.0	0	0.0
Neoplasms	140-239	77	210.5	261.4		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	87	237.8	275.6		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	4	10.9	12.3		4	511.5	0	0.0	0	0.0
External causes	E800-E999	32	87.5	90.9		0	0.0	0	0.0	4	59.8
Residual	Rest of 001-779	89	243.3	287.4		3	388.0	0	0.0	3	41.1
Females											
All causes	001-E999	265	733.0	646.4		11	1437.4	2	74.8	4	57.1
Symptoms and ill defined conditions	780-799	27	74.7	63.2		2	299.9	1	42.9	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	11	30.4	24.6		0	0.0	1	36.6	0	0.0
Neoplasms	140-239	36	99.6	87.1		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	100	276.6	232.6		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	7	19.4	21.5		7	894.0	0	0.0	0	0.0
External causes	E800-E999	12	33.2	32.0		0	0.0	0	0.0	3	41.9
Residual	Rest of 001-779	72	199.2	184.9		2	255.4	0	0.0	1	14.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Dominica, 1997										
Both Sexes										
All causes	001-E999	7	55.0	50	233.2	64	834.8	329	6097.6	1.0
Symptoms and ill defined conditions	780-799	0	0.0	1	6.8	10.0	176.1	24	595.7	1.7
Communicables diseases	001-139, 320-322 460-466, 480-487	1	7.2	4	18.2	4.0	48.6	22	395.3	1.0
Neoplasms	140-239	1	7.4	7	31.0	20.0	248.8	54	958.6	1.7
Diseases of circulatory system	390-459	1	7.4	9	39.8	15.0	186.4	146	2590.2	0.6
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	1.6
External causes	E800-E999	4	33.4	13	63.7	3.0	38.4	2	37.4	3.6
Residual	Rest of 001-779	0	0.0	16	74.7	12.0	155.4	81	1496.9	0.8
Males										
All causes	001-E999	6	92.9	32	286.2	35	1005.6	146	6705.2	22
Symptoms and ill defined conditions	780-799	0	0.0	1	12.8	6.0	247.5	13	857.3	12
Communicables diseases	001-139, 320-322 460-466, 480-487	1	14.2	1	8.2	4.0	105.0	10	419.6	0
Neoplasms	140-239	1	14.4	4	33.3	13.0	347.7	35	1496.4	1
Diseases of circulatory system	390-459	0	0.0	4	33.2	6.0	160.0	53	2259.4	1
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	4	65.6	11	104.1	1.0	30.4	1	48.6	3
Residual	Rest of 001-779	0	0.0	11	98.4	5.0	143.7	34	1561.4	5
Females										
All causes	001-E999	1	15.5	18	173.5	29	687.6	183	5669.9	12
Symptoms and ill defined conditions	780-799	0	0.0	0	0.0	4.0	114.6	11	411.6	4
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	3	29.4	0.0	0.0	12	378.1	1
Neoplasms	140-239	0	0.0	3	28.5	7.0	163.5	19	580.0	1
Diseases of circulatory system	390-459	1	15.1	5	47.2	9.0	209.1	93	2823.0	3
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	0	0.0	2	18.4	2.0	45.2	1	29.5	0
Residual	Rest of 001-779	0	0.0	5	48.0	7.0	165.5	47	1451.6	3
Dominica, 1998										
Both Sexes										
All causes	001-E999	15	117.9	51	225.1	91	1140.1	382	6969.6	1.2
Symptoms and ill defined conditions	780-799	0	0.0	4	25.6	7.0	130.9	24	541.3	1.0
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	3	12.7	3.0	35.9	19	333.0	1.4
Neoplasms	140-239	0	0.0	7	29.9	23.0	281.3	81	1445.0	2.1
Diseases of circulatory system	390-459	1	7.7	7	30.2	20.0	244.8	155	2776.3	0.9
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0.6
External causes	E800-E999	10	79.8	14	63.6	6.0	78.1	4	77.4	2.6
Residual	Rest of 001-779	4	30.4	16	68.1	32.0	385.8	99	1745.3	1.2
Males										
All causes	001-E999	10	155.7	31	262.2	60	1626.4	196	8814.1	18
Symptoms and ill defined conditions	780-799	0	0.0	3	39.0	6.0	249.9	6	414.5	10
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	2	16.0	3.0	76.9	10	425.2	0
Neoplasms	140-239	0	0.0	3	24.6	18.0	473.6	54	2357.1	2
Diseases of circulatory system	390-459	0	0.0	3	24.6	10.0	262.3	72	3133.3	2
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	6	97.5	10	88.2	5.0	141.4	4	187.7	3
Residual	Rest of 001-779	4	59.6	10	80.9	18.0	466.5	50	2150.0	1
Females										
All causes	001-E999	5	78.5	20	183.5	31	713.4	186	5675.8	6
Symptoms and ill defined conditions	780-799	0	0.0	1	10.5	1.0	26.4	18	630.2	4
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	1	9.0	0.0	0.0	9	268.4	0
Neoplasms	140-239	0	0.0	4	35.9	5.0	112.5	27	805.2	0
Diseases of circulatory system	390-459	1	15.7	4	36.6	10.0	229.5	83	2525.9	2
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	4	61.3	4	35.9	1.0	22.5	0	0.0	0
Residual	Rest of 001-779	0	0.0	6	53.8	14.0	314.9	49	1461.4	0

See Technical Notes. a) Male : female ratio shown for both sexes, otherwise values refer to deaths unknown by age.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	Total		Age		< 1		1 - 4		5 -14	
		No.	Rate	Adj. rate		No.	Rate	No.	Rate	No.	Rate
Dominica, 1999											
Both Sexes											
All causes	001-E999	618	855.4	875.6		30	2395.7	5	96.8	7	49.6
Symptoms and ill defined conditions	780-799	41	56.8	59.9		1	104.6	1	24.1	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	46	63.7	66.2		1	81.2	1	19.7	1	6.9
Neoplasms	140-239	120	166.1	170.6		0	0.0	2	38.1	2	14.0
Diseases of circulatory system	390-459	217	300.4	294.3		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	20	27.7	37.1		20	1546.8	0	0.0	0	0.0
External causes	E800-E999	30	41.5	39.8		0	0.0	1	20.6	4	28.3
Residual	Rest of 001-779	144	199.3	207.9		8	627.4	0	0.0	0	0.0
Males											
All causes	001-E999	323	888.6	1036.1		17	2636.8	3	112.7	6	83.5
Symptoms and ill defined conditions	780-799	18	49.5	64.7		0	0.0	1	47.2	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	25	68.8	83.3		0	0.0	0	0.0	1	13.6
Neoplasms	140-239	73	200.8	231.7		0	0.0	2	74.5	2	27.6
Diseases of circulatory system	390-459	104	286.1	334.6		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	13	35.8	47.3		13	1972.7	0	0.0	0	0.0
External causes	E800-E999	19	52.3	48.2		0	0.0	0	0.0	3	40.9
Residual	Rest of 001-779	71	195.3	227.8		4	615.7	0	0.0	0	0.0
Females											
All causes	001-E999	295	821.8	746.5		13	2145.0	2	80.3	1	14.7
Symptoms and ill defined conditions	780-799	23	64.1	53.6		1	213.4	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	21	58.5	52.7		1	165.6	1	40.3	0	0.0
Neoplasms	140-239	47	130.9	126.1		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	113	314.8	264.2		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	7	19.5	26.5		7	1104.1	0	0.0	0	0.0
External causes	E800-E999	11	30.6	30.5		0	0.0	1	42.2	1	15.4
Residual	Rest of 001-779	73	203.4	191.6		4	639.7	0	0.0	0	0.0
Dominica, 2000											
Both Sexes											
All causes	001-E999	426	595.5	597.9		20	1698.7	0	0.0	1	7.2
Symptoms and ill defined conditions	780-799	50	69.9	72.0		1	89.6	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	19	26.6	24.7		1	81.8	0	0.0	1	7.0
Neoplasms	140-239	98	137.0	142.3		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	129	180.3	173.3		1	81.8	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	14	19.6	27.5		14	1145.9	0	0.0	0	0.0
External causes	E800-E999	14	19.6	18.7		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	102	142.6	140.3		3	248.7	0	0.0	0	0.0
Males											
All causes	001-E999	215	597.2	698.0		11	1855.6	0	0.0	0	0.0
Symptoms and ill defined conditions	780-799	27	75.0	94.7		0	0.0	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	11	30.6	34.0		1	160.8	0	0.0	0	0.0
Neoplasms	140-239	63	175.0	210.4		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	45	125.0	144.2		1	160.8	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	8	22.2	30.9		8	1286.8	0	0.0	0	0.0
External causes	E800-E999	12	33.3	33.7		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	49	136.1	151.8		1	160.8	0	0.0	0	0.0
Females											
All causes	001-E999	211	593.7	518.3		9	1512.8	0	0.0	1	14.6
Symptoms and ill defined conditions	780-799	23	64.7	50.9		1	179.7	0	0.0	0	0.0
Communicables diseases	001-139, 320-322 460-466, 480-487	8	22.5	17.5		0	0.0	0	0.0	1	14.2
Neoplasms	140-239	35	98.5	94.5		0	0.0	0	0.0	0	0.0
Diseases of circulatory system	390-459	84	236.4	195.2		0	0.0	0	0.0	0	0.0
Conditions originating in perinatal period	760-779	6	16.9	23.6		6	984.7	0	0.0	0	0.0
External causes	E800-E999	2	5.6	4.4		0	0.0	0	0.0	0	0.0
Residual	Rest of 001-779	53	149.1	131.8		2	334.5	0	0.0	0	0.0

See Technical Notes.

**Deaths and rates per 100,000 population by age group, sex, and male : female ratio
for broad cause groups of the PAHO 6/61 list, by country and year**

Cause group	ICD-9 codes	15 - 24		25 - 44		45 - 64		65 +		M : F ratio a)
		No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Dominica, 1999										
Both Sexes										
All causes	001-E999	11	88.6	41	175.7	90	1095.4	414	7579.3	1.1
Symptoms and ill defined conditions	780-799	0	0.0	1	5.4	6.0	91.7	22	518.6	0.8
Communicables diseases	001-139, 320-322 460-466, 480-487	1	8.2	2	8.3	8.0	95.4	31	562.0	1.2
Neoplasms	140-239	0	0.0	11	46.6	22.0	263.8	81	1457.8	1.5
Diseases of circulatory system	390-459	1	7.9	1	4.2	25.0	299.8	186	3355.1	0.9
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	1.8
External causes	E800-E999	7	57.0	13	55.4	3.0	36.5	1	19.5	1.7
Residual	Rest of 001-779	2	15.8	13	54.9	26.0	310.6	93	1669.5	1.0
Males										
All causes	001-E999	7	109.6	29	233.8	48	1222.3	206	9064.3	7
Symptoms and ill defined conditions	780-799	0	0.0	1	10.1	5.0	160.2	7	387.4	4
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	2	15.8	6.0	149.5	16	688.8	0
Neoplasms	140-239	0	0.0	6	48.0	10.0	252.6	52	2269.6	1
Diseases of circulatory system	390-459	1	15.5	1	8.0	13.0	327.0	88	3825.0	1
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	4	61.3	10	78.9	2.0	49.8	0	0.0	0
Residual	Rest of 001-779	2	31.1	9	72.0	12.0	303.2	43	1877.5	1
Females										
All causes	001-E999	4	66.7	12	110.7	42	981.6	208	6542.1	13
Symptoms and ill defined conditions	780-799	0	0.0	0	0.0	1.0	30.2	15	610.2	6
Communicables diseases	001-139, 320-322 460-466, 480-487	1	16.7	0	0.0	2.0	46.9	15	473.5	1
Neoplasms	140-239	0	0.0	5	45.1	12.0	273.9	29	890.9	1
Diseases of circulatory system	390-459	0	0.0	0	0.0	12.0	275.4	98	3026.8	3
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	3	52.6	3	29.1	1.0	24.6	1	33.1	1
Residual	Rest of 001-779	0	0.0	4	35.8	14.0	317.1	50	1524.2	1
Dominica, 2000										
Both Sexes										
All causes	001-E999	5	42.7	30	128.7	56	671.2	299	5535.5	1.0
Symptoms and ill defined conditions	780-799	0	0.0	3	16.3	7.0	114.8	29	625.9	1.2
Communicables diseases	001-139, 320-322 460-466, 480-487	1	8.1	0	0.0	0.0	0.0	16	286.0	1.4
Neoplasms	140-239	0	0.0	8	33.9	22.0	259.5	66	1203.2	1.8
Diseases of circulatory system	390-459	0	0.0	1	4.2	12.0	139.6	114	2053.5	0.5
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	1.3
External causes	E800-E999	2	17.7	6	26.7	2.0	25.2	3	56.9	5.9
Residual	Rest of 001-779	2	16.3	12	50.0	13.0	151.6	71	1282.1	0.9
Males										
All causes	001-E999	5	83.8	16	131.7	32	809.5	141	6446.3	10
Symptoms and ill defined conditions	780-799	0	0.0	2	22.3	7.0	239.9	10	619.5	8
Communicables diseases	001-139, 320-322 460-466, 480-487	1	16.0	0	0.0	0.0	0.0	9	392.3	0
Neoplasms	140-239	0	0.0	2	15.9	13.0	318.6	47	2081.9	1
Diseases of circulatory system	390-459	0	0.0	0	0.0	4.0	96.5	40	1743.7	0
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	2	34.8	5	42.8	2.0	52.6	2	95.1	1
Residual	Rest of 001-779	2	31.9	7	54.9	6.0	144.7	33	1438.5	0
Females										
All causes	001-E999	0	0.0	14	125.4	24	544.3	158	4902.6	5
Symptoms and ill defined conditions	780-799	0	0.0	1	9.6	0.0	0.0	19	630.4	2
Communicables diseases	001-139, 320-322 460-466, 480-487	0	0.0	0	0.0	0.0	0.0	7	212.1	0
Neoplasms	140-239	0	0.0	6	54.0	9.0	205.2	19	592.5	1
Diseases of circulatory system	390-459	0	0.0	1	8.8	8.0	179.3	74	2268.8	1
Conditions originating in perinatal period	760-779	0	0.0	0	0.0	0.0	0.0	0	0.0	0
External causes	E800-E999	0	0.0	1	8.7	0.0	0.0	1	30.3	0
Residual	Rest of 001-779	0	0.0	5	44.6	7.0	158.0	38	1173.3	1

See Technical Notes. a) Male : female ratio shown for both sexes, otherwise values refer to deaths unknown by age.