



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



1995-00038

Vol.10, No. 52

Expanded Program on Immunization
Poliovirus Surveillance in the Americas

Weekly Bulletin for the week
ending 30 December 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
 Status of Case Stool Sample Analysis
 Last 52 Weeks (95/01 - 95/52)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS OTHER ENTERO-VIRUS	ISOLATION Poliovirus		Wild
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	
BEL	BRA	75	14	1	3	12.3	50	7	0	0	0
CAR	DOR	27	0	1	2	33.3	16	8	0	0	0
	ELS	19	0	0	3	56.3	7	9	0	0	0
	GUY	1	1	0	0	0.0	0	0	0	0	0
	HON	46	1	4	0	31.7	28	12	1	0	0
	JAM	9	1	0	0	50.0	4	4	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	33	4	0	3	23.1	20	5	0	1	0
	BRA	130	61	0	16	18.9	43	8	1	1	0
	PER	80	4	12	9	40.0	33	19	3	0	0
INC	COR	9	1	0	1	14.3	6	1	0	0	0
	ELS	36	9	12	7	0.0	8	0	0	0	0
	GUT	40	7	0	17	37.5	10	5	1	0	0
	HON	1	0	0	1	0.0	0	0	0	0	0
	NIC	23	2	0	3	16.7	15	3	0	0	0
	PAN	6	1	0	0	0.0	5	0	0	0	0
	PER	6	1	0	0	0.0	5	0	0	0	0
INDRE	MEX	379	0	20	6	30.0	247	99	7	0	0
INH	VEN	97	10	5	0	20.7	65	17	0	0	0
INS	COL	206	4	5	1	21.4	154	37	0	5	0
	ECU	45	15	0	0	13.3	26	4	0	0	0
MAL	ARG	57	0	0	11	15.2	39	4	0	3	0
	CHI	14	0	0	0	7.1	13	1	0	0	0
	PAR	18	6	0	2	20.0	8	2	0	0	0
	URU	6	2	0	3	0.0	1	0	0	0	0
REC	BRA	59	30	0	1	21.4	22	5	0	1	0
TOTAL		1428	174	60	89	25.1	828	250	13	14	0

* Each sample relates to an individual

Case samples only

Table No. 1b
 Status of Contact Stool Sample Analysis
 Last 52 Weeks (95/01 - 95/52)

LAB.	CNTRY	POLIOVIRUS ISOLATION Poliovirus		
		Pending	Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	1	1	0
	PER	6	2	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		14	7	0

Contact samples only

Table No. 2
 Status of Poliovirus Pending Intratypic Differentiation
 Last 52 Weeks (95/01 - 95/52)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	HON	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	2	0	0	1	0	0	0	0	0	0	0	0	3
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		4	2	2	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS															
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41-44	45-48	49	50	51	52
ARG	0	67	5	4	3	2	9	4	4	10	13	7	6	NR	NR	NR	NR	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	NR	NR	NR	NR
BRA	0	174	6	11	12	11	17	17	23	21	27	21	8	NR	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	4	0	0	0	0	0	0	0	0	0	0	2	2	0	0	1	0
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	NR
COL	0	61	0	0	0	1	1	1	3	4	7	11	16	13	1	3	0	0
COR	0	18	5	2	2	1	3	1	2	0	1	1	0	0	0	NR	NR	NR
CUB	0	11	0	0	0	0	0	0	1	0	2	1	4	3	0	0	0	0
DOR	0	7	0	0	0	0	0	0	0	4	2	0	1	0	0	0	0	NR
ECU	0	17	0	0	0	0	0	0	0	0	1	3	2	10	0	0	1	0
ELS	0	36	0	1	2	0	0	0	3	3	4	7	7	6	NR	NR	NR	NR
GUT	0	37	5	0	1	1	3	3	8	7	3	3	3	0	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	18	0	0	1	1	1	2	0	3	1	3	2	4	0	0	0	0
MEX	0	142	1	1	1	4	2	6	6	16	27	41	24	13	0	NR	NR	NR
NIC	0	11	0	0	0	0	0	0	0	0	0	3	4	4	0	0	NR	NR
PAN	0	8	0	0	0	1	0	0	1	2	1	0	0	1	0	1	1	0
PAR	0	6	0	0	0	0	0	0	0	1	0	1	4	NR	NR	NR	NR	NR
PER	0	17	0	0	0	0	0	0	0	0	0	0	6	3	1	0	3	4
URU	0	7	0	1	0	0	1	0	0	2	0	2	1	0	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	39	0	0	0	0	0	0	2	1	3	4	12	10	4	2	1	NR
TOTAL	0	739	22	23	24	24	41	45	62	82	100	117	107	69	6	6	7	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 52

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.86	93	11	0.0
BOL	49	1.53	33	1.03	94	88	81.6
BRA	557	1.05	314	0.59	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	22	0.83	73	32	-
CHI	94	2.33	68	1.69	91	68	95.9
COL	224	1.95	208	1.81	84	83	89.9
COR	19	1.74	15	1.37	87	13	92.3
CUB	39	1.73	30	1.33	100	77	94.4
DOR	31	1.14	27	0.99	93	85	98.3
ECU	69	1.58	46	1.05	96	91	83.1
ELS	46	1.97	56	2.40	93	98	82.2
GUT	85	2.03	48	1.15	67	69	74.6
HAI	8	0.31	0	0.00	-	-	-
HON	43	1.88	49	2.14	98	88	94.4
MEX	509	1.54	402	1.22	94	72	89.4
NIC	47	2.65	40	2.25	98	100	89.1
PAN	9	1.07	8	0.95	88	63	88.3
PAR	19	1.10	19	1.10	100	89	92.5
PER	91	1.04	84	0.96	90	96	90.9
URU	5	0.64	7	0.90	57	86	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	102	1.35	92	91	86.3
TOTAL	2190	1.34	1661	1.02	91	71	89.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 52

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES*
BY WEEK OF ONSET

AS OF WEEK 52

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	8	1
CAN	0	0	0
CAR	0	0	0
CHI	1	1	0
COL	0	0	1
COR	1	1	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	8	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	24	6

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 51

Expanded Program on Immunization
Poliovirus Surveillance in the Americas

Weekly Bulletin for the week
ending 23 December 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/52 - 95/51)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Vaccine	Wild
BEL	BRA	78	14	1	3	13.3	52	8	0	0	0
CAR	DOR	28	0	1	2	32.0	17	8	0	0	0
	ELS	19	0	0	3	56.3	7	9	0	0	0
	HON	46	1	4	0	31.7	28	12	1	0	0
	JAM	9	1	0	0	50.0	4	4	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	34	4	0	3	25.9	20	5	0	2	0
	BRA	134	61	0	16	19.3	46	9	1	1	0
	PER	78	3	11	10	42.6	31	20	3	0	0
INC	COR	10	1	0	1	12.5	7	1	0	0	0
	ELS	36	9	12	7	0.0	8	0	0	0	0
	GUT	40	7	3	14	37.5	10	5	1	0	0
	HON	1	0	0	1	0.0	0	0	0	0	0
	NIC	23	2	0	3	16.7	15	3	0	0	0
	PAN	5	0	0	0	0.0	5	0	0	0	0
INDRE	MEX	385	0	22	4	29.5	253	99	7	0	0
INH	VEN	97	10	5	0	20.7	65	17	0	0	0
INS	COL	209	4	5	1	21.6	156	38	0	5	0
	ECU	46	15	0	0	12.9	27	4	0	0	0
MAL	ARG	57	0	0	11	15.2	39	4	0	3	0
	CHI	15	0	0	1	7.1	13	1	0	0	0
	PAR	19	6	0	2	27.3	8	2	0	1	0
	URU	6	2	2	1	0.0	1	0	0	0	0
REC	BRA	59	30	0	1	21.4	22	5	0	1	0
TOTAL		1446	171	66	84	25.2	842	254	13	16	0

* Each sample relates to an individual

Case samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/52 - 95/51)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	HON	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	2	0	0	1	0	0	0	0	0	0	0	0	3
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		4	2	2	4	0	0	0	0	0	0	0	1	13

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/52 - 95/51)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	1	1	0
	PER	5	0	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		13	5	0

Contact samples only



Vol.10, No. 51

Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS																	
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41-44	45	46	47	48	49	50	51
ARG	0	67	5	4	3	2	9	4	4	10	13	7	6	NR	NR	NR	NR	NR	NR	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	NR	NR	NR	NR	NR	NR
BRA	0	174	6	11	12	11	17	17	23	21	27	21	8	NR	NR	NR	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	4	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	NR	NR	NR
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	0	0	0
COL	0	61	0	0	0	1	1	1	3	4	7	11	16	3	3	3	4	1	3	NR
COR	0	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	0	0	NR	NR
CUB	0	11	0	0	0	0	0	0	1	0	2	1	4	2	1	0	0	0	0	0
DOR	0	7	0	0	0	0	0	0	0	4	2	0	1	0	0	0	0	0	0	0
ECU	0	17	0	0	0	0	0	0	0	0	1	3	2	0	0	4	6	0	0	1
ELS	0	36	0	1	2	0	0	3	3	3	4	7	7	0	4	1	1	0	0	0
GUT	0	37	5	0	1	1	3	3	8	7	3	3	3	0	NR	NR	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	18	0	0	1	1	1	2	0	3	1	3	2	1	3	0	0	0	0	0
MEX	0	142	1	1	1	4	2	6	6	16	27	41	24	11	1	1	0	0	NR	NR
NIC	0	11	0	0	0	0	0	0	0	0	0	3	4	3	1	0	0	0	0	0
PAN	0	7	0	0	0	1	0	0	1	2	1	0	0	1	0	0	0	0	0	NR
PAR	0	6	0	0	0	0	0	0	0	1	0	1	4	NR	NR	NR	NR	NR	NR	NR
PER	0	13	0	0	0	0	0	0	0	0	0	1	7	0	1	1	1	1	0	1
URU	0	7	0	1	0	0	1	0	0	2	0	2	1	0	0	0	0	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	39	0	0	0	0	0	0	2	1	3	4	12	3	2	2	3	4	2	1
TOTAL	2	733	22	23	24	24	41	45	62	82	100	118	108	25	16	12	16	6	6	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 51

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.88	93	11	0.0
BOL	49	1.53	33	1.05	94	88	81.6
BRA	557	1.05	314	0.60	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	21	0.81	71	33	-
CHI	94	2.33	68	1.72	91	68	96.3
COL	224	1.95	208	1.84	84	83	90.1
COR	19	1.74	15	1.40	87	13	92.3
CUB	39	1.73	30	1.36	100	77	94.4
DOR	31	1.14	27	1.01	93	85	98.3
ECU	69	1.58	46	1.07	96	91	83.0
ELS	46	1.97	56	2.45	93	98	82.2
GUT	85	2.03	48	1.17	67	69	74.6
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	49	2.18	98	88	94.5
MEX	509	1.54	402	1.24	94	72	89.4
NTC	47	2.65	40	2.30	98	100	88.9
PAN	9	1.07	7	0.84	86	57	88.3
PAR	19	1.10	19	1.12	100	89	92.5
PER	91	1.04	78	0.91	91	96	86.4
URU	5	0.64	7	0.91	57	86	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	102	1.38	92	91	86.4
TOTAL*	2190	1.34	1653	1.04	91	71	89.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	8	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	1	1	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	8	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	23	6

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 50

Expanded Program on Immunization
Polio myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 16 December 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/51 - 95/50)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	80	14	4	0	14.5	53	9	0	0	0
CAR	DOR	29	0	1	2	30.8	18	8	0	0	0
	ELS	19	0	0	3	56.3	7	9	0	0	0
	HON	46	1	4	0	31.7	28	12	1	0	0
	JAM	9	1	0	0	50.0	4	4	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	35	4	0	3	25.0	21	5	0	2	0
	BRA	141	61	0	17	19.0	51	9	1	2	0
	PER	78	5	5	10	41.4	34	21	3	0	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	36	9	12	7	0.0	8	0	0	0	0
	GUT	41	7	4	13	41.2	10	6	1	0	0
	HON	1	0	0	1	0.0	0	0	0	0	0
	NIC	23	2	0	3	16.7	15	3	0	0	0
	PAN	5	0	0	0	0.0	5	0	0	0	0
INDRE	MEX	391	0	23	3	29.6	257	101	7	0	0
INH	VEN	97	8	6	0	19.3	67	16	0	0	0
INS	COL	204	2	7	0	21.0	154	36	0	5	0
	ECU	41	10	0	0	12.9	27	4	0	0	0
MAL	ARG	58	0	0	11	14.9	40	4	0	3	0
	CHI	16	0	0	1	6.7	14	1	0	0	0
	PAR	19	6	0	2	27.3	8	2	0	1	0
	URU	6	2	2	1	0.0	1	0	0	0	0
REC	BRA	60	30	0	1	24.1	22	6	0	1	0
TOTAL		1458	164	68	79	25.1	859	258	13	17	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/51 - 95/50)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	1	1	0
	PER	5	0	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		13	5	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/51 - 95/50)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	HON	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	2	0	0	1	0	0	0	0	0	0	0	0	3
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		4	2	2	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS																
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41-44	45	46	47	48	49	50
ARG	0	67	5	4	3	2	9	4	4	10	13	7	6	NR	NR	NR	NR	NR	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	NR	NR	NR	NR	NR
BRA	0	174	6	11	12	11	17	17	23	21	27	21	8	NR	NR	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	4	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	NR	NR
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	0	0
COL	0	53	0	0	0	1	1	1	3	4	7	11	16	2	3	2	2	0	NR
COR	0	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	0	0	NR
CUB	0	11	0	0	0	0	0	0	1	0	2	1	4	2	1	0	0	0	0
DOR	0	10	0	0	0	0	0	0	0	4	3	1	2	0	0	0	0	0	NR
ECU	0	12	0	0	0	0	0	0	0	0	1	3	2	0	0	4	2	0	NR
ELS	0	36	0	1	2	0	0	3	3	3	4	7	7	0	4	1	1	NR	NR
GUT	0	37	5	0	1	1	3	3	8	7	3	3	3	0	NR	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	18	0	0	1	1	1	2	0	3	1	3	2	1	3	0	0	0	0
MEX	0	142	1	1	1	4	2	6	6	16	27	41	24	11	1	1	0	0	NR
NIC	0	11	0	0	0	0	0	0	0	0	0	3	4	3	1	0	0	0	0
PAN	0	7	0	0	0	1	0	0	1	2	1	0	0	1	0	0	0	0	1
PAR	0	6	0	0	0	0	0	0	0	1	0	1	4	NR	NR	NR	NR	NR	NR
PER	0	11	0	0	0	0	0	0	0	0	0	2	8	0	1	0	NR	NR	NR
URU	0	7	0	1	0	0	1	0	0	2	0	2	1	0	0	0	0	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	37	0	0	0	0	0	0	2	1	3	4	12	3	2	2	3	4	1
TOTAL	0	719	22	23	24	24	41	45	62	82	101	120	110	24	16	10	9	4	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 50

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.89	93	11	0.0
BOL	49	1.53	33	1.07	94	88	81.6
BRA	557	1.05	314	0.62	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	21	0.82	71	33	-
CHI	94	2.33	68	1.75	91	68	96.3
COL	225	1.96	200	1.81	86	83	90.1
COR	19	1.74	15	1.43	87	13	92.3
CUB	39	1.73	30	1.38	100	77	94.4
DOR	31	1.14	27	1.03	93	85	98.2
ECU	69	1.58	41	0.97	95	95	82.7
ELS	46	1.97	56	2.49	93	98	82.2
GUT	85	2.03	48	1.19	67	69	74.6
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	49	2.23	98	88	94.5
MEX	509	1.54	402	1.27	94	72	89.4
NIC	47	2.65	40	2.34	98	100	88.7
PAN	9	1.07	7	0.86	86	57	88.1
PAR	19	1.10	19	1.14	100	89	92.5
PER	91	1.04	74	0.88	91	96	90.9
URU	5	0.64	7	0.93	57	86	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	100	1.38	92	91	86.4
TOTAL	2191	1.35	1634	1.04	91	71	89.6

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE C
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	8	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	1	1	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	8	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	23	6



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 49

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 9 December 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/50 - 95/49)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	82	14	4	0	14.1	55	9	0	0	0
CAR	DOR	32	0	1	2	27.6	21	8	0	0	0
	ELS	20	0	0	3	58.8	7	10	0	0	0
	HON	46	1	9	0	19.4	29	6	1	0	0
	JAM	9	1	1	0	57.1	3	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	36	4	1	2	24.1	22	5	0	2	0
	BRA	145	61	0	17	17.9	55	9	1	2	0
	PER	80	5	5	11	42.4	34	22	3	0	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	36	9	12	7	0.0	8	0	0	0	0
	GUT	41	7	6	11	41.2	10	6	1	0	0
	HON	1	0	0	1	0.0	0	0	0	0	0
	NIC	23	2	3	0	16.7	15	3	0	0	0
	PAN	5	0	0	0	0.0	5	0	0	0	0
INDRE	MEX	397	0	24	2	29.1	263	101	7	0	0
INH	VEN	95	10	3	0	19.5	66	16	0	0	0
INS	COL	207	2	7	0	20.7	157	36	0	5	0
	ECU	41	10	0	0	12.9	27	4	0	0	0
MAL	ARG	58	0	2	9	14.9	40	4	0	3	0
	CHI	18	0	0	1	5.9	16	1	0	0	0
	PAR	19	6	0	2	27.3	8	2	0	1	0
	URU	8	2	2	1	0.0	3	0	0	0	0
REC	BRA	60	30	0	1	24.1	22	6	0	1	0
TOTAL		1481	165	80	71	24.4	881	254	13	17	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/50 - 95/49)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	1	1	0
	PER	5	0	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		13	5	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/50 - 95/49)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	HON	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	2	0	0	1	0	0	0	0	0	0	0	0	3
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		4	2	2	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS															
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41-44	45	46	47	48	49
ARG	0	67	5	4	3	2	9	4	4	10	13	7	6	NR	NR	NR	NR	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	NR	NR	NR	NR
BRA	0	174	6	11	12	11	17	17	23	21	27	21	8	NR	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	4	0	0	0	0	0	0	0	0	0	0	2	1	0	0	1	0
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	0
COL	0	53	0	0	0	1	1	1	3	4	7	11	16	2	3	2	2	0
COR	0	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	0	0
CUB	0	11	0	0	0	0	0	0	1	0	2	1	4	2	1	0	0	0
DOR	0	10	0	0	0	0	0	0	0	4	3	1	2	0	0	0	0	0
ECU	0	12	0	0	0	0	0	0	0	0	1	3	2	0	0	4	2	0
ELS	0	36	0	1	2	0	0	3	3	3	4	7	7	0	4	1	1	NR
GUT	0	37	5	0	1	1	3	3	8	7	3	3	3	0	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	18	0	0	1	1	1	2	0	3	1	3	2	1	3	0	0	NR
MEX	0	142	1	1	1	4	2	6	6	16	27	41	24	11	1	1	0	0
NIC	0	11	0	0	0	0	0	0	0	0	0	3	4	3	1	0	0	0
PAN	0	6	0	0	0	1	0	0	1	2	1	0	0	1	0	0	0	0
PAR	0	6	0	0	0	0	0	0	0	1	0	1	4	NR	NR	NR	NR	NR
PER	0	11	0	0	0	0	0	0	0	0	0	2	8	0	1	0	NR	NR
URU	0	7	0	1	0	0	1	0	0	2	0	2	1	0	0	0	0	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	34	0	0	0	0	0	0	2	1	3	4	12	3	2	2	2	3
TOTAL	0	715	22	23	24	24	41	45	62	82	101	120	110	24	16	10	8	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 49

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.91	93	11	0.0
BOL	49	1.53	33	1.09	94	88	81.6
BRA	557	1.05	314	0.63	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	21	0.84	71	33	-
CHI	94	2.33	68	1.79	91	68	96.3
COL	225	1.96	200	1.85	86	83	90.1
COR	19	1.74	15	1.46	87	13	92.3
CUB	39	1.73	30	1.41	100	77	94.4
DOR	31	1.14	27	1.05	93	85	98.3
ECU	69	1.58	41	0.99	95	95	82.7
ELS	46	1.97	56	2.55	93	98	82.2
GUT	85	2.03	48	1.22	67	69	74.6
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	49	2.27	98	88	94.5
MEX	509	1.54	402	1.29	94	72	89.4
NIC	47	2.65	40	2.39	98	100	88.9
PAN	9	1.07	6	0.75	83	50	88.3
PAR	19	1.10	19	1.17	100	89	92.5
PER	91	1.04	74	0.90	91	96	90.9
URU	5	0.64	7	0.95	57	86	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	97	1.36	92	92	86.4
TOTAL	2191	1.35	1630	1.06	91	71	89.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	8	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	1	1	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	8	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	23	6



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 48

Expanded Program on Immunization
Polio Myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 2 December 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1
Status of Case Stool Sample Analysis
Last 52 Weeks (94/49 - 95/48)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	83	14	4	5	15.0	51	9	0	0	0
CAR	DOR	33	0	1	2	26.7	22	8	0	0	0
	HON	46	1	9	0	19.4	29	6	1	0	0
	JAM	10	1	1	0	50.0	4	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	1	0.0	6	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	37	4	2	1	23.3	23	5	0	2	0
	BRA	150	61	0	17	19.4	58	11	1	2	0
	PER	81	5	9	7	41.7	35	22	3	0	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	28	13	8	7	0.0	0	0	0	0	0
	GUT	41	7	6	11	41.2	10	6	1	0	0
	HON	1	0	0	1	0.0	0	0	0	0	0
	NIC	22	1	12	0	33.3	6	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	405	0	25	1	29.0	269	103	7	0	0
INH	VEN	91	7	2	0	20.7	65	17	0	0	0
INS	COL	202	2	10	0	21.6	149	36	0	5	0
	ECU	36	6	0	0	10.0	27	3	0	0	0
MAL	ARG	59	0	4	7	14.6	41	4	0	3	0
	CHI	19	0	0	2	5.9	16	1	0	0	0
	PAR	19	6	0	2	27.3	8	2	0	1	0
	URU	8	2	2	1	0.0	3	0	0	0	0
REC	BRA	61	30	0	1	23.3	23	6	0	1	0
TOTAL		1457	162	95	67	24.5	855	248	13	17	0

* Each sample relates to an individual

Case samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/49 - 95/48)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	HON	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	2	0	0	1	0	0	0	0	0	0	0	0	3
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		4	2	2	4	0	0	0	0	0	0	0	1	13

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/49 - 95/48)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	1	1	0
	PER	5	0	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		13	5	0

Contact samples only



Acute Flaccid Paralysis Surveillance

Vol. 10, No. 48

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS															
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41-44	45	46	47	48	
ARG	0	67	5	4	3	2	9	4	4	10	13	7	6	NR	NR	NR	NR	
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	NR	NR	NR	
BRA	0	174	6	11	12	11	17	17	23	21	27	21	8	NR	NR	NR	NR	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	3	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	
COL	0	46	0	0	0	1	1	1	3	4	7	11	15	1	2	0	0	
COR	0	18	5	2	2	1	3	1	2	0	1	1	0	NR	NR	NR	NR	
CUB	0	11	0	0	0	0	0	0	1	0	2	1	4	2	1	0	0	
DOR	0	10	0	0	0	0	0	0	0	4	3	1	2	0	NR	NR	NR	
ECU	0	7	0	0	0	0	0	0	0	0	1	4	2	0	0	0	NR	
ELS	0	34	0	1	2	0	0	3	3	4	8	8	5	0	NR	NR	NR	
GUT	0	37	5	0	1	1	3	3	8	7	3	3	3	0	NR	NR	NR	
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	
HON	0	18	0	0	1	1	1	2	0	3	1	3	2	1	3	0	0	
MEX	0	143	1	1	1	4	2	6	6	16	28	41	24	11	1	1	0	
NIC	0	13	0	0	0	0	0	0	0	0	0	4	6	2	1	0	0	
PAN	0	6	0	0	0	1	0	0	1	2	1	0	0	1	0	0	0	
PAR	0	6	0	0	0	0	0	0	0	1	0	1	4	NR	NR	NR	NR	
PER	0	11	0	0	0	0	0	0	0	0	0	2	8	0	1	0	NR	
URU	0	7	0	1	0	0	1	0	0	2	0	2	1	0	0	0	0	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	31	0	0	0	0	1	0	2	1	5	4	11	3	1	2	1	
TOTAL	0	700	22	23	24	24	42	45	62	83	108	123	108	22	10	3	1	

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 48

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.93	93	11	0.0
BOL	49	1.53	33	1.11	94	88	81.6
BRA	557	1.05	314	0.64	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	20	0.82	70	35	-
CHI	94	2.33	68	1.83	91	68	96.3
COL	225	1.96	193	1.82	86	83	90.2
COR	19	1.74	15	1.49	87	13	91.7
CUB	39	1.73	30	1.44	100	77	94.4
DOR	31	1.14	27	1.08	93	85	98.0
ECU	69	1.58	35	0.87	97	97	81.9
ELS	46	1.97	47	2.18	94	98	82.2
GUT	85	2.03	48	1.24	67	69	74.6
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	49	2.32	98	88	94.5
MEX	509	1.54	402	1.32	94	72	89.3
NIC	47	2.65	39	2.38	97	100	88.6
PAN	9	1.07	6	0.77	83	50	87.7
PAR	19	1.10	19	1.19	100	89	92.5
PER	91	1.04	74	0.92	91	96	82.3
URU	5	0.64	7	0.97	57	86	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	91	1.31	92	92	86.3
TOTAL	2191	1.35	1600	1.06	91	71	89.2

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	8	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	1	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	7	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	22	6



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 47

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

*Weekly Bulletin for the week
ending 25 November 1995*

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/48 - 95/47)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	86	14	4	5	15.9	53	10	0	0	0
CAR	DOR	34	0	1	2	25.8	23	8	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	1	0.0	6	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	38	4	2	1	22.6	24	5	0	2	0
	BRA	154	61	0	17	19.7	61	12	1	2	0
	PER	83	5	9	7	43.5	35	23	3	1	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	28	13	8	7	0.0	0	0	0	0	0
	GUT	43	7	6	11	42.1	11	7	1	0	0
	HON	33	0	0	8	0.0	25	0	0	0	0
	NIC	22	1	13	0	37.5	5	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
JRE	MEX	407	0	27	3	29.2	267	103	7	0	0
INH	VEN	87	4	8	0	20.0	60	15	0	0	0
INS	COL	205	2	10	0	21.8	151	37	0	5	0
	ECU	38	6	0	0	9.4	29	3	0	0	0
MAL	ARG	60	0	4	7	14.3	42	4	0	3	0
	CHI	21	0	0	4	5.9	16	1	0	0	0
	PAR	20	6	0	2	25.0	9	2	0	1	0
	URU	7	1	2	1	0.0	3	0	0	0	0
REC	BRA	62	30	0	1	25.8	23	6	1	1	0
TOTAL		1461	156	94	78	24.4	857	245	13	18	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/48 - 95/47)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	3	3	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		17	10	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/48 - 95/47)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	2	0	0	1	0	0	0	0	0	0	0	0	3
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		4	1	3	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 47

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS																
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41	42	43	44	45	46	47
ARG	0	67	5	4	3	2	9	4	4	10	13	7	1	2	3	0	NR	NR	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	0	0	NR	NR	NR
BRA	0	174	6	11	12	11	17	17	23	21	27	21	1	2	4	1	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	NR	NR
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	NR	NR
COL	0	46	0	0	0	1	1	1	3	4	7	11	5	2	3	5	1	2	NR
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	NR	NR	NR
CUB	0	9	0	0	0	0	0	0	1	0	2	1	1	1	1	1	0	0	NR
DOR	0	10	0	0	0	0	0	0	0	4	3	1	1	0	0	1	0	NR	NR
ECU	0	7	0	0	0	0	0	0	0	0	1	4	0	2	0	0	0	NR	NR
ELS	0	34	0	1	2	0	0	3	3	4	8	8	1	1	2	1	0	NR	NR
GUT	0	37	5	0	1	1	3	3	8	7	3	3	2	0	1	0	0	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	0	NR	NR
MEX	0	144	1	1	1	4	2	6	7	16	30	40	12	7	2	3	11	1	0
NIC	0	14	0	0	0	0	0	0	0	0	0	5	2	1	0	3	2	1	NR
PAN	0	6	0	0	0	1	0	0	1	2	1	0	0	0	0	0	1	NR	NR
PAR	0	6	0	0	0	0	0	0	0	1	0	1	2	0	1	1	NR	NR	NR
PER	0	11	0	0	0	0	0	0	0	0	0	2	1	2	2	3	0	1	0
URU	0	6	0	1	0	0	1	0	0	2	0	2	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	28	0	0	0	0	1	1	2	1	5	6	3	3	1	3	2	NR	NR
TOTAL	1	699	23	26	26	25	43	46	65	87	110	123	37	23	20	22	18	5	0

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 47

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.95	93	11	0.0
BOL	49	1.53	33	1.14	94	88	81.6
BRA	557	1.05	314	0.66	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	16	0.67	63	38	-
CHI	94	2.33	68	1.86	91	68	96.3
COL	225	1.96	193	1.86	86	83	90.5
COR	19	1.74	15	1.52	87	13	91.7
CUB	39	1.73	28	1.37	100	75	94.5
DOR	31	1.14	27	1.10	93	85	98.0
ECU	69	1.58	35	0.88	97	97	81.9
ELS	46	1.97	47	2.23	94	98	82.2
GUT	85	2.03	48	1.27	67	69	74.6
HAI	8	0.31	0	0.00	-	-	-
HON	43	1.88	33	1.59	100	91	94.2
MEX	509	1.54	400	1.34	94	72	89.2
NIC	47	2.65	39	2.43	97	100	88.4
PAN	9	1.07	6	0.79	83	50	87.7
PAR	19	1.10	19	1.22	100	89	92.5
PER	91	1.04	74	0.94	91	96	81.8
URU	5	0.64	6	0.85	50	83	-
USA	0	-	NR	-	-	-	-
VEN	110	1.46	85	1.25	92	92	86.2
TOTAL	2191	1.35	1569	1.07	91	71	89.2

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	7	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	7	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	20	6



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 46

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 18 November 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/47 - 95/46)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Vaccine	Wild
BEL	BRA	86	14	4	5	15.9	53	10	0	0	0
CAR	DOR	35	0	1	2	25.0	24	8	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	1	0	0.0	6	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	38	4	2	1	22.6	24	5	0	2	0
	BRA	160	61	0	17	18.3	67	12	1	2	0
	PER	86	11	5	21	42.9	28	18	2	1	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	28	13	13	2	0.0	0	0	0	0	0
	GUT	43	7	6	11	42.1	11	7	1	0	0
	HON	34	0	0	8	3.8	25	1	0	0	0
	NIC	21	3	10	0	37.5	5	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	393	0	58	17	34.6	208	103	7	0	0
INH	VEN	87	4	8	0	20.0	60	15	0	0	0
INS	COL	210	1	12	0	21.8	154	38	0	5	0
	ECU	38	6	0	0	9.4	29	3	0	0	0
MAL	ARG	62	0	5	6	13.7	44	4	0	3	0
	CHI	22	0	0	5	5.9	16	1	0	0	0
	PAR	20	6	0	2	25.0	9	2	0	1	0
	URU	7	1	2	1	0.0	3	0	0	0	0
REC	BRA	63	30	0	1	28.1	23	7	1	1	0
TOTAL		1466	163	127	100	25.4	803	243	12	18	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/47 - 95/46)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	6	3	0
	PER	7	3	0
INC	COR	3	3	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		20	10	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/47 - 95/46)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	0	0	0	0	0	0	0	0	0	1	1
TOTAL		3	1	3	4	0	0	0	0	0	0	0	1	12

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS															
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41	42	43	44	45	46
ARG	0	67	5	4	3	2	9	4	4	10	13	7	1	2	3	0	NR	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	0	0	0	NR
BRA	0	174	6	11	12	11	17	17	23	21	27	21	1	2	4	1	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	14	1	3	2	1	1	0	1	3	1	1	0	0	0	0	0	NR
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0	NR
COL	0	46	0	0	0	1	1	1	3	4	8	11	5	2	3	4	1	2
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	NR	NR
CUB	0	28	3	1	3	0	4	4	5	0	2	1	1	1	1	1	1	NR
DOR	0	10	0	0	0	0	0	0	0	4	3	1	1	0	0	1	0	NR
ECU	0	7	0	0	0	0	0	0	0	0	1	4	0	2	0	0	0	NR
ELS	0	34	0	1	2	0	0	3	3	4	8	8	1	1	2	1	0	NR
GUT	0	37	5	0	1	1	3	3	8	7	3	3	2	0	1	0	0	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	0	NR
MEX	0	144	1	1	1	4	3	6	10	21	30	42	11	6	2	1	5	NR
NIC	0	13	0	0	0	0	0	0	0	0	0	5	2	1	0	3	2	0
PAN	0	6	0	0	0	1	0	0	1	2	1	0	0	0	0	0	1	NR
PAR	0	6	0	0	0	0	0	0	0	1	0	1	2	0	1	1	NR	NR
PER	0	16	0	0	0	0	0	0	0	0	3	4	1	2	2	3	0	1
URU	0	6	0	1	0	0	1	0	0	2	0	2	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	28	0	0	0	0	1	1	2	1	5	6	3	3	1	3	2	NR
TOTAL	1	722	26	27	29	25	48	50	72	92	114	127	36	22	20	19	12	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 46

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.97	93	11	0.0
BOL	49	1.53	33	1.16	94	88	81.2
BRA	557	1.05	314	0.67	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	16	0.68	63	38	-
CHI	94	2.33	68	1.91	91	68	96.3
COL	225	1.96	192	1.89	86	83	90.5
COR	19	1.74	15	1.55	87	13	91.7
CUB	39	1.73	28	1.40	100	75	94.5
DOR	31	1.14	27	1.12	93	85	98.0
ECU	69	1.58	35	0.90	97	97	81.9
ELS	46	1.97	47	2.28	94	98	82.1
GUT	85	2.03	48	1.30	67	69	74.6
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.63	100	91	94.2
MEX	509	1.54	376	1.29	94	72	89.1
NIC	47	2.65	38	2.42	97	100	88.1
PAN	9	1.07	6	0.80	83	50	87.8
PAR	19	1.10	19	1.24	100	89	92.5
PER	91	1.04	74	0.96	91	96	81.8
URU	5	0.64	6	0.87	50	83	0.0
USA	NR	0.00	NR	0.00	-	-	-
VEN	110	1.46	85	1.27	92	92	86.2
TOTAL	2191	1.35	1543	1.07	91	71	89.1

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	7	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	7	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	20	6



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 45

Expanded Program on Immunization
Poliovirus Surveillance in the Americas

Weekly Bulletin for the week
ending 11 November 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/46 - 95/45)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ISOLATION Poliovirus		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	87	14	4	5	15.6	54	10	0	0	0
CAR	DOR	35	1	1	2	25.8	23	8	0	0	0
	GUY	1	0	0	0	0.0	1	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	1	0	0.0	6	0	0	0	0
CDC	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	39	4	2	1	21.9	25	5	0	2	0
	BRA	163	61	0	17	18.8	69	12	2	2	0
	PER	82	7	5	21	42.9	28	18	2	1	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	28	13	13	2	0.0	0	0	0	0	0
	GUT	43	7	7	10	42.1	11	7	1	0	0
	HON	34	0	0	8	3.8	25	1	0	0	0
	NIC	16	4	4	0	37.5	5	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	402	0	62	13	33.9	216	104	7	0	0
INH	VEN	88	4	8	0	19.7	61	15	0	0	0
INS	COL	202	3	6	0	22.8	149	38	0	6	0
	ECU	39	6	0	0	12.1	29	4	0	0	0
MAL	ARG	62	0	5	6	13.7	44	4	0	3	0
	CHI	23	0	0	6	5.9	16	1	0	0	0
	PAR	21	6	0	2	23.1	10	2	0	1	0
	URU	7	1	2	1	0.0	3	0	0	0	0
REC	BRA	65	31	0	1	30.3	23	8	1	1	0
TOTAL		1470	164	120	96	25.5	812	246	13	19	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/46 - 95/45)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	6	4	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		20	11	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/46 - 95/45)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	0	1	0	0	0	0	0	0	0	0	0	0	1
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	1	4	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS														
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41	42	43	44	45
ARG	0	67	5	4	3	2	9	4	4	10	13	7	1	2	3	0	NR
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	0	0	0
BRA	0	174	6	11	12	11	17	17	23	21	27	21	1	2	4	1	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	14	1	3	2	1	1	0	1	3	1	1	0	0	0	0	0
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0	0
COL	0	38	0	0	0	1	1	1	3	5	10	11	4	2	0	0	0
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	NR
CUB	0	25	3	1	3	0	4	4	4	0	2	1	1	1	0	1	NR
DOR	0	10	0	0	0	0	0	0	0	4	3	1	1	0	0	1	0
ECU	0	7	0	0	0	0	0	0	0	0	1	4	0	2	0	0	0
ELS	0	34	0	1	2	0	0	3	3	4	8	8	1	1	2	1	0
GUT	0	37	5	0	1	1	3	3	8	7	3	3	2	0	1	0	0
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	0
MEX	0	144	1	1	1	4	3	6	10	21	30	42	11	6	2	1	5
NIC	0	8	0	0	0	0	0	0	0	0	0	5	2	1	0	0	0
PAN	0	6	0	0	0	1	0	0	1	2	1	0	0	0	0	0	1
PAR	0	6	0	0	0	0	0	0	0	1	0	1	2	0	1	1	NR
PER	0	12	0	0	0	0	0	0	0	0	3	4	1	1	1	2	NR
URU	0	6	0	1	0	0	1	0	0	2	0	2	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	28	0	0	0	0	1	1	2	1	5	6	3	3	1	3	2
TOTAL	1	702	26	27	29	25	48	50	71	93	116	127	35	21	15	11	8

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 45

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	0.99	93	11	0.0
BOL	49	1.53	33	1.19	94	88	80.8
BRA	557	1.05	314	0.68	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	16	0.70	63	38	-
CHI	94	2.33	68	1.95	91	68	96.2
COL	225	1.96	180	1.81	86	83	90.5
COR	19	1.74	15	1.59	87	13	91.7
CUB	39	1.73	25	1.28	100	72	94.6
DOR	31	1.14	27	1.15	93	85	97.9
ECU	69	1.58	35	0.92	97	97	81.5
ELS	46	1.97	47	2.33	94	98	82.1
GUT	85	2.03	48	1.33	67	69	74.6
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.67	100	91	94.2
MEX	509	1.54	376	1.32	94	72	89.1
NIC	47	2.65	33	2.15	97	100	88.1
PAN	9	1.07	6	0.82	83	50	87.7
PAR	19	1.10	19	1.27	100	89	92.5
PER	91	1.04	70	0.93	90	96	81.4
URU	5	0.64	6	0.89	50	83	-
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	85	1.30	92	92	86.2
TOTAL*	2191	1.35	1519	1.08	91	70	89.1

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CAS.
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	7	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	7	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	20	6

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 44

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 4 November 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/45 - 95/44)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION		POLIOVIRUS ISOLATION	Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Pending	Vaccine	
BEL	BRA	89	14	4	5	16.7	55	11	0	0	0
CAR	DOR	35	1	0	2	28.1	23	9	0	0	0
	GUY	1	0	0	0	0.0	1	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
	TRT	8	0	1	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	41	4	2	1	23.5	26	6	0	2	0
	BRA	166	61	3	15	19.5	70	13	2	2	0
	PER	77	4	0	24	40.8	29	17	2	1	0
INC	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	25	10	13	2	0.0	0	0	0	0	0
	GUT	41	7	4	10	45.0	11	7	2	0	0
	HON	34	0	3	5	3.8	25	1	0	0	0
	NIC	16	4	4	0	37.5	5	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	396	0	62	4	33.6	219	104	7	0	0
INH	VEN	86	3	9	0	20.3	59	15	0	0	0
INS	COL	209	3	6	0	23.0	154	38	0	8	0
	ECU	36	9	0	0	11.1	24	3	0	0	0
MAL	ARG	64	0	7	4	13.2	46	4	0	3	0
	CHI	23	0	0	6	5.9	16	1	0	0	0
	PAR	22	6	0	2	21.4	11	2	0	1	0
	URU	7	3	0	1	0.0	3	0	0	0	0
REC	BRA	67	31	0	1	34.3	23	9	1	2	0
TOTAL		1470	162	118	83	25.8	821	249	14	23	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/45 - 95/44)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	6	9	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	0	0
TOTAL		20	16	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/45 - 95/44)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		4	1	4	4	0	0	0	0	0	0	0	1	14

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 44

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS													
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37-40	41	42	43	44
ARG	0	67	5	4	3	2	9	4	4	10	13	7	1	2	3	0
BOL	0	13	0	1	0	1	0	3	0	3	1	1	3	0	0	0
BRA	0	174	6	11	12	11	17	17	23	21	27	21	1	2	4	1
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	14	1	3	2	1	1	0	1	3	1	1	0	0	0	0
CHI	0	45	0	2	2	1	4	5	9	5	7	8	2	0	0	0
COL	0	38	0	0	0	1	1	1	3	5	10	11	4	2	0	0
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0
CUB	0	25	3	1	3	0	4	4	4	0	2	1	1	1	0	1
DOR	0	9	0	0	0	0	0	0	0	4	3	1	1	0	0	0
ECU	0	14	0	0	0	1	0	1	2	4	4	2	0	NR	NR	NR
ELS	0	31	0	1	2	0	0	3	3	4	8	8	1	0	1	NR
GUT	0	34	5	0	1	1	3	3	8	7	3	2	1	0	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0
MEX	0	142	1	1	1	4	4	6	11	25	35	40	9	4	1	0
NIC	0	8	0	0	0	0	0	0	0	0	0	5	2	1	0	0
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	0
PAR	0	6	0	0	0	0	0	0	0	1	0	1	2	0	1	1
PER	0	15	0	0	0	0	0	0	1	5	8	1	0	NR	NR	NR
URU	0	6	0	1	0	0	1	0	0	2	0	2	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	29	0	0	0	0	1	1	2	2	7	6	3	3	1	3
TOTAL	1	703	26	27	29	26	49	51	75	107	131	119	31	15	11	6

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs. ,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 44

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	83	1.01	93	11	0.
BOL	49	1.53	33	1.21	94	88	80.8
BRA	557	1.05	314	0.70	93	54	93.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	16	0.71	63	38	-
CHI	94	2.33	68	1.99	91	68	96.0
COL	225	1.96	180	1.85	86	83	90.5
COR	19	1.74	15	1.62	87	13	91.7
CUB	39	1.73	25	1.31	100	72	94.6
DOR	31	1.14	26	1.13	92	85	97.9
ECU	69	1.58	31	0.84	97	97	80.7
ELS	46	1.97	44	2.23	95	98	81.9
GUT	85	2.03	45	1.27	67	67	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.70	100	91	94.3
MEX	509	1.54	363	1.30	94	71	89.1
NIC	47	2.65	33	2.20	97	100	87.9
PAN	9	1.07	6	0.84	83	50	87.6
PAR	19	1.10	19	1.30	100	89	92.5
PER	91	1.04	62	0.84	89	97	80.9
URU	5	0.64	6	0.91	50	83	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	83	1.30	92	92	86.2
TOTAL♦	2191	1.35	1485	1.08	91	70	89.1

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	1
BOL	2	2	0
BRA	8	7	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	8	7	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	20	6



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 43

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 28 October 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/44 - 95/43)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	85	14	1	5	16.9	54	11	0	0	0
CAR	DOR	34	0	1	1	28.1	23	9	0	0	0
	GUY	1	0	0	0	0.0	1	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
CDC	TRT	8	0	1	0	0.0	7	0	0	0	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
FIO	MEX	3	0	0	0	100.0	0	0	0	3	0
	BOL	39	3	2	0	23.5	26	7	0	1	0
INC	BRA	166	59	3	16	21.6	69	14	2	3	0
	PER	78	4	14	10	40.0	30	17	2	1	0
INDRE	COR	11	1	0	1	22.2	7	2	0	0	0
	ELS	25	10	15	0	0.0	0	0	0	0	0
	GUT	41	7	5	9	45.0	11	7	2	0	0
	HON	35	0	3	5	3.7	26	1	0	0	0
	NIC	14	2	4	0	37.5	5	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	404	0	62	0	32.7	230	105	7	0	0
INH	VEN	87	5	3	0	20.3	63	15	0	1	0
INS	COL	211	3	7	0	23.9	153	39	0	9	0
	ECU	36	9	0	0	11.1	24	3	0	0	0
MAL	ARG	56	0	2	11	14.0	37	3	0	3	0
	CHI	9	0	0	6	0.0	3	0	0	0	0
	PAR	20	4	0	2	21.4	11	2	0	1	0
	URU	7	3	0	1	0.0	3	0	0	0	0
REC	BRA	62	28	0	1	33.3	22	8	1	2	0
TOTAL		1445	153	123	68	26.2	812	250	14	25	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/44 - 95/43)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	6	9	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	0	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	1	0
TOTAL		20	18	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/44 - 95/43)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	2	0	2	3	0	0	0	0	0	0	0	0	7
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		4	1	4	4	0	0	0	0	0	0	0	1	14

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS															
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37	38	39	40	41	42	43
ARG	0	53	5	4	4	3	9	5	4	11	8	0	0	0	0	NR	NR	NR
BOL	0	14	1	2	0	2	0	3	1	3	1	0	0	1	0	0	0	NR
BRA	0	178	7	11	15	12	17	19	25	23	25	11	5	2	3	1	1	1
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0	0	0	0
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0	0	0	0
COL	0	45	0	0	0	1	1	1	4	5	14	7	2	3	1	4	2	0
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	NR	NR
CUB	0	23	3	1	3	0	4	4	4	0	2	0	0	0	1	1	0	0
DOR	0	9	0	0	0	0	0	0	1	4	3	0	1	0	0	0	0	0
ECU	0	14	0	0	0	1	0	1	2	4	4	1	1	0	0	0	NR	NR
ELS	0	31	0	1	2	0	0	3	3	4	8	3	3	1	1	1	0	NR
GUT	0	34	5	0	1	1	3	3	8	7	3	0	0	0	2	1	0	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	0	0
MEX	0	151	1	1	1	5	4	7	13	28	40	11	11	15	3	8	3	0
NIC	0	8	0	0	0	0	0	0	0	0	2	0	1	3	1	1	0	NR
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	0	0	0
PAR	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PER	0	15	0	0	0	0	0	0	1	5	8	0	1	NR	NR	NR	NR	NR
URU	0	6	0	1	0	0	1	0	0	2	0	0	2	0	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	27	0	0	0	0	1	2	2	2	7	2	1	2	1	3	3	1
TOTAL	1	688	28	28	33	30	50	56	83	113	128	36	28	27	14	22	9	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 43

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	62	0.78	94	13	0.0
BOL	49	1.53	30	1.13	93	87	80.5
BRA	558	1.05	305	0.70	93	50	92.9
CAN	0	0.00	0	0.00	-	-	-
CAR	23	0.87	15	0.68	67	40	-
CHI	94	2.33	49	1.47	90	69	95.9
COL	225	1.96	180	1.89	86	83	90.6
COR	19	1.74	15	1.66	87	13	89.6
CUB	39	1.73	23	1.23	100	74	94.5
DOR	31	1.14	25	1.11	92	84	97.8
ECU	69	1.58	31	0.86	97	97	80.7
ELS	46	1.97	44	2.28	95	98	81.8
GUT	85	2.03	45	1.30	67	74	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.74	100	91	94.3
MEX	509	1.54	358	1.31	94	70	89.0
NIC	47	2.65	31	2.11	97	100	87.7
PAN	9	1.07	5	0.72	100	60	87.7
PAR	19	1.10	17	1.19	100	88	92.5
PER	91	1.04	62	0.86	89	97	80.4
URU	5	0.64	6	0.93	50	83	0.0
USA	0	0.00	0	0.00	-	-	-
VEN	110	1.46	80	1.28	91	90	86.1
TOTAL*	2192	1.35	1416	1.05	91	70	88.9

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USATable No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 43

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 43

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	0
BOL	2	2	0
BRA	8	7	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	2	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	19	5

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Vol.10, No. 42

Weekly Bulletin for the week
ending 21 October 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/43 - 95/42)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ENTEROVIRUS ISOLATION Poliovirus		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	82	10	1	5	16.7	55	11	0	0	0
CAR	DOR	34	1	3	1	27.6	21	8	0	0	0
	GUY	1	0	0	0	0.0	1	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	2	0	0	0	50.0	1	1	0	0	0
	TRT	8	0	1	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	40	3	2	0	22.9	27	7	0	1	0
	BRA	158	51	3	15	21.3	70	14	2	3	0
	PER	80	4	14	10	40.4	31	18	2	1	0
INC	COR	11	1	1	0	22.2	7	2	0	0	0
	ELS	23	8	15	0	0.0	0	0	0	0	0
	GUT	41	7	5	9	45.0	11	7	2	0	0
	HON	38	0	3	5	3.3	29	1	0	0	0
	NIC	14	2	4	0	37.5	5	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	396	0	59	0	31.8	230	101	6	0	0
INH	VEN	88	4	2	0	22.0	64	17	0	1	0
INS	COL	206	3	13	0	24.7	143	38	0	9	0
	ECU	37	9	0	0	14.3	24	4	0	0	0
MAL	ARG	57	0	4	9	13.6	38	3	0	3	0
	CHI	10	0	0	7	0.0	3	0	0	0	0
	PAR	20	4	0	2	21.4	11	2	0	1	0
	URU	7	3	0	1	0.0	3	0	0	0	0
REC	BRA	58	22	0	1	34.3	23	9	1	2	0
TOTAL		1426	133	130	65	26.2	810	250	13	25	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/43 - 95/42)

LAB.	CNTRY	POLIOVIRUS ISOLATION Poliovirus		
		Pending	Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	6	9	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	3	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	2	0
TOTAL		23	19	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/43 - 95/42)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	2	0	1	3	0	0	0	0	0	0	0	0	6
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		4	1	3	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS														
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37	38	39	40	41	42
ARG	0	53	5	4	4	3	9	5	4	11	8	0	0	0	0	NR	NR
BOL	0	14	1	2	0	2	0	3	1	3	1	0	0	1	0	0	0
BRA	2	153	7	11	16	13	17	19	25	24	15	4	2	0	0	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0	0	0
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0	0	0
COL	0	54	1	0	0	0	1	3	8	6	21	8	2	3	1	0	0
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	NR
CUB	0	21	3	1	3	0	4	4	4	0	2	0	0	0	0	0	NR
DOR	0	9	0	0	0	0	0	0	1	4	3	0	1	0	0	0	0
ECU	0	14	0	0	0	1	0	1	2	4	4	1	1	0	0	0	NR
ELS	0	29	0	1	2	0	0	3	3	4	8	3	3	1	1	0	0
GUT	0	34	5	0	1	1	3	3	8	7	3	0	0	0	2	1	0
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	0
MEX	0	168	1	1	1	5	7	9	17	43	44	10	11	13	2	4	0
NIC	0	8	0	0	0	0	0	0	0	0	2	0	1	3	1	1	0
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	0	0
PAR	0	4	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0
PER	0	15	0	0	0	0	0	0	1	5	8	0	1	NR	NR	NR	NR
URU	0	6	0	1	0	0	1	0	0	2	0	0	2	0	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	23	0	0	0	0	1	2	2	2	7	2	1	2	1	1	2
TOTAL	3	681	29	28	34	30	53	60	91	130	129	29	25	23	9	9	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 42

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	62	0.79	94	13	0.0
BOL	49	1.53	30	1.16	93	87	80.5
BRA	558	1.05	276	0.65	93	51	90.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.70	67	40	-
CHI	94	2.33	49	1.50	90	69	95.8
COL	225	1.96	173	1.86	86	82	91.0
COR	19	1.74	15	1.70	87	13	89.6
CUB	39	1.73	21	1.15	100	71	94.5
DOR	31	1.14	25	1.14	92	84	97.7
ECU	69	1.58	31	0.88	97	97	80.7
ELS	46	1.97	42	2.23	95	98	81.7
GUT	85	2.03	45	1.33	67	67	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.78	100	91	94.4
MEX	509	1.54	345	1.30	93	70	89.0
NIC	47	2.65	31	2.16	97	100	87.4
PAN	9	1.07	5	0.73	100	60	87.7
PAR	19	1.10	17	1.22	100	88	92.5
PER	91	1.04	62	0.88	89	97	80.4
URU	5	0.64	6	0.95	50	83	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	76	1.25	92	89	86.1
TOTAL♦	2192	1.35	1359	1.03	91	70	88.3

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 42

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CA
BY WEEK OF ONSET

AS OF WEEK 42

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	0
BOL	2	2	0
BRA	8	7	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	6	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	18	5

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 41

Expanded Program on Immunization
Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 14 October 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/42 - 95/41)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	85	10	1	5	17.4	57	12	0	0	0
CAR	DOR	34	1	4	0	27.6	21	8	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	2	0	0	0	50.0	1	1	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	40	3	2	0	22.9	27	7	0	1	0
	BRA	160	51	6	12	22.0	71	15	2	3	0
	PER	80	4	14	10	40.4	31	18	2	1	0
INC	COR	11	1	1	0	22.2	7	2	0	0	0
	ELS	17	10	7	0	0.0	0	0	0	0	0
	GUT	36	5	0	10	42.9	12	7	2	0	0
	HON	39	0	3	5	3.2	30	1	0	0	0
	NIC	12	4	2	1	0.0	5	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	390	0	73	15	29.5	213	83	6	0	0
INH	VEN	87	2	4	0	21.0	64	16	0	1	0
INS	COL	212	3	13	0	25.0	147	39	0	10	0
	ECU	38	9	0	0	13.8	25	4	0	0	0
MAL	ARG	58	0	7	6	13.3	39	3	0	3	0
	CHI	10	0	0	7	0.0	3	0	0	0	0
	PAR	20	2	0	2	18.8	13	2	0	1	0
	URU	7	3	1	0	0.0	3	0	0	0	0
REC	BRA	60	22	0	1	37.8	23	11	1	2	0
TOTAL		1423	131	139	74	25.2	807	233	13	26	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/42 - 95/41)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	7	12	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	3	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	2	0
TOTAL		24	22	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/42 - 95/41)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	2	0	1	3	0	0	0	0	0	0	0	0	6
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		4	1	3	4	0	0	0	0	0	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 41

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS														
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37	38	39	40	41	
ARG	0	53	5	4	4	3	9	5	4	11	8	0	0	0	0	NR	
BOL	0	14	1	2	0	2	0	3	1	3	1	0	0	1	0	NR	
BRA	2	153	7	11	16	13	17	19	25	24	15	4	2	0	0	NR	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0	NR	
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0	NR	
COL	0	54	1	0	0	0	1	3	8	6	21	8	2	3	1	0	
COR	1	18	5	2	2	1	3	1	2	0	1	1	0	0	0	0	
CUB	0	21	3	1	3	0	4	4	4	0	2	0	0	0	0	0	
DOR	0	9	0	0	0	0	0	0	1	4	3	0	1	0	0	0	
ECU	0	14	0	0	0	1	0	1	2	4	4	1	1	0	0	0	
ELS	0	24	0	1	2	0	0	3	3	4	8	1	1	0	0	0	
GUT	0	27	5	0	1	1	3	3	8	6	NR	NR	NR	NR	NR	NR	
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	
MEX	0	153	1	1	1	6	8	11	19	35	39	8	11	11	2	0	
NIC	0	10	0	0	0	0	0	0	1	3	2	0	1	3	0	0	
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	NR	
PAR	0	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	
PER	0	15	0	0	0	0	0	0	1	5	8	0	1	NR	NR	NR	
URU	0	6	0	1	0	0	1	0	0	2	0	0	2	0	NR	NR	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	23	0	0	0	0	1	2	2	4	8	2	1	1	1	1	
TOTAL	4	654	29	28	34	31	54	62	94	126	123	25	23	20	4	1	

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 41

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	62	0.81	94	13	0.0
BOL	49	1.53	30	1.18	93	87	80.5
BRA	558	1.05	276	0.66	93	51	90.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.72	67	40	-
CHI	94	2.33	49	1.54	90	69	95.7
COL	225	1.96	173	1.91	86	82	91.0
COR	19	1.74	15	1.74	87	13	89.6
CUB	39	1.73	21	1.18	100	71	94.5
DOR	31	1.14	25	1.17	92	84	97.7
ECU	69	1.58	31	0.90	97	97	80.7
ELS	46	1.97	37	2.01	95	97	81.5
GUT	85	2.03	38	1.15	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.83	100	91	94.5
MEX	509	1.54	323	1.24	94	70	88.9
NIC	47	2.65	29	2.07	97	100	87.2
PAN	9	1.07	5	0.75	100	60	87.7
PAR	19	1.10	14	1.03	100	93	92.4
PER	91	1.04	62	0.90	89	97	80.4
URU	5	0.64	6	0.97	50	83	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	73	1.23	92	90	86.0
TOTAL♦	2192	1.35	1317	1.03	91	70	88.2

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	0
BOL	2	2	0
BRA	8	6	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	6	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	17	5



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 40

Expanded Program on Immunization
Polio myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 7 October 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/41 - 95/40)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	87	13	1	5	14.7	58	10	0	0	0
CAR	DOR	35	1	4	0	30.0	21	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	2	0	0	0	50.0	1	1	0	0	0
	TRT	8	0	1	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	3	0	0	0	100.0	0	0	0	3	0
FIO	BOL	42	3	2	0	24.3	28	8	0	1	0
	BRA	159	53	5	11	21.1	71	14	2	3	0
	PER	81	4	14	10	41.5	31	18	2	2	0
INC	COR	12	1	1	0	30.0	7	3	0	0	0
	ELS	17	10	7	0	0.0	0	0	0	0	0
	GUT	36	5	1	9	42.9	12	7	2	0	0
	HON	40	0	5	3	3.1	31	1	0	0	0
	NIC	12	4	2	1	0.0	5	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	396	0	74	37	29.5	201	81	3	0	0
INH	VEN	89	2	8	0	22.8	61	17	0	1	0
INS	COL	215	10	6	0	25.6	148	41	0	10	0
	ECU	33	4	0	0	13.8	25	4	0	0	0
MAL	ARG	59	0	11	2	13.0	40	3	0	3	0
	CHI	11	0	0	7	0.0	4	0	0	0	0
	PAR	20	2	1	1	18.8	13	2	0	1	0
	URU	7	3	1	0	0.0	3	0	0	0	0
REC	BRA	60	27	0	1	43.8	18	11	1	2	0
TOTAL		1438	143	144	87	25.5	793	234	10	27	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/41 - 95/40)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	7	12	0
	PER	7	3	0
INC	COR	0	0	0
	GUT	3	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	2	0
TOTAL		24	22	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/41 - 95/40)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	2	0	0	0	0	0	0	0	0	3
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	1	2	3	0	0	0	0	0	0	0	1	10

Case samples only



Acute Flaccid Paralysis Surveillance

Vol. 10, No. 40

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS													
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33-36	37	38	39	40	
ARG	0	53	5	4	4	3	9	5	4	11	8	0	0	0	0	
BOL	0	14	1	2	0	2	0	3	1	3	1	0	0	1	0	
BRA	2	164	7	13	16	15	20	21	27	24	15	4	2	0	0	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0	
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0	
COL	0	58	1	0	0	0	2	4	11	8	22	7	1	2	0	
COR	1	16	5	2	2	1	3	1	2	0	0	NR	NR	NR	NR	
CUB	0	19	3	1	3	0	4	4	4	0	0	0	0	0	0	
DOR	0	9	0	0	0	0	0	0	1	4	3	0	1	0	0	
ECU	0	15	0	0	0	1	0	2	4	5	3	NR	NR	NR	NR	
ELS	0	24	0	1	2	0	0	3	3	4	8	1	1	1	NR	
GUT	0	27	5	0	1	1	3	3	8	6	NR	NR	NR	NR	NR	
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	
MEX	0	167	1	1	1	6	8	16	31	39	39	7	9	9	0	
NIC	0	10	0	0	0	0	0	0	1	3	2	0	1	3	0	
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	
PAR	0	3	0	0	0	0	0	0	0	2	1	0	0	0	0	
PER	0	15	0	0	0	0	0	0	1	5	8	0	1	NR	NR	
URU	0	6	0	1	0	0	1	0	0	2	0	0	2	0	NR	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	22	0	0	0	0	1	2	2	4	8	2	1	1	1	
TOTAL	4	680	29	30	34	33	58	71	113	134	120	21	19	17	1	

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 40

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	62	0.83	94	13	0.0
BOL	49	1.53	30	1.21	93	87	80.4
BRA	558	1.05	273	0.67	92	48	92.6
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.74	67	40	-
CHI	94	2.33	49	1.58	90	69	98.7
COL	225	1.96	169	1.91	86	83	90.6
COR	19	1.74	13	1.55	85	15	89.6
CUB	39	1.73	19	1.09	100	68	94.5
DOR	31	1.14	25	1.20	92	84	97.7
ECU	69	1.58	28	0.83	96	96	80.4
ELS	46	1.97	37	2.06	95	97	81.4
GUT	85	2.03	38	1.18	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.87	100	91	92.3
MEX	509	1.54	316	1.25	94	72	88.7
NIC	47	2.65	29	2.13	97	100	89.5
PAN	9	1.07	5	0.77	100	60	90.0
PAR	19	1.10	14	1.05	100	93	92.4
PER	91	1.04	62	0.92	89	97	80.4
URU	5	0.64	6	1.00	50	83	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	72	1.24	92	90	85.9
TOTAL♦	2192	1.35	1295	1.03	91	70	88.6

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	0
BOL	2	2	0
BRA	8	5	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	6	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	16	5



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 39

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 30 September 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/40 - 95/39)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION OTHER ENTERO-VIRUS	POLIOVIRUS ISOLATION		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	89	13	2	4	14.3	60	10	0	0	0
CAR	DOR	34	1	3	0	30.0	21	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	2	0	0	0	50.0	1	1	0	0	0
	TRT	8	0	1	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	4	0	0	0	100.0	0	0	0	4	0
FIO	BOL	41	10	0	4	25.9	20	6	0	1	0
	BRA	165	54	5	12	21.3	74	15	2	3	0
	PER	83	4	14	10	40.0	33	18	2	2	0
INC	COR	12	1	1	0	30.0	7	3	0	0	0
	ELS	17	10	7	0	0.0	0	0	0	0	0
	GUT	39	5	2	8	41.7	14	8	2	0	0
	HON	41	0	5	3	3.0	32	1	0	0	0
	NIC	8	2	2	1	0.0	3	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	387	0	75	42	28.5	193	75	2	0	0
INH	VEN	88	0	8	0	23.8	61	18	0	1	0
INS	COL	212	4	3	0	25.4	153	41	0	11	0
	ECU	34	4	0	0	13.3	26	4	0	0	0
MAL	ARG	59	0	12	0	14.9	40	3	1	3	0
	CHI	13	0	0	8	0.0	5	0	0	0	0
	PAR	20	2	2	0	18.8	13	2	0	1	0
	URU	7	3	1	0	0.0	3	0	0	0	0
REC	BRA	61	27	0	1	45.5	18	12	1	2	0
TOTAL		1438	141	143	93	25.4	792	230	10	29	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/40 - 95/39)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	1	0	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	7	12	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	3	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	3	2	0
TOTAL		24	25	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/40 - 95/39)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	2	2	2	0	0	0	0	0	0	0	1	10

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS															
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33	34	35	36	37	38	39	
ARG	0	54	5	4	4	3	9	6	4	11	6	2	0	0	0	0	0	
BOL	0	15	1	2	1	2	0	4	1	3	0	0	0	1	0	NR	NR	
BRA	2	165	7	13	16	15	21	21	27	24	4	5	2	4	4	2	0	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0	0	0	
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0	0	0	
COL	1	49	1	0	0	0	2	4	11	8	4	5	2	8	4	0	NR	
COR	1	16	5	2	2	1	3	1	2	0	0	0	0	NR	NR	NR	NR	
CUB	0	19	3	1	3	0	4	4	4	0	0	0	0	0	0	0	0	
DOR	0	9	0	0	0	0	0	0	2	4	0	0	1	0	2	0	0	
ECU	0	15	0	0	0	1	0	2	4	5	0	2	1	NR	NR	NR	NR	
ELS	0	24	0	1	2	0	0	3	3	4	2	2	1	3	1	1	1	
GUT	0	27	5	0	1	1	2	2	8	5	NR	NR	NR	NR	NR	NR	NR	
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR	NR	
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0	NR	
MEX	1	150	1	1	1	6	8	16	31	38	14	9	6	6	5	6	2	
NIC	1	6	0	0	0	0	0	0	1	3	1	0	1	0	0	0	0	
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	0	0	
PAR	0	3	0	0	0	0	0	0	0	2	1	0	0	0	0	0	0	
PER	0	15	0	0	0	0	0	0	1	5	5	0	2	1	0	1	NR	
URU	0	6	0	1	0	0	1	0	0	2	0	0	0	0	0	2	0	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	30	0	0	1	0	1	5	4	8	3	1	1	3	2	1	0	
TOTAL	6	661	29	30	36	33	59	76	116	137	41	28	16	28	16	13	3	

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 39

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	62	0.85	94	11	0.0
BOL	49	1.53	29	1.20	93	86	77.5
BRA	557	1.05	274	0.69	92	48	92.6
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.75	67	40	-
CHI	94	2.33	49	1.62	90	69	98.7
COL	225	1.96	160	1.86	86	82	91.0
COR	19	1.74	13	1.59	85	15	89.6
CUB	39	1.73	19	1.12	100	68	94.6
DOR	31	1.14	23	1.13	91	83	97.6
ECU	69	1.58	28	0.85	96	96	80.4
ELS	46	1.97	37	2.11	95	97	78.7
GUT	85	2.03	38	1.21	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.92	100	91	94.6
MEX	509	1.54	299	1.21	94	71	88.6
NIC	47	2.65	25	1.88	100	100	89.2
PAN	9	1.07	5	0.79	100	60	89.8
PAR	19	1.10	14	1.08	100	93	92.4
PER	91	1.04	62	0.95	89	97	82.7
URU	5	0.64	6	1.02	50	83	0.0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	70	1.24	91	91	85.8
TOTAL♦	2191	1.35	1261	1.03	91	69	88.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASE
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	2	0
BOL	2	2	0
BRA	8	5	1
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	6	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	16	5



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 38

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 23 September 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/39 - 95/38)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Pending	Poliovirus Vaccine	Wild
BEL	BRA	91	18	4	8	14.8	52	9	0	0	0
CAR	DOR	30	0	0	0	30.0	21	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	2	0	0	0	50.0	1	1	0	0	0
	SUR	1	0	0	0	0.0	1	0	0	0	0
	TRT	8	0	1	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
FIO	BOL	43	10	0	4	27.6	21	7	0	1	0
	BRA	154	44	2	14	21.3	74	15	2	3	0
	PER	82	3	14	10	40.0	33	18	2	2	0
INC	COR	12	1	1	0	30.0	7	3	0	0	0
	ELS	11	5	6	0	0.0	0	0	0	0	0
	GUT	40	5	2	8	40.0	15	8	2	0	0
	HON	41	0	5	3	3.0	32	1	0	0	0
	NIC	8	2	3	0	0.0	3	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	383	0	70	33	28.9	199	79	2	0	0
INH	VEN	84	3	3	0	21.8	61	16	0	1	0
INS	COL	219	4	3	0	25.0	159	42	0	11	0
	ECU	35	4	0	0	16.1	26	4	0	1	0
MAL	ARG	60	0	12	0	14.6	41	3	1	3	0
	CHI	13	0	0	8	0.0	5	0	0	0	0
	PAR	21	2	2	0	17.6	14	2	0	1	0
	URU	5	1	1	0	0.0	3	0	0	0	0
REC	BRA	54	27	0	1	61.5	10	13	1	2	0
TOTAL		1416	130	129	89	25.7	793	234	10	31	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/39 - 95/38)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	5	19	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	3	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	4	2	0
TOTAL		22	33	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/39 - 95/38)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	2	2	2	0	0	0	0	0	0	0	1	10

Case samples only



Vol.10, No. 38

Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS													
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33	34	35	36	37	38
ARG	17	54	5	4	4	3	9	6	4	11	6	2	0	0	0	0
BOL	0	15	1	2	1	2	0	4	1	3	0	0	0	1	0	0
BRA	2	195	8	20	22	25	25	30	38	26	1	0	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0	0
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0	0
COL	1	49	1	0	0	0	2	4	11	8	4	5	2	8	4	0
COR	1	16	5	2	2	1	3	1	2	0	0	0	NR	NR	NR	NR
CUB	0	19	3	1	3	0	4	4	4	0	0	0	0	0	0	0
DOR	0	7	0	0	0	0	0	2	2	3	0	0	0	0	0	0
ECU	0	15	0	0	0	1	0	2	4	5	0	2	1	NR	NR	NR
ELS	0	18	0	1	2	0	0	3	3	4	1	2	1	1	0	NR
GUT	0	27	5	0	1	1	3	3	8	6	NR	NR	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0	0
MEX	1	138	1	1	1	6	8	16	31	37	12	8	5	5	4	3
NIC	1	6	0	0	0	0	0	0	1	3	1	0	1	0	0	0
PAN	0	5	0	0	0	1	0	0	1	2	1	0	0	0	0	0
PAR	0	3	0	0	0	0	0	0	0	2	1	0	0	0	0	NR
PER	0	15	0	0	0	0	0	0	1	5	5	0	2	1	0	1
URU	0	4	0	1	0	0	1	0	0	2	0	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	25	0	0	1	0	1	5	5	8	3	1	1	0	0	NR
TOTAL	23	664	30	37	42	43	63	87	128	137	35	21	13	16	8	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 38

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	62	0.88	94	11	0.0
BOL	49	1.53	29	1.24	93	86	77.0
BRA	556	1.05	249	0.64	92	45	86.8
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.77	67	40	-
CHI	94	2.33	49	1.66	90	69	98.7
COL	225	1.96	160	1.90	86	82	91.0
COR	19	1.74	13	1.63	85	15	89.6
CUB	39	1.73	19	1.15	100	68	94.5
DOR	31	1.14	19	0.96	89	84	97.5
ECU	69	1.58	28	0.88	96	96	80.4
ELS	46	1.97	31	1.82	94	97	78.5
GUT	85	2.03	38	1.24	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	1.97	100	91	94.6
MEX	509	1.54	287	1.19	94	71	88.7
NIC	47	2.65	25	1.93	100	100	89.1
PAN	9	1.07	5	0.81	100	60	89.6
PAR	19	1.10	14	1.11	100	93	92.3
PER	91	1.04	62	0.97	89	97	82.4
URU	5	0.64	4	0.70	75	75	0.0
USA	0	0.00	NR	-	-	-	-
VEN	110	1.46	64	1.16	91	92	85.7
TOTAL♦	2190	1.34	1206	1.01	91	69	87.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	1	0
BOL	2	2	0
BRA	10	7	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	25	15	4



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 37

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 16 September 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/38 - 95/37)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Vaccine	Wild
BEL	BPA	97	18	5	7	16.1	52	10	0	0	0
CAR	DOR	30	0	3	0	33.3	18	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	8	0	0	0	50.0	4	4	0	0	0
	PAN	3	0	0	0	33.3	2	1	0	0	0
	SUR	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
FIO	BOL	44	9	0	4	29.0	22	8	0	1	0
	BRA	156	44	2	14	21.9	75	16	2	3	0
	PER	81	13	8	4	39.3	34	18	2	2	0
INDRE	COR	11	1	2	0	37.5	5	3	0	0	0
	ELS	11	5	6	0	0.0	0	0	0	0	0
	GUT	41	5	2	8	38.5	16	8	2	0	0
	HON	45	0	8	0	8.1	34	3	0	0	0
	NIC	8	2	3	0	0.0	3	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	376	0	62	27	28.2	206	79	2	0	0
INH	VEN	85	3	3	0	21.5	62	16	0	1	0
INS	COL	213	3	18	0	25.0	144	37	0	11	0
	ECU	36	4	0	0	18.8	26	5	0	1	0
MAL	ARG	57	0	8	0	14.3	42	3	1	3	0
	CHI	18	0	0	10	0.0	8	0	0	0	0
	PAR	21	2	2	0	17.6	14	2	0	1	0
	URU	5	1	1	0	0.0	3	0	0	0	0
REC	BRA	57	27	0	1	62.1	11	15	1	2	0
TOTAL		1417	138	133	75	26.0	793	237	10	31	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/38 - 95/37)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA	5	22	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	2	0
INS	COL	0	1	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	4	2	0
TOTAL		23	35	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/38 - 95/37)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	2	2	2	0	0	0	0	0	0	0	1	10

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS												
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33	34	35	36	37
ARG	17	50	5	4	4	3	9	6	4	11	4	0	0	0	0
BOL	0	14	1	2	1	2	0	4	1	3	0	0	0	0	0
BRA	2	195	8	20	22	25	25	30	38	26	1	0	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	13	1	3	2	1	1	0	1	3	0	1	0	0	0
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0	0
COL	1	50	1	0	0	0	4	7	13	13	4	3	1	4	NR
COR	1	16	5	2	2	1	3	1	2	0	0	0	NR	NR	NR
CUB	0	19	3	1	3	0	4	4	4	0	0	0	0	0	0
DOR	0	7	0	0	0	0	0	2	2	3	0	0	0	0	0
ECU	0	15	0	0	0	1	0	2	4	5	0	2	1	NR	NR
ELS	0	18	0	1	2	0	0	3	3	4	1	2	1	1	C
GUT	0	27	5	0	1	1	3	3	8	6	NR	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0	0
MEX	1	124	1	1	1	6	9	18	31	35	10	6	4	2	0
NIC	1	6	0	0	0	0	0	0	1	3	1	0	1	0	0
PAN	4	5	0	0	0	1	0	0	1	2	1	0	0	0	0
PAR	0	3	0	0	0	0	0	0	0	2	1	0	0	0	0
PER	0	15	0	0	0	0	0	1	2	5	5	0	2	0	NR
URU	0	4	0	1	0	0	1	0	0	2	0	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	25	0	0	1	0	1	5	5	8	3	1	1	0	NR
TOTAL	27	646	30	37	42	43	66	93	131	140	31	15	11	7	0

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 37

SITE	TOTAL CASES 1994	RATE 1994	CUMULATIVE				
			CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	58	0.84	93	12	0
BOL	49	1.53	28	1.23	93	86	76.6
BRA	556	1.05	249	0.66	92	45	86.8
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.79	67	40	-
CHI	94	2.33	49	1.71	90	69	98.6
COL	225	1.96	149	1.82	87	80	88.2
COR	19	1.74	13	1.67	85	15	89.6
CUB	39	1.73	19	1.18	100	68	94.5
DOR	31	1.14	19	0.98	89	84	97.4
ECU	69	1.58	28	0.90	96	96	80.4
ELS	46	1.97	31	1.87	94	97	78.3
GUT	85	2.03	38	1.28	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	2.03	100	91	94.7
MEX	509	1.54	268	1.14	93	72	88.6
NIC	47	2.65	25	1.98	100	100	88.9
PAN	9	1.07	5	0.83	100	60	92.2
PAR	19	1.10	14	1.14	100	93	92.3
PER	91	1.04	60	0.96	88	95	84.8
URU	5	0.64	4	0.72	75	75	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	64	1.19	91	92	85.7
TOTAL♦	2190	1.34	1169	1.01	91	69	87.4

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 37

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 37

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	1	0
BOL	2	2	0
BRA	10	7	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	25	15	4



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 36

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 9 September 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/37 - 95/36)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending/Vaccine	
BEL	BRA	94	18	6	6	15.6	54	10	0	0
CAR	DOR	30	0	3	0	33.3	18	9	0	0
	GUY	2	0	0	0	0.0	2	0	0	0
	JAM	9	0	0	0	55.6	4	5	0	0
	PAN	3	0	0	0	33.3	2	1	0	0
	SUR	1	0	0	0	0.0	1	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	0
	MEX	5	0	0	0	100.0	0	0	1	0
FIO	BOL	44	9	0	4	29.0	22	8	0	0
	BRA	163	44	3	13	22.3	80	17	2	4
	PER	83	13	8	4	37.9	36	18	2	0
INC	COR	12	1	2	0	44.4	5	4	0	0
	ELS	9	9	0	0	0.0	0	0	0	0
	GUT	43	5	5	5	35.7	18	8	2	0
	HON	46	0	8	0	7.9	35	3	0	0
	NIC	8	2	3	0	0.0	3	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0
INDRE	MEX	374	0	68	12	28.2	211	81	2	0
INH	VEN	84	3	5	0	19.7	61	14	0	1
INS	COL	220	3	18	0	26.1	147	41	0	11
	ECU	43	7	0	1	20.0	28	6	0	1
MAL	ARG	59	0	8	1	12.0	44	3	0	3
	CHI	20	0	0	11	11.1	8	1	0	0
	PAR	21	4	0	1	18.8	13	2	0	1
	URU	5	1	1	0	0.0	3	0	0	0
REC	BRA	60	27	0	1	65.6	11	18	1	2
TOTAL		1449	147	138	59	26.2	815	249	9	32

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/37 - 95/36)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	0	0
	BRA PER	5 7	23 6	0 0
INC	COR	0	0	0
	GUT	4	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	1	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
REC	BRA	4	2	0
TOTAL		23	35	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/37 - 95/36)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	1	2	2	0	0	0	0	0	0	0	1	

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 36

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS											
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29-32	33	34	35	36
ARG	29	50	5	4	4	3	9	6	4	11	4	0	0	0
BOL	0	19	2	3	3	3	0	4	1	3	0	0	0	NR
BRA	2	195	8	20	22	25	25	30	38	26	1	0	NR	NR
CAN	0	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	0	0	0	0	0	0	0	0	0	0	0	0	NR
CHI	0	30	0	2	2	1	5	5	10	5	0	0	0	0
COL	1	50	1	0	0	0	4	7	13	13	4	3	1	4
COR	1	16	5	2	2	1	3	1	2	0	0	0	NR	NR
CUB	0	18	3	1	3	0	4	4	3	0	0	0	0	0
DOR	0	7	0	0	0	0	0	2	2	3	0	0	0	NR
ECU	0	15	0	0	0	1	0	2	4	5	0	2	1	NR
ELS	0	15	0	1	2	0	0	3	3	5	1	0	0	NR
GUT	0	27	5	0	1	1	3	3	8	6	NR	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	4	0	0	0	0
MEX	1	116	1	1	1	6	9	18	31	34	9	3	3	0
NIC	4	7	0	0	0	0	0	0	2	3	1	0	1	0
PAN	1	5	0	0	0	1	0	0	1	2	1	0	0	0
PAR	0	3	0	0	0	0	0	0	0	2	1	0	0	0
PER	0	15	0	0	0	0	0	1	2	5	5	0	2	0
URU	0	4	0	1	0	0	1	0	0	2	0	NR	NR	NR
USA	0	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	24	0	0	1	0	1	5	5	8	3	1	0	0
TOTAL	39	640	31	38	44	44	66	93	132	140	30	10	8	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 36

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	58	0.87	93	12	0
BOL	49	1.53	28	1.26	93	86	76.1
BRA	556	1.05	249	0.68	92	45	86.8
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.82	67	40	-
CHI	94	2.33	49	1.75	90	69	98.8
COL	225	1.96	149	1.87	87	80	90.9
COR	19	1.74	13	1.72	85	15	89.6
CUB	39	1.73	18	1.15	100	72	94.5
DOR	31	1.14	19	1.01	89	84	97.4
ECU	69	1.58	28	0.92	96	96	80.1
ELS	46	1.97	28	1.73	93	100	78.0
GUT	85	2.03	38	1.31	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	2.08	100	91	94.8
MEX	509	1.54	260	1.14	93	72	91.4
NIC	47	2.65	25	2.04	100	100	88.8
PAN	9	1.07	5	0.85	100	60	94.9
PAR	19	1.10	14	1.17	100	93	92.3
PER	91	1.04	60	0.99	88	95	87.4
URU	5	0.64	4	0.74	75	75	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	63	1.21	92	92	85.7
TOTAL♦	2190	1.34	1156	1.03	91	68	89.1

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 36

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 36

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	1	0
BOL	2	2	0
BRA	10	7	0
CAN	0	0	0
CAR	0	0	0
CHI	1	1	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	25	15	4

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Expanded Program on Immunization

Weekly Bulletin for the week

Poliomyelitis Surveillance in the Americas

ending 2 September 1995

Vol.10, No. 35

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/36 - 95/35)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ISOLATION Poliovirus		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	97	18	6	6	14.9	57	10	0	0	0
CAR	DOR	30	3	0	0	33.3	18	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	9	0	0	0	55.6	4	5	0	0	0
	PAN	3	0	0	0	33.3	2	1	0	0	0
	SUR	1	0	0	0	0.0	1	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
FIO	BOL	45	9	0	4	28.1	23	8	0	1	0
	BRA	165	44	5	11	22.9	81	17	2	5	0
	PER	78	15	0	12	25.5	38	10	2	1	0
INC	COR	12	1	2	0	44.4	5	4	0	0	0
	ELS	9	9	0	0	0.0	0	0	0	0	0
	GUT	45	5	9	1	33.3	20	8	2	0	0
	HON	46	0	8	0	7.9	35	3	0	0	0
	NIC	7	1	5	0	0.0	1	0	0	0	0
	PAN	4	1	0	0	0.0	3	0	0	0	0
INDRE	MEX	382	0	66	7	28.5	221	86	2	0	0
INH	VEN	84	3	5	0	19.7	61	14	0	1	0
INS	COL	212	8	5	0	26.6	146	42	0	11	0
	ECU	43	7	0	1	20.0	28	6	0	1	0
MAL	ARG	59	0	12	3	6.8	41	1	0	2	0
	CHI	21	0	0	12	11.1	8	1	0	0	0
	PAR	21	4	0	1	18.8	13	2	0	1	0
	URU	6	1	1	0	0.0	4	0	0	0	0
REC	BRA	62	27	0	1	64.7	12	19	1	2	0
TOTAL		1456	156	124	59	25.6	831	246	9	31	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/36 - 95/35)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	VEN	1	0	0
FIO	BOL	0	3	0
	BRA	6	23	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	2	1	0
INS	COL	0	1	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	URU	0	0	0
REC	BRA	4	2	0
TOTAL		24	38	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/36 - 95/35)

LAB	CTRYTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	1	2	2	0	0	0	0	0	0	0	1	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 35

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS													
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29	30	31	32	33	34	35
ARG	29	50	5	4	4	3	9	6	4	2	2	4	3	4	0	0
BOL	0	19	2	3	3	3	0	4	1	0	0	2	1	0	0	0
BRA	2	195	8	20	22	25	25	30	38	14	4	3	5	1	0	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	13	1	3	2	1	1	0	1	0	3	0	0	0	1	0
CHI	0	20	0	3	3	1	5	4	4	0	0	0	0	0	0	0
COL	1	41	1	0	0	0	4	7	13	3	1	2	5	4	1	0
COR	1	16	5	2	2	1	3	1	2	0	0	0	0	0	0	NR
CUB	0	18	3	1	3	0	4	4	3	0	0	0	0	0	0	0
DOR	0	7	0	0	0	0	0	2	2	0	2	1	0	0	0	0
ECU	0	15	0	0	0	1	0	2	4	1	0	4	0	0	2	1
ELS	0	15	0	1	2	0	0	3	3	0	0	2	3	1	0	0
GUT	0	27	5	2	1	1	3	3	8	1	2	1	2	NR	NR	NR
HAI	0	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	NR	NR
HON	0	11	0	0	1	1	1	2	2	0	2	1	1	0	0	0
MEX	1	106	1	2	1	6	9	17	30	14	6	7	7	5	1	0
NIC	1	7	0	0	0	0	0	0	2	1	2	1	0	1	0	0
PAN	4	5	0	0	0	1	0	0	1	1	0	0	1	1	0	0
PAR	0	3	0	0	0	0	0	0	0	2	0	0	0	1	0	0
PER	0	11	0	0	0	0	0	2	3	2	0	1	1	2	0	0
URU	0	4	0	1	0	0	1	0	0	1	0	0	1	0	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	23	0	0	1	0	1	5	5	4	2	1	1	2	1	0
TOTAL	39	606	31	40	45	44	66	92	126	46	26	30	31	22	6	1

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 35

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	58	0.89	93	12	0
BOL	49	1.53	28	1.30	93	86	75.6
BRA	556	1.05	249	0.70	92	45	89.4
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	15	0.84	67	40	-
CHI	94	2.33	37	1.36	95	62	94.9
COL	225	1.96	140	1.81	87	81	91.0
COR	19	1.74	13	1.77	85	15	89.6
CUB	29	1.73	18	1.19	100	72	94.5
DOR	31	1.14	19	1.04	89	84	97.6
ECU	69	1.58	28	0.95	96	96	79.8
ELS	46	1.97	28	1.78	93	100	80.4
GUT	85	2.03	38	1.35	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	2.14	100	91	94.8
MEX	509	1.54	249	1.12	94	72	91.4
NIC	47	2.65	24	2.01	100	100	88.5
PAN	9	1.07	5	0.88	100	60	94.7
PAR	19	1.10	14	1.20	100	93	92.3
PER	91	1.04	54	0.92	87	94	87.3
URU	5	0.64	4	0.76	75	75	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	62	1.22	92	92	85.6
TOTAL*	2190	1.34	1116	1.02	91	68	89.6

* Adjusted + Taken within 14 days of onset of paralysis
• Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	1	0
BOL	2	2	0
BRA	10	6	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	25	14	4



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 34

Expanded Program on Immunization
Polio myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 26 August 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
 Status of Case Stool Sample Analysis
 Last 52 Weeks (94/35 - 95/34)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	
BEL	BRA	101	16	6	6	15.5	60	11	0	0	0
CAR	DOR	31	3	2	0	34.6	17	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	9	1	2	0	50.0	3	3	0	0	0
	PAN	3	0	0	0	33.3	2	1	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	44	8	0	4	28.1	23	8	0	1	0
	BRA	173	46	5	11	22.5	86	18	2	5	0
	PER	79	15	0	12	25.0	39	10	2	1	0
INC	COR	12	3	0	0	44.4	5	4	0	0	0
	ELS	9	9	0	0	0.0	0	0	0	0	0
	GUT	46	5	9	1	32.3	21	8	2	0	0
	HON	47	0	8	0	7.7	36	3	0	0	0
	NIC	5	0	6	0	0.0	0	0	0	0	0
	PAN	4	3	0	0	0.0	1	0	0	0	0
INDRE	MEX	377	0	60	0	27.8	229	86	2	0	0
INH	VEN	90	5	5	0	17.5	66	13	0	1	0
INS	COL	205	0	5	0	26.5	147	42	0	11	0
	ECU	39	13	0	1	28.0	18	6	0	1	0
MAL	ARG	57	0	9	3	6.7	42	1	0	2	0
	CHI	22	0	0	12	10.0	9	1	0	0	0
	PAR	15	8	0	5	50.0	1	0	0	1	0
	URU	6	1	1	0	0.0	4	0	0	0	0
REC	BRA	67	27	0	1	69.2	12	24	1	2	0
TOTAL		1460	165	118	56	25.8	832	248	9	32	0

* Each sample relates to an individual

Case samples only

Table No. 1b
 Status of Contact Stool Sample Analysis
 Last 52 Weeks (94/35 - 95/34)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	1	1	0
	VEN	1	0	0
FIO	BOL	0	3	0
	BRA	7	23	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	3	1	0
INS	COL	0	1	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	URU	0	0	0
REC	BRA	4	2	0
TOTAL		26	36	0

Contact samples only

Table No. 2
 Status of Poliovirus Pending Intratypic Differentiation
 Last 52 Weeks (94/35 - 95/34)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	PER	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		3	1	2	2	0	0	0	0	0	0	0	1	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol. 10, No. 34

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS													
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29	30	31	32	33	34	
ARG	29	50	5	4	4	3	9	6	4	2	2	4	3	4	0	
BOL	0	18	2	3	3	3	0	4	1	0	0	2	0	0	0	
BRA	2	195	8	20	22	25	25	30	38	14	4	3	5	1	0	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	12	1	3	2	1	1	0	1	0	3	0	0	0	0	
CHI	0	20	0	3	3	1	5	4	4	0	0	0	0	0	0	
COL	1	51	2	0	0	2	10	16	15	3	2	1	0	NR	NR	
COR	1	16	5	2	2	1	3	1	2	0	0	0	0	0	0	
CUE	0	18	3	1	3	0	4	4	3	0	0	0	0	0	0	
DOR	0	7	0	0	0	0	0	2	2	0	2	1	0	0	0	
ECU	0	11	1	0	0	1	0	2	4	1	0	2	0	0	0	
ELS	0	19	0	1	2	1	0	5	4	0	0	2	3	1	0	
GUT	0	27	5	0	1	1	3	3	8	1	2	1	2	NR	NR	
HAI	0	0	0	0	0	0	0	0	0	0	0	0	NR	NR	NR	
HON	0	11	0	0	1	1	1	2	2	1	2	1	1	0	0	
MEX	1	94	1	2	1	6	11	17	26	12	6	6	3	NR	NR	
NIC	1	6	0	0	0	0	0	0	2	1	2	1	0	0	0	
PAN	4	5	0	0	0	1	0	0	1	1	0	0	1	1	0	
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0	0	0	
PER	0	11	0	0	0	0	0	2	3	2	0	1	1	2	0	
URU	0	4	0	1	0	0	1	0	0	1	0	0	1	0	NR	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	24	0	0	1	0	2	5	5	4	2	1	1	2	1	
TOTAL	39	605	34	41	49	47	75	103	127	43	27	26	21	11	1	

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 34

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	58	0.92	91	12	0
BOL	49	1.53	27	1.29	93	85	75.0
BRA	556	1.05	249	0.72	92	45	92.3
CAN	NR	-	NR	-	-	-	-
CAR	23	0.67	14	0.81	71	43	-
CHI	94	2.33	37	1.40	95	62	94.8
COL	225	1.96	129	1.72	86	80	91.6
COR	19	1.74	13	1.82	85	15	89.6
CUE	39	1.73	18	1.22	100	72	94.4
DOR	31	1.14	19	1.07	89	84	98.1
ECU	69	1.58	23	0.80	96	96	79.5
ELS	46	1.97	28	1.83	93	100	80.3
GUT	85	2.03	38	1.39	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	33	2.20	100	91	94.8
MEX	509	1.54	234	1.09	94	72	91.4
NIC	47	2.65	23	1.98	100	100	88.3
PAN	9	1.07	5	0.90	100	60	94.6
PAR	19	1.10	7	0.62	100	100	92.4
PER	91	1.04	54	0.94	87	94	86.9
URU	5	0.64	4	0.78	75	75	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	62	1.26	92	92	85.4
TOTAL*	2190	1.34	1075	1.01	91	67	90.2

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUE	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	1	0
BOL	2	2	0
BRA	10	6	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUE	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	25	14	4



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 33

Expanded Program on Immunization
Poliovirus Surveillance in the Americas

Weekly Bulletin for the week
ending 19 August 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/34 - 95/33)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	100	17	6	7	15.7	59	11	0	0	0
CAR	DOR	29	0	2	0	33.3	18	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	9	1	2	0	50.0	3	3	0	0	0
	PAN	3	0	0	0	33.3	2	1	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	44	8	0	4	28.1	23	8	0	1	0
	BRA	179	45	5	11	20.3	94	16	2	6	0
	PER	78	14	0	25	17.9	32	6	0	1	0
INDRE	COR	12	3	0	0	44.4	5	4	0	0	0
	ELS	5	5	0	0	0.0	0	0	0	0	0
	GUT	47	5	9	1	31.3	22	8	2	0	0
	HON	45	1	5	0	7.7	36	3	0	0	0
	NIC	6	4	2	0	0.0	0	0	0	0	0
	PAN	4	3	0	0	0.0	1	0	0	0	0
INDRE	MEX	387	0	60	0	27.2	238	87	2	0	0
INH	VEN	95	3	6	0	16.3	72	13	0	1	0
INS	COL	213	0	5	0	26.9	152	43	0	13	0
	ECU	39	13	0	1	28.0	18	6	0	1	0
MAL	ARG	55	0	6	3	8.7	42	1	0	3	0
	CHI	25	0	0	12	15.4	11	2	0	0	0
	PAR	15	8	0	5	50.0	1	0	0	1	0
	URU	6	1	1	0	0.0	4	0	0	0	0
REC	BRA	58	16	0	1	68.3	13	25	1	2	0
TOTAL		1472	147	109	70	25.2	857	246	7	36	0

* Each sample relates to an individual

Case samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/34 - 95/33)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	0	0	1	0	0	0	0	0	0	0	0	0	1
	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		2	1	2	1	0	0	0	0	0	0	0	1	7

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/34 - 95/33)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
FIO	BOL	0	3	0
	BRA	8	22	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	4	1	0
INS	COL	0	3	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	URU	0	0	0
REC	BRA	3	2	0
TOTAL		26	39	0

Contact samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 33

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS											
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29	30	31	32	33
ARG	29	50	5	4	4	3	9	6	4	2	2	4	3	4
BOL	0	18	2	3	3	3	0	4	1	0	0	2	0	0
BRA	2	183	8	20	22	26	24	29	36	12	1	2	3	0
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	12	1	3	2	1	1	0	1	0	3	0	0	0
CHI	0	20	0	3	3	1	5	4	4	0	0	0	0	0
COL	1	51	2	0	0	2	10	16	15	3	2	1	0	NR
COR	1	16	5	2	2	1	3	1	2	0	0	0	0	0
CUB	0	14	3	1	2	0	3	4	1	0	0	0	0	NR
DOR	0	6	0	0	0	0	0	4	2	0	0	0	0	0
ECU	0	11	1	0	0	1	0	2	4	1	0	2	0	0
ELS	0	16	0	2	2	1	0	5	4	0	0	1	1	0
GUT	0	27	5	0	1	1	3	3	8	1	2	1	2	NR
HAI	0	0	0	0	0	0	0	0	0	0	0	0	NR	NR
HON	0	9	0	0	1	1	1	2	2	0	1	1	0	0
MEX	1	94	1	2	1	6	11	17	28	13	6	3	3	NR
NIC	1	6	0	0	0	0	0	0	2	1	2	1	0	0
PAN	4	5	0	0	0	1	0	0	1	1	0	0	1	1
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0	0
PER	0	14	0	0	0	1	2	4	3	2	0	1	1	0
URU	0	4	0	1	0	0	1	0	0	1	0	0	1	0
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	24	0	0	1	0	2	7	5	4	2	1	1	1
TOTAL	39	586	34	42	48	49	75	108	123	41	21	23	16	6

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 33

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	58	0.95	91	12	0
BOL	49	1.53	27	1.32	93	85	74.8
BRA	555	1.05	234	0.70	91	44	92.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	14	0.83	71	43	-
CHI	94	2.33	37	1.45	95	62	94.7
COL	225	1.96	129	1.77	86	80	91.2
COR	19	1.74	13	1.88	85	15	0
CUB	39	1.73	14	0.98	100	71	94.3
DOR	31	1.14	16	0.93	88	88	98.1
ECU	69	1.58	23	0.83	96	96	79.1
ELS	46	1.97	24	1.62	92	100	80.1
GUT	85	2.03	38	1.43	63	71	74.2
HAI	8	0.31	0	0.00	-	-	64.7
HON	43	1.88	31	2.13	100	90	94.8
MEX	509	1.54	234	1.12	94	72	94.5
NIC	47	2.65	23	2.04	100	100	91.1
PAN	9	1.07	5	0.93	100	60	94.7
PAR	19	1.10	7	0.64	100	100	92.5
PER	91	1.04	52	0.94	87	94	86.6
URU	5	0.64	4	0.81	75	75	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	60	1.25	92	92	85.5
TOTAL♦	2189	1.34	1043	1.01	90	67	91.6

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 33

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 33

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	2	1	0
BOL	2	2	0
BRA	10	5	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	25	13	4

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 32

Expanded Program on Immunization
Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 12 August 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/33 - 95/32)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			ENTERO- VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	99	18	6	7	14.7	58	10	0	0	0
CAR	DOR	30	0	2	0	35.7	18	10	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	9	1	2	0	50.0	3	3	0	0	0
	PAN	4	0	0	0	25.0	3	1	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	43	6	0	4	27.3	24	8	0	1	0
	BRA	181	48	2	12	21.0	94	16	2	7	0
	PER	77	12	0	25	17.5	33	6	0	1	0
INDRE	COR	11	2	0	0	44.4	5	4	0	0	0
	ELS	4	4	0	0	0.0	0	0	0	0	0
	GUT	48	5	9	1	30.3	23	8	2	0	0
	HON	45	0	8	0	10.8	33	4	0	0	0
	NIC	6	4	2	0	0.0	0	0	0	0	0
	PAN	3	2	0	0	0.0	1	0	0	0	0
INDRE	MEX	400	0	60	0	27.1	248	90	2	0	0
INH	VEN	96	3	4	0	15.7	75	13	0	1	0
INS	COL	217	0	5	0	26.9	155	44	0	13	0
	ECU	39	13	0	1	28.0	18	6	0	1	0
MAL	ARG	57	0	7	2	8.3	44	1	0	3	0
	CHI	26	0	0	12	14.3	12	2	0	0	0
	PAR	15	8	0	5	50.0	1	0	0	1	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	59	16	0	1	69.0	13	27	0	2	0
TOTAL		1491	142	107	70	25.3	876	253	6	37	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/33 - 95/32)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
FIO	BOL	0	3	0
	BRA	10	21	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	6	1	0
INS	COL	0	3	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	URU	0	0	0
REC	BRA	3	3	0
TOTAL		30	39	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/33 - 95/32)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		2	1	1	1	0	0	0	0	0	0	0	1	

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS											
			1- 4	5- 8	9-12	13-16	17-20	21-24	25-28	29	30	31	32	
ARG	30	40	5	4	4	3	9	6	4	2	2	1	0	
BOL	0	16	2	3	3	3	0	4	1	0	NR	NR	NR	
BRA	2	186	8	21	23	27	27	30	35	13	0	1	1	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	12	1	3	2	1	1	0	1	0	3	0	NR	
CHI	0	20	0	3	3	1	5	4	4	0	0	0	0	
COL	1	51	2	0	0	2	10	16	15	3	2	1	0	
COR	1	14	5	2	2	1	3	1	NR	NR	NR	NR	NR	
CUB	0	14	3	1	2	0	3	4	1	0	0	0	0	
DOR	0	6	0	0	0	0	0	4	2	0	0	0	0	
ECU	0	11	1	0	0	1	0	2	4	1	0	2	0	
ELS	0	15	0	2	2	1	0	5	4	0	0	0	1	
GUT	0	27	5	0	1	1	3	3	8	1	2	1	2	
HAI	0	0	0	0	0	0	0	0	0	0	0	0	NR	
HON	0	11	0	0	1	1	2	4	2	0	1	0	0	
MEX	1	94	1	2	1	6	11	17	28	13	6	6	3	
NIC	1	6	0	0	0	0	0	0	2	1	2	1	0	
PAN	4	3	0	0	0	1	0	0	1	1	0	0	0	
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0	
PER	0	15	0	0	0	1	4	6	3	1	0	NR	NR	
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR	NR	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	24	0	0	1	0	2	9	5	4	2	1	0	
TOTAL	40	573	34	43	49	50	81	115	120	40	20	14	7	

NR NO REPORT RECEIVED

Table No. 2
CASES OF APP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 32

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	48	0.81	92	15	0
BOL	49	1.53	25	1.26	96	84	74.5
BRA	555	1.05	229	0.70	90	44	92.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	14	0.86	71	43	-
CHI	94	2.33	37	1.49	95	62	94.5
COL	225	1.96	129	1.82	86	80	90.9
COR	19	1.74	11	1.64	64	9	0
CUB	39	1.73	14	1.01	100	71	94.2
DOR	31	1.14	16	0.96	88	88	98.0
ECU	69	1.58	23	0.85	96	96	78.7
ELS	46	1.97	23	1.60	91	100	79.8
GUT	85	2.03	38	1.48	63	71	74.2
HAI	8	0.31	0	0.00	-	-	66.9
HON	43	1.88	30	2.13	100	90	94.7
MEX	509	1.54	234	1.15	94	72	94.5
NIC	47	2.65	23	2.11	100	100	90.9
PAN	9	1.07	3	0.58	100	67	94.6
PAR	19	1.10	7	0.66	100	100	92.6
PER	91	1.04	49	0.91	86	96	83.1
URU	5	0.64	2	0.42	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	58	1.25	91	91	85.4
TOTAL*	2189	1.34	1013	1.01	90	68	91.4

* Adjusted + Taken within 14 days of onset of paralysis
• Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 32

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 32

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	2	2	0
BRA	10	5	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	13	4

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 31

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 5 August 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/32 - 95/31)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			ISOLA- TION	NEG.	ENTEROVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO- VIRUS	Poliovirus Pending Vaccine	
BEL	BRA	99	21	0	7	14.1	61	10	0	0
CAR	DOR	30	0	2	0	35.7	18	10	0	0
	GUY	2	0	0	0	0.0	2	0	0	0
	JAM	9	1	2	0	50.0	3	3	0	0
	PAN	4	0	0	0	25.0	3	1	0	0
	SUR	2	0	0	0	0.0	2	0	0	0
	TRT	7	0	0	0	0.0	7	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	0
	MEX	5	0	0	0	100.0	0	0	5	0
	NIC	1	0	0	0	100.0	0	0	1	0
FIO	BOL	44	6	0	4	26.5	25	8	1	0
	BRA	180	52	1	11	20.7	92	14	2	8
	PER	77	12	0	25	17.5	33	6	0	1
	COR	11	2	0	0	44.4	5	4	0	0
	ELS	1	1	0	0	0.0	0	0	0	0
	GUT	39	0	4	1	29.4	24	8	2	0
	HON	45	0	8	0	10.8	33	4	0	0
	NIC	6	0	0	0	0.0	0	0	0	0
	PAN	3	2	0	0	0.0	1	0	0	0
INDRE	MEX	397	0	45	1	27.1	256	93	2	0
INH	VEN	98	3	6	0	15.7	75	13	0	1
INS	COL	219	3	18	0	28.3	142	43	0	13
	ECU	38	11	0	1	26.9	19	6	0	1
MAL	ARG	52	0	3	2	8.5	43	1	0	3
	CHI	15	0	0	4	9.1	10	1	0	0
	PAR	15	8	0	5	50.0	1	0	0	1
	URU	4	0	0	0	0.0	4	0	0	0
REC	BRA	58	14	0	2	69.0	13	27	0	2
TOTAL		1462	142	89	63	25.3	872	252	6	38

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/32 - 95/31)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
FIO	BOL	0	3	0
	BRA	12	28	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	6	1	0
INS	COL	0	2	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	URU	0	0	0
REC	BRA	1	5	0
TOTAL		33	47	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/32 - 95/31)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		2	1	1	1	0	0	0	0	0	0	0	1	

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS												
		1995	1- 4	5- 8	9-12	13-16	17-20	21-24	25	26	27	28	29	30	31
ARG	30	35	5	4	4	3	9	6	1	1	2	0	0	0	0
BOL	0	16	2	3	3	3	0	4	0	0	1	0	0	NR	NR
BRA	2	187	9	25	24	29	29	32	13	6	5	7	8	0	0
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	12	1	3	2	1	1	0	0	0	0	0	0	3	0
CHI	8	20	0	3	3	1	5	4	4	0	0	0	0	0	0
COL	1	51	2	0	0	2	10	16	5	1	5	4	3	2	1
COR	1	14	5	2	2	1	3	1	NR	NR	NR	NR	NR	NR	NR
CUB	0	14	3	1	2	0	3	4	1	0	0	0	0	0	0
DOR	0	6	0	0	0	0	0	4	0	0	0	2	0	0	0
ECU	0	12	2	0	0	1	0	4	0	1	1	2	1	0	0
ELS	0	16	0	2	5	2	0	5	0	2	0	0	0	0	NR
GUT	0	11	5	0	1	1	2	1	1	0	0	0	0	0	NR
HAI	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HON	0	11	0	0	1	1	2	4	0	1	1	0	0	1	0
MEX	1	87	1	2	1	6	12	23	4	9	6	7	10	5	1
NIC	1	7	0	0	0	0	0	1	0	1	1	0	1	2	1
PAN	4	3	0	0	0	1	0	0	0	0	0	0	1	0	NR
PAR	0	6	1	1	4	0	0	0	0	0	1	0	1	0	0
PER	0	15	0	0	0	1	4	6	1	0	1	1	1	0	NR
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	27	0	1	1	0	2	10	4	0	1	1	4	2	1
TOTAL	48	552	36	48	53	53	83	125	34	23	25	24	29	15	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 31

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	43	0.75	93	16	0
BOL	49	1.53	25	1.31	96	84	74.5
BRA	555	1.05	217	0.69	89	44	92.2
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	14	0.89	71	43	-
CHI	94	2.33	36	1.50	94	64	94.4
COL	225	1.96	129	1.88	86	80	91.5
COR	19	1.74	11	1.69	64	9	0
CUE	39	1.73	14	1.04	100	71	94.1
DOR	31	1.14	16	0.99	88	88	98.6
ECU	69	1.58	21	0.80	95	95	78.3
ELS	46	1.97	20	1.44	95	100	80.8
GUT	85	2.03	22	0.88	45	82	74.2
HAI	8	0.31	0	0.00	-	-	66.7
HON	43	1.88	30	2.20	100	90	94.7
MEX	509	1.54	220	1.12	93	71	94.5
NIC	47	2.65	23	2.17	100	100	90.7
PAN	9	1.07	3	0.60	100	67	94.5
PAR	19	1.10	7	0.68	100	100	92.6
PER	91	1.04	49	0.94	86	96	86.1
URU	5	0.64	2	0.43	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	58	1.29	91	91	85.2
TOTAL*	2189	1.34	960	0.99	90	68	91.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 31

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 31

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	2	2	0
BRA	10	4	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	12	4

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 30

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 29 July 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/31 - 95/30)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	103	23	0	7	13.7	63	10	0	0	0
CAR	DOR	31	3	1	0	33.3	18	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	PAN	4	0	0	0	25.0	3	1	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	7	0	1	0	0.0	6	0	0	0	0
CDC	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	44	6	0	4	26.5	25	8	0	1	0
	BRA	186	52	1	11	20.5	97	14	2	9	0
	PER	79	12	7	18	19.0	34	7	0	1	0
INC	COR	11	2	0	0	44.4	5	4	0	0	0
	ELS	1	1	0	0	0.0	0	0	0	0	0
	GUT	39	0	4	1	29.4	24	8	2	0	0
	HON	44	0	11	1	12.5	28	4	0	0	0
	NIC	2	2	0	0	0.0	0	0	0	0	0
	PAN	3	2	0	0	0.0	1	0	0	0	0
INDRE	MEX	401	0	32	1	26.9	269	97	2	0	0
INH	VEN	100	6	8	0	12.8	75	10	0	1	0
INS	COL	212	2	15	0	28.7	139	43	0	13	0
	ECU	34	14	0	5	13.3	13	2	0	0	0
MAL	ARG	55	0	3	2	8.0	46	1	0	3	0
	CHI	16	0	0	4	8.3	11	1	0	0	0
	PAR	15	8	0	5	50.0	1	0	0	1	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	60	14	0	2	68.2	14	28	0	2	0
TOTAL		1468	147	83	61	25.0	883	250	6	39	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/31 - 95/30)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	1	0
FIO	BOL	0	3	0
	BRA	16	42	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	6	1	0
INS	COL	0	4	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	URU	0	0	0
REC	BRA	2	5	0
TOTAL		38	64	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/31 - 95/30)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	0	0	0	0	0	0	0	0	1	2
TOTAL		2	1	1	1	0	0	0	0	0	0	0	1	6

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS											
			1- 4	5- 8	9-12	13-16	17-20	21-24	25	26	27	28	29	30
ARG	35	39	5	6	5	3	10	6	1	1	2	0	0	NR
BOL	0	16	2	3	3	3	0	4	0	0	1	0	0	NR
BRA	2	187	9	25	23	29	30	32	13	6	5	7	8	0
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	11	1	3	2	1	1	0	0	1	0	0	0	NR
CHI	8	20	0	3	3	1	5	4	4	0	0	0	0	2
COL	1	41	2	0	0	2	10	16	5	1	4	1	0	NR
COR	1	14	5	2	2	1	3	1	NR	NR	NR	NR	NR	NR
CUB	0	14	3	1	2	0	3	4	1	0	0	0	0	0
DOR	0	6	0	0	0	0	0	4	0	0	0	2	0	NR
ECU	1	16	3	3	2	2	3	3	0	0	0	0	0	NR
ELS	0	16	0	2	5	2	0	5	0	0	0	0	NR	NR
GUT	0	11	5	0	1	1	2	1	1	0	0	0	0	0
HAI	0	2	0	0	0	0	0	0	0	0	0	0	0	0
HON	0	14	0	0	1	2	4	5	0	1	1	0	0	0
MEX	1	80	2	3	1	7	14	26	4	9	6	4	3	1
NIC	1	10	0	0	0	0	1	6	0	1	1	0	1	0
PAN	4	3	0	0	0	1	0	0	0	0	1	0	1	0
PAR	0	6	1	1	4	0	0	0	0	0	1	0	0	NR
PER	0	15	0	0	0	1	4	6	1	0	1	1	1	0
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	27	0	1	1	0	2	11	4	0	1	1	4	2
TOTAL	54	548	38	54	55	56	93	134	34	22	23	16	18	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs., % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 30

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	43	0.77	93	16	0
BOL	49	1.53	25	1.35	96	84	77.1
BRA	555	1.05	217	0.71	89	44	88.7
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	13	0.85	77	38	-
CHI	94	2.33	36	1.55	94	64	97.8
COL	225	1.96	119	1.79	87	79	91.4
COR	19	1.74	11	1.75	64	9	0
CUB	39	1.73	14	1.08	100	71	94.7
DOR	31	1.14	16	1.02	88	88	99.6
ECU	69	1.58	15	0.59	100	87	77.8
ELS	46	1.97	20	1.48	95	100	80.8
GUT	85	2.03	22	0.91	45	82	76.9
HAI	8	0.31	0	0.00	-	-	66.5
HON	43	1.88	29	2.20	100	90	94.6
MEX	509	1.54	205	1.08	93	72	94.4
NIC	47	2.65	20	1.95	100	95	93.8
PAN	9	1.07	3	0.62	100	67	94.5
PAR	19	1.10	7	0.70	100	100	92.7
PER	91	1.04	49	0.97	86	96	85.9
URU	5	0.64	2	0.44	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	57	1.31	91	91	79.1
TOTAL*	2189	1.34	923	0.98	90	68	90.6

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	2	2	0
BRA	10	4	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	4	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	12	4



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 29

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 22 July 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/30 - 95/29)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	94	17	1	6	14.3	60	10	0	0	0
CAR	DOR	32	3	1	0	32.1	19	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	7	0	1	0	0.0	6	0	0	0	0
CDC	DOR	1	0	0	0	100.0	0	0	0	1	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	0	0	5	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	45	6	0	4	28.6	25	9	0	1	0
	BRA	184	45	2	10	20.5	101	14	3	9	0
	PER	75	7	7	18	20.9	34	8	0	1	0
INC	COR	11	2	0	0	44.4	5	4	0	0	0
	ELS	1	1	0	0	0.0	0	0	0	0	0
	GUT	39	0	4	1	29.4	24	8	2	0	0
	HON	45	0	9	6	20.0	24	6	0	0	0
	NIC	2	2	0	0	0.0	0	0	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	397	0	25	1	26.1	274	95	2	0	0
INH	VEN	96	3	11	1	13.6	70	10	0	1	0
INS	COL	215	2	15	0	28.3	142	43	0	13	0
	ECU	37	14	0	5	22.2	14	4	0	0	0
MAL	ARG	57	0	4	1	7.7	48	1	0	3	0
	CHI	17	0	0	5	8.3	11	1	0	0	0
	PAR	16	8	0	5	33.3	2	0	0	1	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	57	17	0	2	71.1	11	26	0	1	0
TOTAL		1457	128	80	65	25.3	885	254	7	38	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/30 - 95/29)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	JAM	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	1	0
FIO	BOL	0	8	0
	BRA	19	47	0
	PER	7	6	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	6	1	0
INS	COL	0	4	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	0	0
REC	BRA	2	3	0
TOTAL		41	72	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/30 - 95/29)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	1	1	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	1	0	0	0	0	0	0	0	1	3
TOTAL		2	1	1	2	0	0	0	0	0	0	0	1	7

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 29

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS										
			1- 4	5- 8	9-12	13-16	17-20	21-24	25	26	27	28	29
ARG	35	39	5	6	5	3	10	6	1	1	2	0	0
BOL	0	16	2	3	3	3	0	4	0	0	1	0	0
BRA	2	159	9	24	24	29	24	24	10	5	3	5	2
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	9	1	3	2	1	1	0	0	1	0	0	0
CHI	8	20	0	3	3	1	5	4	4	0	0	0	0
COL	1	41	2	0	0	2	10	16	5	1	4	1	0
COR	1	14	5	2	2	1	3	1	NR	NR	NR	NR	NR
CUB	0	11	3	1	2	0	3	2	0	0	0	0	NR
DOR	0	6	0	0	0	0	0	4	0	0	0	2	0
ECU	1	16	3	3	2	2	3	3	0	0	0	0	NR
ELS	0	16	0	2	5	2	0	5	0	2	0	0	NR
GUT	0	11	5	0	1	1	2	1	1	0	0	0	0
HAI	0	0	0	0	0	0	0	0	0	0	0	0	0
HON	0	17	0	1	5	2	4	5	0	0	0	0	0
MEX	1	77	2	3	2	7	18	26	4	9	5	1	NR
NIC	1	10	0	0	0	0	1	6	0	1	1	0	1
PAN	4	3	0	0	0	1	0	0	0	0	1	0	1
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0
PER	0	11	0	0	0	1	4	6	0	0	0	0	NR
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	25	0	1	2	0	3	12	4	0	1	1	1
TOTAL	54	509	38	54	62	56	92	125	29	20	18	10	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 29

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	43	0.80	93	16	0
BOL	49	1.53	25	1.40	96	84	76.5
BRA	555	1.05	189	0.64	89	43	88.6
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	11	0.74	82	45	-
CHI	94	2.33	36	1.60	94	64	97.6
COL	225	1.96	119	1.86	87	79	91.5
COR	19	1.74	11	1.81	64	9	0
CUB	39	1.73	11	0.87	100	73	94.7
DOR	31	1.14	16	1.06	88	88	98.5
ECU	69	1.58	15	0.61	100	87	81.0
ELS	46	1.97	20	1.54	95	100	84.0
GUT	85	2.03	22	0.94	45	82	79.7
HAI	8	0.31	0	0.00	-	-	66.3
HON	43	1.88	27	2.11	100	89	94.6
MEX	509	1.54	197	1.07	92	71	94.4
NIC	47	2.65	20	2.02	100	95	93.9
PAN	9	1.07	3	0.64	100	67	94.7
PAR	19	1.10	7	0.73	100	100	92.7
PER	91	1.04	45	0.92	84	96	85.5
URU	5	0.64	2	0.46	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	52	1.23	90	90	82.0
TOTAL♦	2189	1.34	871	0.96	90	68	90.7

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 29

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 29

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	2	2	0
BRA	10	4	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	3	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	24	11	4

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 28

Expanded Program on Immunization
Polioyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 15 July 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/29 - 95/28)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ENTEROVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	
BEL	BRA	93	14	2	5	13.9	62	10	0	0	0
CAR	DOR	31	1	1	0	31.0	20	9	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	HAI	2	0	0	0	0.0	2	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	NIC	2	0	0	0	50.0	1	1	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	7	0	1	0	0.0	6	0	0	0	0
CDC	DOR	1	0	0	0	100.0	0	0	0	1	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	6	0	0	0	100.0	0	0	0	6	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	38	23	0	6	33.3	6	3	0	0	0
	BRA	177	37	1	10	20.2	103	14	3	9	0
	PER	78	7	7	18	21.7	36	9	0	1	0
-	COR	11	2	0	0	44.4	5	4	0	0	0
	ELS	1	1	0	0	0.0	0	0	0	0	0
	GUT	41	0	4	1	30.6	25	8	3	0	0
	HON	44	0	9	5	20.0	24	6	0	0	0
	NIC	2	2	0	0	0.0	0	0	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	410	0	25	1	25.8	285	97	2	0	0
INH	VEN	97	1	12	0	13.1	73	10	0	1	0
INS	COL	218	3	14	0	28.4	144	44	0	13	0
	ECU	41	14	0	5	18.2	18	4	0	0	0
MAL	ARG	59	0	4	1	7.4	50	1	0	3	0
	CHI	21	0	0	5	6.3	15	1	0	0	0
	PAR	16	8	0	5	33.3	2	0	0	1	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	58	16	0	2	72.5	11	28	0	1	0
TOTAL		1478	130	80	64	25.0	903	255	8	38	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/29 - 95/28)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	1	0
	GUT	1	0	0
FIO	BOL	0	8	0
	BRA	20	50	0
	PER	7	9	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	6	1	0
INS	COL	0	4	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	0	0
REC	BRA	2	3	0
TOTAL		43	78	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/29 - 95/28)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	2	1	0	0	0	0	0	0	0	0	0	0	3
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	BRA	0	0	1	1	0	0	0	0	0	0	0	1	3
TOTAL		3	1	1	2	0	0	0	0	0	0	0	1	8

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS									
			1- 4	5- 8	9-12	13-16	17-20	21-24	25	26	27	28
ARG	58	39	5	6	5	3	10	6	1	1	2	NR
BOL	3	14	3	4	5	2	0	0	0	0	0	0
BRA	2	149	11	27	25	29	23	21	9	4	0	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	9	1	3	2	1	1	0	NR	NR	NR	NR
CHI	8	20	0	3	3	1	5	4	4	0	0	0
COL	1	41	2	0	0	2	10	16	5	1	4	1
COR	1	14	5	2	2	1	3	1	NR	NR	NR	NR
CUB	0	11	3	1	2	0	3	2	0	0	0	0
DOR	0	7	0	0	0	0	3	4	0	0	0	0
ECU	1	16	3	3	2	2	3	3	0	0	0	0
ELS	0	16	0	2	5	2	0	5	0	2	0	0
GUT	0	11	5	0	1	1	2	1	1	0	0	NR
HAI	0	0	0	0	0	0	0	0	0	0	0	0
HON	0	16	0	1	5	2	3	5	0	0	0	0
MEX	1	77	2	3	2	7	18	26	4	9	5	1
NIC	1	9	0	0	0	0	1	6	0	1	1	0
PAN	4	2	0	0	0	1	0	0	0	0	1	0
PAR	0	6	1	1	4	0	0	0	0	0	0	0
PER	0	11	0	0	0	1	4	6	0	0	0	0
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	25	0	1	3	1	4	12	4	0	0	0
TOTAL	80	495	41	58	66	56	94	118	28	19	13	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 28

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	43	0.83	93	14	0
BOL	49	1.53	19	1.10	95	89	75.8
BRA	555	1.05	168	0.59	90	43	88.2
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	11	0.77	82	36	-
CHI	94	2.33	36	1.66	94	64	97.5
COL	225	1.96	119	1.92	87	79	91.3
COR	19	1.74	11	1.87	64	9	0
CUB	39	1.73	11	0.91	100	73	94.9
DOR	31	1.14	14	0.96	86	79	98.5
ECU	69	1.58	15	0.64	100	87	84.4
ELS	46	1.97	20	1.59	95	100	84.0
GUT	85	2.03	22	0.98	45	82	82.8
HAI	8	0.31	0	0.00	-	-	66.1
HON	43	1.88	26	2.11	100	88	94.7
MEX	509	1.54	197	1.11	92	71	94.4
NIC	47	2.65	19	1.99	100	100	93.8
PAN	9	1.07	2	0.44	100	50	94.7
PAR	19	1.10	7	0.75	100	100	92.7
PER	91	1.04	45	0.96	84	96	85.0
URU	5	0.64	2	0.47	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	49	1.21	92	90	81.8
TOTAL*	2189	1.34	836	0.95	90	68	90.6

* Adjusted * Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 28

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 28

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	10	4	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	9	4



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 27

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 8 July 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/28 - 95/27)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION		
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine
BEL	BRA	93	14	2	5	13.9	62	10	0	0
CAR	DOR	32	1	1	0	30.0	21	9	0	0
	GUY	2	0	0	0	0.0	2	0	0	0
	HAI	2	0	0	0	0.0	2	0	0	0
	JAM	7	0	0	0	42.9	4	3	0	0
	NIC	4	0	0	0	50.0	2	2	0	0
	PAN	6	0	0	0	50.0	3	3	0	0
	SUR	2	0	0	0	0.0	2	0	0	0
	TRT	6	0	0	0	0.0	6	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0
	DOR	1	0	0	0	100.0	0	0	0	1
	ELS	1	0	0	0	100.0	0	0	0	1
	MEX	6	0	0	0	100.0	0	0	0	6
	NIC	1	0	0	0	100.0	0	0	0	1
FIO	BOL	40	23	0	7	30.0	7	3	0	0
	BRA	184	37	1	10	20.6	108	15	3	10
	PER	80	7	7	18	22.9	37	10	0	1
	COR	12	2	0	1	44.4	5	4	0	0
	GUT	43	0	4	1	31.6	26	8	4	0
	HON	45	0	9	5	19.4	25	6	0	0
	NIC	2	2	0	0	0.0	0	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0
INDRE	MEX	409	0	21	0	25.0	291	94	2	1
INH	VEN	99	1	12	0	14.0	74	11	0	1
INS	COL	216	6	10	2	27.8	143	42	0	13
	ECU	43	14	0	5	20.8	19	5	0	0
MAL	ARG	60	0	5	0	7.3	51	1	0	3
	CHI	21	0	0	5	6.3	15	1	0	0
	PAR	16	8	0	5	33.3	2	0	0	1
	URU	4	0	0	0	0.0	4	0	0	0
REC	BRA	59	16	0	2	73.2	11	29	0	1
TOTAL		1499	132	72	66	24.9	923	256	10	40

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/28 - 95/27)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	1	0
CAR	DOR	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	1	0
	GUT	1	0	0
FIO	BOL	0	8	0
	BRA	20	54	0
	PER	7	9	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	0	0	0
INDRE	MEX	0	0	0
INH	VEN	7	1	0
INS	COL	0	5	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	0	0
REC	BRA	2	3	0
TOTAL		44	83	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/28 - 95/27)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	3	1	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	0	0	1	1	0	0	0	0	0	0	0	1	3
TOTAL		4	1	1	3	0	0	0	0	0	0	0	1	10

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 27

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS												
			1995	1- 4	5- 8	9-12	13-16	17-20	21	22	23	24	25	26	27
ARG	58	39	5	6	5	3	10	0	1	2	3	1	1	2	
BOL	3	14	3	4	5	2	0	0	0	0	0	0	0	0	
BRA	2	149	11	27	25	29	23	3	9	6	3	9	4	0	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	9	1	3	2	1	1	0	0	0	0	0	1	0	
CHI	8	20	0	3	3	1	5	3	0	1	0	4	0	0	
COL	1	38	2	0	0	2	12	3	4	5	3	5	1	1	
COR	1	14	5	2	2	1	3	1	0	0	0	NR	NR	NR	
CUB	0	10	3	1	2	0	3	0	1	0	0	0	0	NR	
DOR	0	7	0	0	0	0	3	2	0	1	1	0	0	0	
ECU	1	16	3	3	2	2	3	0	0	1	2	0	NR	NR	
ELS	0	13	0	2	5	2	0	0	1	2	1	0	NR	NR	
GUT	0	11	5	0	1	1	2	1	0	0	0	1	0	0	
HAI	7	0	0	0	0	0	0	0	0	0	0	0	0	0	
HON	0	16	0	1	5	2	3	3	1	1	0	0	0	0	
MEX	1	66	2	4	2	7	20	7	2	7	5	3	6	1	
NIC	1	9	0	0	0	0	1	2	1	1	2	0	1	1	
PAN	4	2	0	0	0	1	0	0	0	0	0	0	0	1	
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0	0	
PER	0	11	0	0	0	1	4	3	2	0	1	0	0	NR	
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR	NR	NR	
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	25	0	1	3	1	4	3	5	1	3	4	0	0	
TOTAL	87	477	41	59	66	56	98	31	27	28	24	27	14	6	

NR NO REPORT RECEIVED

Table No. 2
CASES OF APP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 27

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	43	0.86	93	14	0
BOL	49	1.53	19	1.14	95	89	75.0
BRA	555	1.05	168	0.61	90	43	91.7
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	11	0.80	82	36	-
CHI	94	2.33	36	1.72	94	64	98.2
COL	225	1.96	114	1.91	86	80	91.5
COR	19	1.74	11	1.94	64	9	0
CUB	39	1.73	10	0.85	100	70	94.9
DOR	31	1.14	14	0.99	86	79	98.4
ECU	69	1.58	15	0.66	100	87	84.4
ELS	46	1.97	17	1.40	94	100	83.9
GUT	85	2.03	22	1.01	45	82	82.8
HAI	8	0.31	0	0.00	-	-	65.8
HON	43	1.88	26	2.19	100	88	94.7
MEX	509	1.54	182	1.06	92	73	94.3
NIC	47	2.65	19	2.06	100	100	93.6
PAN	9	1.07	2	0.46	100	50	94.6
PAR	19	1.10	7	0.78	100	100	92.7
PER	91	1.04	45	0.99	84	96	84.5
URU	5	0.64	2	0.49	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	49	1.25	92	90	85.1
TOTAL♦	2189	1.34	812	0.96	89	68	91.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE C
BY WEEK OF ONSE.

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	10	4	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	1
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	9	4



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 26

Expanded Program on Immunization
Polio Myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 1 July 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/27 - 95/26)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS OTHER ENTERO-VIRUS	POLIOVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	
BEL	BRA	95	13	2	6	13.5	64	10	0	0	0
CAR	DOR	33	2	2	0	24.1	22	7	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	HAI	3	0	0	0	0.0	3	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	NIC	7	0	0	0	28.6	5	2	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
CDC	TRT	6	0	0	0	0.0	6	0	0	0	0
	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
FIO	MEX	7	0	0	0	100.0	0	0	0	7	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	41	23	0	7	27.3	8	3	0	0	0
	BRA	189	33	2	9	20.7	115	15	3	12	0
	PER	82	7	13	12	26.0	37	11	0	2	0
	COR	12	2	0	1	44.4	5	4	0	0	0
	GUT	41	1	0	6	23.5	26	4	4	0	0
	HON	42	0	5	5	18.8	26	6	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	410	0	24	0	23.8	294	89	2	1	0
INH	VEN	102	1	15	0	16.3	72	12	0	2	0
INS	COL	220	6	5	1	26.0	154	41	0	13	0
	ECU	44	15	0	5	20.8	19	5	0	0	0
MAL	ARG	62	0	5	0	8.8	52	2	0	3	0
	CHI	24	0	0	6	5.6	17	1	0	0	0
	PAR	17	8	0	5	25.0	3	0	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	63	15	0	2	69.6	14	31	0	1	0
TOTAL		1526	126	73	65	24.1	958	249	10	45	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/27 - 95/26)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	0	16	0
CAR	DOR	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	1	0
	GUT	1	0	0
FIO	BOL	0	8	0
	BRA	20	55	0
	PER	7	12	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	1	0	0
INDRE	MEX	0	0	0
INH	VEN	8	1	0
INS	COL	0	7	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	0	0
REC	BRA	2	3	0
TOTAL		46	104	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/27 - 95/26)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	3	1	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	0	0	1	1	0	0	0	0	0	0	0	1	3
TOTAL		4	1	1	3	0	0	0	0	0	0	0	1	10

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS											
		1995	1- 4	5- 8	9-12	13-16	17-20	21	22	23	24	25	26	
ARG	58	38	5	6	6	3	10	0	1	2	3	1	1	
BOL	3	14	3	4	5	2	0	0	0	0	0	0	NR	
BRA	2	148	14	27	25	29	23	3	9	5	3	8	2	
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
CAR	0	8	1	3	2	1	1	0	0	0	0	0	0	
CHI	8	20	0	3	3	1	5	3	0	1	0	4	0	
COL	2	45	2	1	4	5	17	5	4	5	2	0	0	
COR	1	14	5	2	2	1	3	1	0	0	0	NR	NR	
CUB	0	10	3	1	2	0	3	0	1	0	0	0	0	
DOR	0	7	0	0	0	0	3	2	0	1	1	0	0	
ECU	1	16	3	3	2	2	3	0	0	1	2	0	NR	
ELS	0	13	0	2	5	2	0	0	1	2	1	0	NR	
GUT	0	15	6	1	4	2	2	0	0	0	0	0	0	
HAI	7	0	0	0	0	0	0	0	0	0	0	0	0	
HON	0	12	0	1	5	2	2	2	0	0	0	0	0	
MEX	1	61	2	5	2	9	22	7	2	6	5	1	0	
NIC	1	8	0	0	0	0	1	2	1	1	2	0	1	
PAN	4	1	0	0	0	1	0	0	0	0	0	0	0	
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0	
PER	0	11	0	0	0	1	4	3	2	0	1	0	0	
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR	NR	
USA	0	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	
VEN	0	25	0	1	3	1	4	3	5	1	3	4	0	
TOTAL	88	474	45	62	74	62	104	31	26	25	23	18	4	

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 26

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	42	0.87	93	14	0
BOL	49	1.53	19	1.18	95	89	74.3
BRA	555	1.05	164	0.62	90	43	83.6
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	9	0.68	78	44	-
CHI	94	2.33	36	1.78	94	64	98.4
COL	225	1.96	106	1.84	86	80	87.6
COR	19	1.74	11	2.02	64	9	0
CUB	30	1.73	10	0.89	100	70	94.8
DOR	31	1.14	14	1.03	86	79	98.4
ECU	69	1.58	15	0.69	100	87	88.1
ELS	46	1.97	17	1.46	94	100	84.0
GUT	85	2.03	19	0.91	58	84	66.0
HAI	8	0.31	0	0.00	-	-	-
HON	43	1.88	22	1.92	100	86	94.6
MEX	509	1.54	171	1.04	92	73	94.3
NIC	47	2.65	18	2.03	100	100	93.4
PAN	9	1.07	1	0.24	100	0	94.6
PAR	19	1.10	7	0.81	100	100	92.7
PER	91	1.04	45	1.03	84	96	88.1
URU	5	0.64	2	0.51	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	49	1.30	92	90	88.1
TOTAL♦	2189	1.34	777	0.95	90	68	89.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 26

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 26

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	10	3	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	8	3



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 25

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 24 June 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/26 - 95/25)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	94	10	2	6	13.2	66	10	0	0	0
CAR	DOR	32	0	2	0	23.3	23	7	0	0	0
	GUT	1	0	0	0	100.0	0	1	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	HAI	3	0	0	0	0.0	3	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	NIC	9	0	0	0	22.2	7	2	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	2	0	0	0	0.0	2	0	0	0	0
	TRT	6	0	0	0	0.0	6	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	0	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	41	23	0	7	27.3	8	3	0	0	0
	BRA	186	32	2	12	18.6	114	12	4	10	0
	PER	85	7	14	11	30.2	37	14	0	2	0
	COR	12	2	0	1	44.4	5	4	0	0	0
	GUT	42	1	5	1	22.9	27	4	4	0	0
INDRE	HON	43	0	8	5	23.3	23	7	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INS	MEX	413	0	22	0	23.0	301	87	2	1	0
INH	VEN	94	2	7	0	16.5	71	12	0	2	0
INS	COL	222	6	5	1	25.7	156	41	0	13	0
	ECU	45	16	0	5	20.8	19	5	0	0	0
MAL	ARG	62	0	4	0	8.6	53	2	1	2	0
	CHI	26	0	0	6	10.0	18	2	0	0	0
	PAR	17	8	0	5	25.0	3	0	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	67	19	0	3	71.1	13	32	0	0	0
TOTAL		1535	126	71	63	24.0	969	251	12	43	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/26 - 95/25)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	0	16	0
CAR	DOR	0	0	0
	GUT	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	2	0
	GUT	3	0	0
FIO	BOL	0	8	0
	BRA	24	55	0
	PER	7	15	0
INC	COR	0	0	0
	GUT	7	0	0
	HON	1	0	0
INDRE	MEX	0	0	0
INH	VEN	8	1	0
INS	COL	0	7	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	0	0
REC	BRA	2	3	0
TOTAL		52	108	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/26 - 95/25)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	GUT	3	1	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	0	0	2	1	0	0	0	0	0	0	0	1	4
TOTAL		4	2	2	3	0	0	0	0	0	0	0	1	12

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 25

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS									
			1- 4	5- 8	9-12	13-16	17-20	21	22	23	24	25
ARG	58	36	5	6	6	3	10	0	1	2	2	1
BOL	3	14	3	4	5	2	0	0	0	0	0	0
BRA	9	139	15	29	27	29	25	3	8	2	0	1
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	9	1	3	2	1	2	0	0	0	0	NR
CHI	8	18	0	3	3	1	5	3	0	1	0	2
COL	2	45	2	1	4	5	17	5	4	5	2	0
COR	1	14	5	2	2	1	3	1	0	0	NR	NR
CUB	0	10	3	1	2	0	3	0	1	0	0	0
DOR	0	5	0	0	0	0	3	2	0	0	0	0
ECU	1	16	3	3	2	2	3	0	0	1	2	0
ELS	0	13	0	2	5	2	0	0	1	2	1	0
GUT	0	15	6	1	4	2	2	0	0	0	0	NR
HAI	7	0	0	0	0	0	0	0	0	0	0	0
HON	0	15	0	1	5	5	2	2	0	0	0	0
MEX	1	63	1	7	3	11	25	7	2	4	3	0
NIC	1	8	0	0	0	0	2	2	1	1	2	0
PAN	4	1	0	0	0	1	0	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0	0
PER	0	11	0	0	0	1	4	3	2	0	1	0
URU	0	2	0	1	0	0	1	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	20	0	1	3	3	5	2	5	0	1	0
TOTAL	95	460	45	66	77	69	111	31	25	18	14	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 25

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	39	0.84	92	15	0
BOL	49	1.53	19	1.23	95	89	73.7
BRA	555	1.05	148	0.58	89	41	87.3
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	9	0.71	78	44	-
CHI	94	2.33	34	1.75	94	65	85.9
COL	225	1.96	106	1.92	86	80	91.4
COR	19	1.74	11	2.10	64	9	0
CUB	39	1.73	10	0.92	100	70	90.7
DOR	31	1.14	12	0.92	83	75	98.3
ECU	69	1.58	15	0.71	100	87	88.1
ELS	46	1.97	17	1.51	94	100	84.0
GUT	85	2.03	19	0.95	58	84	68.9
HAI	8	0.31	0	0.00	-	-	65.3
HON	43	1.88	22	2.00	100	86	94.6
MEX	509	1.54	165	1.04	92	75	94.3
NIC	47	2.65	17	1.99	100	100	93.2
PAN	9	1.07	1	0.25	100	0	94.4
PAR	19	1.10	7	0.84	100	100	92.7
PER	91	1.04	45	1.07	84	96	87.9
URU	5	0.64	2	0.53	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	41	1.13	93	90	84.7
TOTAL*	2189	1.34	739	0.94	89	68	90.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 25

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 25

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	10	3	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	2
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	1
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	23	8	3

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 24

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 17 June 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/25 - 95/24)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	POLIOVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	
BEL	BRA	95	9	1	6	12.7	69	10	0	0	0
CAR	DOR	32	0	2	0	23.3	23	7	0	0	0
	GUT	6	0	0	0	16.7	5	1	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	HAI	3	0	0	0	0.0	3	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	NIC	9	0	0	0	22.2	7	2	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	3	0	0	0	0.0	3	0	0	0	0
	TRT	6	0	0	0	0.0	6	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	0	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	41	23	0	7	27.3	8	3	0	0	0
	BRA	185	26	2	13	18.1	118	11	6	9	0
	PER	80	5	9	12	31.5	37	15	0	2	0
INC	COR	13	2	0	1	40.0	6	4	0	0	0
	GUT	43	1	5	1	22.2	28	4	4	0	0
	HON	43	0	8	0	20.0	28	7	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	411	0	22	0	21.1	307	79	2	1	0
INH	VEN	96	6	4	0	16.3	72	12	0	2	0
INS	COL	228	6	12	1	25.4	156	40	0	13	0
	ECU	38	9	0	6	26.1	17	6	0	0	0
MAL	ARG	61	0	3	0	8.6	53	2	1	2	0
	CHI	29	0	0	7	9.1	20	2	0	0	0
	PAR	18	8	0	5	40.0	3	1	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	62	12	0	3	70.2	14	33	0	0	0
TOTAL		1535	107	68	62	23.2	997	245	14	42	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/25 - 95/24)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	1	16	0
CAR	DOR	0	0	0
	GUT	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
		0	0	0
CDC	DOR	0	1	0
	ELS	0	2	0
	GUT	3	0	0
FIO	BOL	0	8	0
	BRA	39	32	0
	PER	7	15	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	0	0
INDRE	MEX	5	0	0
INH	VEN	11	4	0
INS	COL	0	7	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	0	0
REC	BRA	2	3	0
TOTAL		77	88	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/25 - 95/24)

Last 32 weeks (5/7/75 - 5/7/77)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	GUT	3	1	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	1	0	0	1	6
TOTAL		5	2	2	3	0	0	0	0	1	0	0	1	14

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 24

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS								
			1- 4	5- 8	9-12	13-16	17-20	21	22	23	24
ARG	58	36	6	6	6	3	11	0	1	2	1
BOL	3	14	3	4	5	2	0	0	0	0	0
BRA	35	118	16	31	28	26	17	0	0	0	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	9	1	3	2	1	2	0	0	0	0
CHI	8	10	0	2	2	0	4	2	0	0	0
COL	2	45	2	1	4	5	17	5	4	5	2
COR	1	14	5	2	2	1	3	1	0	0	NR
CUB	0	6	3	1	2	0	0	0	0	0	0
DOR	0	5	0	0	0	0	3	2	0	0	NR
ECU	1	6	3	3	0	0	0	0	0	NR	NR
ELS	0	12	0	2	5	2	0	0	1	1	1
GUT	0	15	6	1	4	2	2	0	0	0	0
HAI	7	0	0	0	0	0	0	0	NR	NR	NR
HON	0	10	0	0	1	5	2	2	0	0	0
MEX	1	71	5	9	6	18	26	6	0	1	0
NIC	1	7	0	0	0	2	2	2	1	0	0
PAN	4	1	0	0	0	1	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0
PER	0	17	0	2	3	10	2	0	0	0	0
URU	0	2	0	1	0	0	1	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	19	0	1	3	4	5	2	4	0	0
TOTAL	121	423	51	70	77	82	96	23	11	9	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 24

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	37	0.83	92	16	0
BOL	49	1.53	19	1.28	95	89	72.8
BRA	556	1.05	120	0.49	89	43	81.4
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	9	0.74	78	44	-
CHI	94	2.33	26	1.40	92	69	85.2
COL	225	1.96	106	2.00	86	78	91.4
COR	19	1.74	11	2.18	64	9	0
CUB	39	1.73	6	0.58	100	67	90.4
DOR	31	1.14	12	0.96	83	75	98.2
ECU	69	1.58	5	0.25	100	80	87.8
ELS	46	1.97	16	1.48	94	100	84.0
GUT	85	2.03	19	0.99	58	84	72.0
HAI	8	0.31	0	0.00	-	-	61.5
HON	43	1.88	22	2.08	100	86	94.5
MEX	509	1.54	155	1.02	92	75	89.7
NIC	47	2.65	14	1.71	100	100	93.1
PAN	9	1.07	1	0.26	100	0	94.3
PAR	19	1.10	7	0.88	100	100	88.7
PER	91	1.04	37	0.92	84	97	87.7
URU	5	0.64	2	0.55	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	39	1.12	92	90	84.6
TOTAL*	2190	1.34	663	0.88	89	69	87.1

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 24

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 24

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	2	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	17	7	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 23

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 10 June 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/24 - 95/23)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ISOLATION Poliovirus		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	99	10	1	6	12.2	72	10	0	0	0
CAR	DOR	31	4	0	0	14.8	23	4	0	0	0
	GUT	9	0	0	0	11.1	8	1	0	0	0
	GUY	2	0	0	0	0.0	2	0	0	0	0
	HAI	3	0	0	0	0.0	3	0	0	0	0
	JAM	6	0	0	0	50.0	3	3	0	0	0
	NIC	10	0	0	0	30.0	7	3	0	0	0
	PAN	5	0	0	0	60.0	2	3	0	0	0
	SUR	3	0	0	0	0.0	3	0	0	0	0
	TRT	5	0	0	0	0.0	5	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	ELS	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	0	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	41	23	0	7	27.3	8	3	0	0	0
	BRA	191	26	2	13	18.7	122	12	6	10	0
	PER	82	5	9	12	33.9	37	17	0	2	0
INC	COR	12	1	0	1	40.0	6	4	0	0	0
	GUT	43	1	5	1	22.2	28	4	4	0	0
	HON	41	1	5	0	20.0	28	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	411	0	32	0	21.1	299	77	2	1	0
INH	VEN	97	6	4	0	16.1	73	12	0	2	0
INS	COL	222	3	13	4	25.7	150	39	0	13	0
	ECU	38	9	0	6	26.1	17	6	0	0	0
MAL	ARG	56	0	2	1	7.5	49	2	0	2	0
	CHI	31	0	0	8	8.7	21	2	0	0	0
	PAR	19	8	0	5	33.3	4	1	0	1	0
	URU	5	1	0	0	0.0	4	0	0	0	0
REC	BRA	62	12	0	3	70.2	14	33	0	0	0
TOTAL		1539	111	73	67	23.2	989	243	13	43	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/24 - 95/23)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	16	0
CAR	DOR	0	0	0
	GUT	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	2	0
	GUT	3	0	0
FIO	BOL	0	8	0
	BRA	39	35	0
	PER	7	18	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	0	0
INDRE	MEX	5	0	0
INH	VEN	11	4	0
INS	COL	0	7	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	0	0
REC	BRA	2	4	0
TOTAL		77	96	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/24 - 95/23)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	3	1	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	1	0	0	1	6
TOTAL		5	1	2	3	0	0	0	0	1	0	0	1	13

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS										
			1- 4	5- 8	9-12	13-16	17	18	19	20	21	22	23
ARG	58	21	6	6	6	3	0	0	0	0	0	NR	NR
BOL	3	14	3	4	5	2	0	0	0	0	0	0	0
BRA	35	118	16	31	28	26	5	4	5	3	0	0	0
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0	0	0	NR
CHI	8	9	0	2	2	0	1	1	0	2	1	0	0
COL	3	38	2	2	5	7	7	2	2	6	4	1	0
COR	1	12	5	2	2	1	2	0	0	0	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0	0	0	NR
DOR	0	5	0	0	0	0	0	1	2	0	2	0	0
ECU	1	6	3	3	0	0	0	0	0	0	0	0	NR
ELS	0	10	0	2	5	2	0	0	0	0	0	1	0
GUT	0	15	6	1	4	2	2	0	0	0	NR	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0	0	NR	NR
HON	0	7	0	0	1	5	1	0	0	0	0	0	0
MEX	1	70	6	12	4	18	3	6	9	8	4	0	NR
NIC	1	7	0	0	0	2	1	0	0	1	2	1	0
PAN	4	1	0	0	0	1	0	0	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0	0	0
PER	0	17	0	2	3	10	0	0	2	0	0	0	NR
URU	4	2	0	1	0	0	1	0	0	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	19	0	1	3	4	3	0	1	1	2	4	0
TOTAL	126	389	52	74	75	84	26	14	21	21	15	7	0

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 23

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	22	0.51	95	18	0
BOL	49	1.53	19	1.34	95	89	71.9
BRA	556	1.05	120	0.51	89	43	81.4
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.60	86	57	-
CHI	94	2.33	25	1.40	92	68	84.5
COL	225	1.96	94	1.85	86	78	91.3
COR	19	1.74	9	1.87	78	11	0
CUB	39	1.73	5	0.50	100	60	90.1
DOR	31	1.14	12	1.00	83	75	98.1
ECU	69	1.58	5	0.26	100	80	92.0
ELS	46	1.97	14	1.36	93	100	83.8
GUT	85	2.03	19	1.03	58	84	63.8
HAI	8	0.31	0	0.00	-	-	61.5
HON	43	1.88	19	1.88	100	95	94.4
MEX	509	1.54	147	1.01	93	74	94.2
NIC	47	2.65	14	1.78	100	100	93.1
PAN	9	1.07	1	0.27	100	0	94.1
PAR	19	1.10	7	0.92	100	100	88.6
PER	91	1.04	37	0.96	84	97	87.3
URU	5	0.64	2	0.58	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	39	1.17	92	90	84.4
TOTAL*	2190	1.34	617	0.86	89	70	89.3

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 23

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 23

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	2	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	1	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	17	7	0

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 22

Expanded Program on Immunization
Poliomylitis Surveillance in the Americas

Weekly Bulletin for the week
ending 3 June 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/23 - 95/22)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ENTEROVIRUS ISOLATION Poliovirus		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	102	10	1	6	11.8	75	10	0	0	0
CAR	DOR	27	0	0	0	22.2	21	6	0	0	0
	GUT	10	0	0	0	10.0	9	1	0	0	0
	GUY	3	0	0	0	0.0	3	0	0	0	0
	HAI	3	0	0	0	0.0	3	0	0	0	0
	JAM	7	0	0	0	57.1	3	4	0	0	0
	NIC	10	0	0	0	30.0	7	3	0	0	0
	PAN	5	0	0	0	60.0	2	3	0	0	0
	SUR	3	0	0	0	0.0	3	0	0	0	0
	TRT	5	0	0	0	0.0	5	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	0	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	43	23	0	7	23.1	10	3	0	0	0
	BRA	194	26	2	13	19.6	123	14	6	10	0
	PER	83	5	10	11	33.3	38	17	0	2	0
INC	COR	12	1	0	1	40.0	6	4	0	0	0
	GUT	43	1	5	1	22.2	28	4	4	0	0
	HON	44	1	10	1	21.9	25	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	425	0	32	0	21.4	309	81	2	1	0
INH	GUT	1	0	0	0	100.0	0	0	1	0	0
	VEN	97	4	4	0	15.7	75	12	0	2	0
INS	COL	220	5	19	3	24.4	146	34	0	13	0
	ECU	39	9	0	6	25.0	18	6	0	0	0
MAL	ARG	58	0	2	1	9.1	50	3	0	2	0
	CHI	35	0	0	19	6.3	15	1	0	0	0
	PAR	20	8	0	5	28.6	5	1	0	1	0
	URU	5	1	0	0	0.0	4	0	0	0	0
REC	BRA	65	12	0	3	68.0	16	33	0	1	0
TOTAL		1573	107	85	77	23.3	1000	247	14	43	0

* Each sample relates to an individual

Case samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/23 - 95/22)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	4	1	0	0	0	0	0	0	0	0	0	0	5
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	1	0	0	1	6
TOTAL		6	1	2	3	0	0	0	0	1	0	0	1	14

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/23 - 95/22)

LAB.	CNTRY	POLIOVIRUS ISOLATION Poliovirus		
		Pending	Vaccine	Wild
BEL	BRA	1	17	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	2	0
	GUT	4	0	0
FIO	BOL	0	8	0
	BRA PER	41 7	35 21	0 0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	0	0
INDRE	MEX	5	0	0
INH	VEN	11	5	0
INS	COL	0	9	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	0	0
REC	BRA	2	4	0
TOTAL		80	103	0

Contact samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 22

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS									
			1- 4	5- 8	9-12	13-16	17	18	19	20	21	22
ARG	58	21	6	6	6	3	0	0	0	0	0	NR
BOL	3	14	3	4	5	2	0	0	0	0	0	0
BRA	35	118	16	31	28	26	5	4	5	3	0	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0	0	0
CHI	8	11	0	2	3	1	1	1	0	2	1	0
COL	3	55	7	6	15	11	6	2	1	5	2	0
COR	1	12	5	2	2	1	2	0	0	0	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0	0	0
DOR	0	5	0	3	2	0	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	0	0	0	0	0
ELS	0	8	0	2	4	2	0	0	0	0	0	0
GUT	0	15	6	1	4	2	2	0	0	0	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0	0	NR
HON	0	12	0	1	5	5	1	0	0	0	0	0
MEX	1	70	6	12	4	18	3	6	9	8	4	0
NIC	1	7	0	0	0	2	1	0	0	1	2	1
PAN	4	1	0	0	0	1	0	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0	0
PER	0	17	0	2	3	10	0	0	2	0	0	0
URU	4	2	0	1	0	0	1	0	0	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	0	17	0	1	3	4	3	0	1	1	2	2
TOTAL	126	409	57	82	91	89	25	13	18	20	11	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 22

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	22	0.54	95	18	0
BOL	49	1.53	19	1.40	95	89	70.7
BRA	556	1.05	120	0.54	89	43	85.8
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.62	86	57	-
CHI	94	2.33	25	1.46	92	68	83.7
COL	225	1.96	88	1.81	88	78	91.3
COR	19	1.74	9	1.95	78	11	0
CUB	39	1.73	5	0.52	100	60	89.6
DOR	31	1.14	6	0.52	100	67	98.1
ECU	69	1.58	5	0.27	100	80	91.7
ELS	46	1.97	12	1.21	92	100	83.8
GUT	85	2.03	19	1.07	58	84	63.8
HAI	8	0.31	0	0.00	-	-	64.6
HON	43	1.88	19	1.96	100	95	94.3
MEX	509	1.54	147	1.05	93	74	94.1
NIC	47	2.65	14	1.87	100	100	92.9
PAN	9	1.07	1	0.28	100	0	93.9
PAR	19	1.10	7	0.96	100	100	88.5
PER	91	1.04	37	1.00	84	97	87.0
URU	5	0.64	2	0.60	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	37	1.16	92	89	84.3
TOTAL♦	2190	1.34	601	0.87	90	70	90.1

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 22

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 22

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	8	2	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	17	5	0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 21

Expanded Program on Immunization
Polio Myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 27 May 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/22 - 95/21)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	ENTEROVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks				Poliovirus Pending	Poliovirus Vaccine	
BEL	BRA	105	10	1	6	12.5	77	11	0	0	0
CAR	DOR	27	0	0	0	22.2	21	6	0	0	0
	GUT	11	0	0	0	9.1	10	1	0	0	0
	GUY	4	0	0	0	0.0	4	0	0	0	0
	HAI	5	0	0	0	20.0	4	1	0	0	0
	JAM	7	0	0	0	57.1	3	4	0	0	0
	NIC	10	0	0	0	30.0	7	3	0	0	0
	PAN	5	0	0	0	60.0	2	3	0	0	0
	SUR	3	0	0	0	0.0	3	0	0	0	0
	TRT	5	0	0	0	0.0	5	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	8	0	0	0	100.0	0	0	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	45	23	0	7	26.7	11	4	0	0	0
	BRA	198	26	2	13	20.4	125	15	6	11	0
	PER	79	17	0	22	32.5	27	12	0	1	0
:	COR	12	1	0	1	40.0	6	4	0	0	0
	GUT	43	1	5	1	22.2	28	4	4	0	0
	HON	42	0	9	1	21.9	25	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	428	0	30	0	21.9	311	83	3	1	0
INH	GUT	1	0	0	0	100.0	0	0	1	0	0
	VEN	96	2	4	0	15.6	76	12	0	2	0
INS	COL	215	4	14	2	24.1	148	34	0	13	0
	ECU	41	9	0	6	26.9	19	7	0	0	0
MAL	ARG	62	0	3	0	10.2	53	4	0	2	0
	CHI	36	0	1	18	5.9	16	1	0	0	0
	PAR	20	8	0	5	28.6	5	1	0	1	0
	URU	5	1	0	0	0.0	4	0	0	0	0
REC	BRA	66	12	1	2	66.7	17	33	0	1	0
TOTAL		1584	115	70	84	23.3	1008	250	15	42	0

* Each sample relates to an individual

Case samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/22 - 95/21)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	4	1	0	0	0	0	0	0	0	0	0	0	5
	MEX	1	0	0	2	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	1	0	0	1	6
TOTAL		6	1	2	4	0	0	0	0	1	0	0	1	15

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/22 - 95/21)

LAB.	CNTRY	POLIOVIRUS ISOLATION		Wild
		Poliovirus Pending	Poliovirus Vaccine	
BEL	BRA	1	19	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	DOR	0	1	0
	ELS	0	2	0
	GUT	4	0	0
FIO	BOL	0	12	0
	BRA PER	41 0	43 21	0 0
INC	COR	0	0	0
	GUT HON	8 1	0 0	0 0
INDRE	MEX	5	0	0
INH	VEN	11	5	0
INS	COL	0	10	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	0	0
REC	BRA	2	5	0
TOTAL		73	119	0

Contact samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 21

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS								
			1- 4	5- 8	9-12	13-16	17	18	19	20	21
ARG	58	21	6	6	6	3	0	0	0	0	0
BOL	3	14	3	4	5	2	0	0	0	0	NR
BRA	35	118	16	31	28	26	5	4	5	3	0
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0	0
CHI	8	8	0	2	5	1	0	0	0	0	0
COL	3	49	7	6	16	12	6	2	0	0	NR
COR	1	12	5	2	2	1	2	0	0	0	NR
CUB	0	5	3	1	1	0	0	0	0	0	0
DOR	0	5	0	3	2	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	0	0	NR	NR
ELS	0	8	0	2	4	2	0	0	0	0	0
GUT	0	15	6	1	4	2	2	0	0	0	NR
HAI	7	0	0	0	0	0	0	0	0	0	0
HON	0	10	0	1	5	4	0	0	0	0	0
MEX	1	75	7	13	10	19	3	6	8	7	2
NIC	1	6	0	0	2	2	1	0	0	1	0
PAN	4	1	0	0	0	1	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0
PER	0	24	1	4	8	11	0	0	0	0	NR
URU	4	2	0	1	0	0	1	0	0	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	15	0	1	3	4	3	0	1	1	2
TOTAL	127	407	59	85	107	91	23	12	14	12	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 21

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	22	0.56	95	18	0
BOL	49	1.53	19	1.46	95	89	69.4
BRA	556	1.05	120	0.56	89	43	80.8
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.65	86	57	-
CHI	94	2.33	19	1.17	95	68	82.9
COL	225	1.96	81	1.74	88	77	86.3
COR	19	1.74	9	2.04	78	11	0
CUB	39	1.73	5	0.55	100	60	94.6
DOR	31	1.14	6	0.55	100	67	98.0
ECU	69	1.58	5	0.28	100	80	91.3
ELS	46	1.97	12	1.27	92	100	88.5
GUT	85	2.03	19	1.13	58	84	69.2
HAI	8	0.31	0	0.00	-	-	64.4
HON	43	1.88	17	1.84	100	94	94.2
MEX	509	1.54	143	1.07	92	72	94.0
NIC	47	2.65	11	1.54	100	27	92.7
PAN	9	1.07	1	0.29	100	0	93.7
PAR	19	1.10	7	1.00	100	100	88.4
PER	91	1.04	32	0.91	84	94	86.5
URU	5	0.64	2	0.63	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	35	1.15	91	89	84.2
TOTAL♦	2190	1.34	572	0.87	90	67	88.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 21

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CAS.
BY WEEK OF ONSET

AS OF WEEK 21

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	8	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	17	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No. 20

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 20 May 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/21 - 95/20)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS	POLIOVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	
BEL	BRA	107	10	0	6	12.1	80	11	0	0	0
CAR	DOR	27	3	0	1	21.7	18	5	0	0	0
	GUT	13	0	0	0	15.4	11	2	0	0	0
	GUY	5	0	0	0	20.0	4	1	0	0	0
	HAI	5	0	0	0	20.0	4	1	0	0	0
	JAM	7	0	1	0	66.7	2	4	0	0	0
	NIC	12	0	0	0	33.3	8	4	0	0	0
	PAN	5	0	0	0	60.0	2	3	0	0	0
	SUR	3	0	0	0	0.0	3	0	0	0	0
	TRT	5	1	0	0	0.0	4	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	8	0	0	0	100.0	0	0	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	45	23	0	7	26.7	11	4	0	0	0
	BRA	204	24	2	14	20.7	130	17	6	11	0
	PER	80	17	2	20	31.7	28	12	0	1	0
TNC	COR	12	2	1	1	50.0	4	4	0	0	0
	GUT	43	1	5	1	22.2	28	4	4	0	0
	HON	43	0	9	1	21.2	26	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	427	0	28	0	20.8	316	79	3	1	0
INH	GUT	3	0	0	0	33.3	2	0	1	0	0
	VEN	99	2	4	0	17.2	77	14	0	2	0
INS	COL	219	4	14	2	24.1	151	35	0	13	0
	ECU	44	9	0	6	24.1	22	7	0	0	0
MAL	ARG	64	0	2	0	11.3	55	5	1	1	0
	CHI	38	0	1	18	5.3	18	1	0	0	0
	PAR	20	8	0	5	28.6	5	1	0	1	0
	URU	5	1	0	0	0.0	4	0	0	0	0
REC	BRA	65	11	2	2	68.0	16	33	0	1	0
TOTAL		1613	117	71	84	23.2	1030	254	16	41	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/21 - 95/20)

LAB.	CNTRY	RUS ISOLATION Poliovirus		Wild
		Pending	Vaccine	
BEL	BRA	2	19	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	ELS	0	3	0
	GUT	6	0	0
FIO	BOL	0	12	0
	BRA	44	48	0
	PER	0	21	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	5	0	0
INH	GUT	3	0	0
	VEN	12	5	0
INS	COL	0	10	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	0	0
REC	BRA	2	5	0
TOTAL		83	127	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/21 - 95/20)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO MAL	GUT	4	1	0	0	0	0	0	0	0	0	0	0	5
	MEX	1	0	0	2	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	1	0	0	1	6
	ARG	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTAL		6	1	2	4	0	0	0	0	1	0	1	1	16

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 20

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS							
		1995	1- 4	5- 8	9-12	13-16	17	18	19	20
ARG	58	22	7	6	6	3	0	0	0	NR
BOL	3	14	3	4	5	2	0	0	0	0
BRA	45	108	16	29	27	25	5	3	2	1
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0
CHI	8	8	0	2	5	1	0	0	0	0
COL	3	49	7	6	16	12	6	2	0	0
COR	1	12	5	2	2	1	2	0	0	0
CUB	0	5	3	1	1	0	0	0	0	NR
DOR	0	5	0	3	2	0	0	0	0	0
ECU	1	6	3	3	0	0	0	0	0	NR
ELS	1	10	0	4	4	2	0	NR	NR	NR
GUT	0	15	6	1	4	2	2	0	0	0
HAI	7	0	0	0	0	0	0	0	0	0
HON	0	10	0	1	5	4	0	0	0	0
MEX	1	73	7	13	13	22	3	4	8	3
NIC	1	4	0	0	1	2	1	0	0	0
PAN	4	1	0	0	0	1	0	0	0	NR
PAR	0	6	1	1	4	0	0	0	0	0
PER	0	24	1	4	8	11	0	0	0	0
URU	4	2	0	1	0	0	1	0	0	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	14	0	1	4	4	3	0	1	1
TOTAL	138	395	60	85	109	93	23	9	11	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 20

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	22	0.59	91	9	0
BOL	49	1.53	19	1.54	95	89	68.1
BRA	557	1.05	109	0.53	88	44	84.8
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.69	86	57	-
CHI	94	2.33	19	1.22	95	68	82.0
COL	225	1.96	81	1.83	88	77	86.3
COR	19	1.74	9	2.14	78	11	0
CUB	39	1.73	5	0.58	100	60	94.8
DOR	31	1.14	6	0.57	100	67	88.1
ECU	69	1.58	5	0.30	100	80	96.5
ELS	46	1.97	12	1.34	92	100	83.6
GUT	85	2.03	19	1.18	58	84	69.2
HAI	8	0.31	0	0.00	-	-	64.3
HON	43	1.88	17	1.93	100	94	94.1
MEX	509	1.54	135	1.06	92	69	94.0
NIC	47	2.65	10	1.47	100	50	92.4
PAN	9	1.07	1	0.31	100	0	93.3
PAR	19	1.10	7	1.05	100	100	88.2
PER	91	1.04	20	0.95	84	94	86.5
URU	5	0.64	0	0.66	50	50	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	34	1.17	91	91	84.2
TOTAL	2191	1.35	551	0.88	89	67	89.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 20

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE C
BY WEEK OF ONSE.

AS OF WEEK 20

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	1	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	8	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	17	4	0



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No. 19

Expanded Program on Immunization
Polio myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 13 May 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/20 - 95/19)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			Wild
			Not yet in Lab	<10 wks	>10 wks			ENTERO-VIRUS	Poliovirus Pending	Vaccine	
BEL	BRA	110	10	1	5	11.7	83	11	0	0	0
CAR	DOR	27	3	1	0	21.7	18	5	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	5	0	0	0	20.0	4	1	0	0	0
	HAI	6	0	0	0	16.7	5	1	0	0	0
	JAM	7	0	1	0	66.7	2	4	0	0	0
	NIC	12	0	0	0	33.3	8	4	0	0	0
	PAN	5	0	0	0	60.0	2	3	0	0	0
	SUR	3	0	0	0	0.0	3	0	0	0	0
	TRT	5	1	0	0	0.0	4	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	1	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	45	23	0	7	26.7	11	4	0	0	0
	BRA	207	24	5	11	21.0	132	17	6	12	0
	PER	80	17	9	13	31.7	28	12	0	1	0
J	COR	10	0	1	1	50.0	4	4	0	0	0
	GUT	37	0	4	1	21.9	25	4	3	0	0
	HON	44	0	9	1	20.6	27	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	426	0	18	0	21.1	322	82	3	1	0
INH	GUT	6	0	0	0	16.7	5	0	1	0	0
	VEN	102	2	3	0	18.6	79	16	0	2	0
INS	COL	218	2	15	2	24.1	151	35	0	13	0
	ECU	46	9	0	6	22.6	24	7	0	0	0
MAL	ARG	64	0	2	0	11.3	55	5	1	1	0
	CHI	37	0	0	20	5.9	16	1	0	0	0
	PAR	20	8	0	5	28.6	5	1	0	1	0
	URU	5	1	0	0	0.0	4	0	0	0	0
REC	BRA	68	11	2	2	64.2	19	33	0	1	0
TOTAL		1623	112	71	74	23.3	1048	261	15	42	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/20 - 95/19)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	3	20	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	TRT	0	0	0
CDC	ELS	0	3	0
	GUT	6	0	0
FIO	BOL	0	12	0
	BRA PER	46 0	50 21	0 0
INC	COR	0	0	0
	GUT HON	8 1	0 3	0 0
INDRE	MEX	5	0	0
INH	GUT	3	0	0
	VEN	11	5	0
INS	COL	0	11	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	0	0
REC	BRA	2	5	0
TOTAL		85	131	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/20 - 95/19)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO MAL	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	2	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	1	0	0	1	6
	ARG	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTAL		6	0	2	4	0	0	0	0	1	0	1	1	15

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 19

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS									
		1995	1- 4	5- 8	9-12	13	14	15	16	17	18	19
ARG	58	22	7	6	6	2	0	0	1	0	0	0
BOL	3	14	3	4	5	2	0	0	0	0	0	0
BRA	45	107	16	29	27	5	6	6	8	5	3	2
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0	0	0
CHI	9	9	0	5	4	0	0	0	0	0	0	0
COL	3	42	7	6	16	3	3	1	3	3	0	NR
COR	1	7	5	2	0	NR	NR	NR	NR	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0	0	0
DOR	0	5	0	3	2	0	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	0	0	0	0	0
ELS	1	10	0	4	4	1	0	0	1	0	NR	NR
GUT	0	12	7	4	1	NR	NR	NR	NR	NR	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0	0	NR
HON	0	10	0	1	5	0	1	0	3	0	0	0
MEX	1	64	7	16	19	5	7	3	5	2	0	0
NIC	1	4	0	0	1	1	0	0	1	1	0	0
PAN	4	1	0	0	0	1	0	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0	0
PER	0	24	1	4	8	4	5	2	0	0	0	NR
URU	4	2	0	1	0	0	0	0	0	1	0	0
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	18	0	1	8	1	0	2	2	3	0	1
TOTAL	139	375	61	94	113	26	22	14	24	15	3	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 19

SITE	TOTAL		CUMULATIVE					
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT	
ARG	113	1.17	22	0.62	91	9	0	
BOL	49	1.53	19	1.62	95	89	66.6	
BRA	557	1.05	109	0.56	88	44	84.3	
CAN	NR	-	NR	-	-	-	-	
CAR	23	0.87	7	0.72	86	57	-	
CHI	94	2.33	13	0.88	92	54	81.0	
COL	225	1.96	74	1.76	86	80	91.4	
COR	18	1.65	5	1.25	0	0	0	
CUB	39	1.73	5	0.61	100	60	94.9	
DOR	31	1.14	6	0.60	100	67	87.4	
ECU	69	1.58	5	0.31	100	80	96.7	
ELS	46	1.97	12	1.41	92	100	83.6	
GUT	85	2.03	12	0.79	67	83	69.2	
HAI	8	0.31	0	0.00	-	-	63.8	
HON	43	1.88	17	2.03	100	94	93.9	
MEX	509	1.54	117	0.97	92	74	93.9	
NIC	47	2.65	10	1.54	100	50	92.1	
PAN	9	1.07	1	0.32	100	0	93.0	
PAR	19	1.10	7	1.11	100	100	88.0	
PER	91	1.04	32	1.00	84	94	86.3	
URU	5	0.64	2	0.70	50	50	0	
USA	NR	-	NR	-	-	-	-	
VEN	110	1.46	33	1.20	91	88	84.2	
TOTAL*	2190	1.34	508	0.85	89	68	89.8	

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET
AS OF WEEK 19

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CAS
BY WEEK OF ONSET
AS OF WEEK 19

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	8	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	16	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.18

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 6 May 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/19 - 95/18)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION OTHER ENTERO-VIRUS	Poliovirus ISOLATION		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	97	8	6	4	11.4	70	9	0	0	0
CAR	DOR	27	3	1	0	21.7	18	5	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	5	0	0	0	20.0	4	1	0	0	0
	HAI	6	0	0	0	16.7	5	1	0	0	0
	JAM	7	0	1	0	66.7	2	4	0	0	0
	NIC	14	0	0	0	28.6	10	4	0	0	0
	PAN	5	0	0	0	60.0	2	3	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	5	1	0	0	0.0	4	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	5	0	0	0	100.0	0	1	0	4	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	46	23	0	7	31.3	11	5	0	0	0
	BRA	200	22	8	16	22.7	119	18	5	12	0
	PER	84	17	9	13	31.1	31	13	0	1	0
INC	COR	10	0	3	1	66.7	2	4	0	0	0
	GUT	37	0	4	1	21.9	25	4	3	0	0
	HON	40	0	5	1	20.6	27	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	399	0	23	6	20.0	296	69	3	2	0
INH	GUT	8	0	0	0	25.0	6	1	1	0	0
	VEN	101	2	0	0	18.2	81	16	0	2	0
INS	COL	221	2	15	2	24.8	152	35	0	15	0
	ECU	46	9	0	6	22.6	24	7	0	0	0
MAL	ARG	64	0	2	18	9.1	40	2	2	0	0
	CHI	41	0	0	22	10.5	17	2	0	0	0
	PAR	20	8	0	5	28.6	5	1	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	77	15	1	4	59.6	23	33	0	1	0
TOTAL		1593	111	78	106	23.4	994	249	15	40	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/19 - 95/18)


LAB.	CNTRY	RUS ISOLATION Poliovirus		
		Pending	Vaccine	Wild
BEL	BRA	3	20	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
FIO	BOL	0	13	0
	BRA	43	52	0
	PER	0	27	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	5	0	0
INH	GUT	3	0	0
	VEN	11	5	0
INS	COL	0	14	0
	ECU	0	0	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	5	0
TOTAL		82	146	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/19 - 95/18)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO MAL	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	1	1	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	2	1	0	0	0	0	0	0	0	1	5
	ARG	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTAL		6	1	3	3	0	0	0	0	0	0	1	1	15

Case samples only



Vol.10, No.18

Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS								
		1995	1- 4	5- 8	9-12	13	14	15	16	17	18
ARG	58	21	7	6	6	2	0	0	NR	NR	NR
BOL	3	14	3	4	5	2	0	0	0	0	0
BRA	63	90	20	29	28	5	4	2	2	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0	0
CHI	9	9	0	5	4	0	0	0	0	0	0
COL	3	42	7	6	16	3	3	1	3	3	0
COR	1	7	5	2	0	NR	NR	NR	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0	0
DOR	0	5	0	3	2	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	0	0	0	0
ELS	1	10	0	4	4	1	0	0	1	0	NR
GUT	0	12	7	4	1	NR	NR	NR	NR	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0	0
HON	0	6	0	1	5	0	0	0	0	0	0
MEX	7	77	21	32	23	1	0	NR	NR	NR	NR
NIC	1	2	0	0	0	1	0	0	1	0	0
PAN	4	1	0	0	0	1	0	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0	0
PER	0	24	1	4	8	4	5	2	0	0	NR
URU	4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	16	0	2	8	1	0	1	2	2	0
TOTAL	163	360	79	110	117	22	12	6	9	5	0

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 18

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	21	0.63	90	10	0
BOL	49	1.53	19	1.71	95	89	70.8
BRA	555	1.05	84	0.46	88	43	72.6
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.76	86	57	-
CHI	94	2.33	13	0.93	92	54	67.3
COL	225	1.96	74	1.86	86	80	91.5
COR	18	1.65	5	1.32	0	0	0
CUB	39	1.73	5	0.64	100	60	95.2
DOR	31	1.14	6	0.64	100	67	86.6
ECU	69	1.58	5	0.33	100	80	64.9
ELS	46	1.97	12	1.48	92	100	89.3
GUT	85	2.03	12	0.83	67	83	69.2
HAI	8	0.31	0	0.00	-	-	63.8
HON	43	1.88	13	1.64	100	92	93.7
MEX	509	1.54	81	0.71	93	70	94.2
NIC	47	2.65	9	1.47	100	100	91.7
PAN	9	1.07	1	0.34	100	0	93.0
PAR	19	1.10	7	1.17	100	100	87.8
PER	91	1.04	32	1.06	84	94	73.3
URU	5	0.64	NR	-	-	-	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	29	1.11	90	86	82.4
TOTAL♦	2188	1.34	435	0.77	89	69	85.4

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 18

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 18

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	15	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.17

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 29 April 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/18 - 95/17)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending Vaccine	
BEL	BRA	99	8	7	3	11.1	72	9	0	0
CAR	DOR	20	0	0	0	15.0	17	3	0	0
	GUT	14	0	0	0	21.4	11	3	0	0
	GUY	5	0	0	0	20.0	4	1	0	0
	HAI	6	0	0	0	16.7	5	1	0	0
	JAM	7	0	1	0	66.7	2	4	0	0
	NIC	12	0	0	0	25.0	9	3	0	0
	PAN	6	0	0	0	50.0	3	3	0	0
	SUR	4	0	0	0	25.0	3	1	0	0
	TRT	5	2	0	0	0.0	3	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0
	DOR	1	0	0	0	100.0	0	0	0	0
	MEX	6	0	0	0	100.0	0	1	0	0
	NIC	1	0	0	0	100.0	0	0	0	0
	VEN	1	0	0	0	100.0	0	0	1	0
FIO	BOL	48	23	0	7	27.8	13	5	0	0
	BRA	207	22	8	16	23.6	123	21	5	0
	PER	88	17	9	13	32.7	33	15	12	0
INC	COR	10	0	3	1	66.7	2	4	0	0
	GUT	37	0	4	1	21.9	25	4	3	0
	HON	41	0	5	1	20.0	28	7	0	0
	PAN	2	1	0	0	0.0	1	0	0	0
INDRE	MEX	410	0	26	3	19.9	305	71	3	0
INH	GUT	10	0	0	0	40.0	6	3	1	0
	VEN	102	3	4	0	17.9	78	16	0	0
INS	COL	219	0	16	3	22.5	155	31	0	0
	ECU	48	9	0	6	24.2	25	8	14	0
MAL	ARG	66	0	2	18	8.7	42	2	2	0
	CHI	41	0	0	22	10.5	17	2	0	0
	PAR	20	8	0	5	28.6	5	1	0	0
	URU	5	0	0	0	0.0	5	0	0	0
REC	BRA	80	15	1	4	58.3	25	34	0	0
TOTAL		1622	108	86	103	23.2	1017	253	16	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/18 - 95/17)

LAB.	CNTRY	RUS ISOLATION Poliovirus		Wild
		Pending	Vaccine	
BEL	BRA	3	20	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
	VEN	1	0	0
FIO	BOL	0	13	0
	BRA	43	53	0
	PER	0	29	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	5	0	0
INH	GUT	3	0	0
	VEN	14	1	0
INS	COL	0	20	0
	ECU	0	1	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	5	0
TOTAL		86	152	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/18 - 95/17)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	ARG	0	1	0	0	0	0	0	0	0	0	0	0	1
	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	1	1	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	0	0	0	0	0	0	0	0	0	0	1	0	1
FIO	BRA	1	0	2	1	0	0	0	0	0	0	0	1	5
	ARG	0	0	0	0	0	0	0	0	0	0	1	0	1
TOTAL		6	1	3	3	0	0	0	0	0	0	2	1	16

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No.17

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS							
			1- 4	5- 8	9-12	13	14	15	16	17
ARG	58	21	7	6	6	2	0	0	NR	NR
BOL	3	14	3	4	5	2	0	0	0	0
BRA	63	90	20	29	28	5	4	2	2	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	0	0
CHI	9	9	0	5	4	0	0	0	0	0
COL	4	40	10	8	18	3	1	0	0	0
COR	1	7	5	2	0	NR	NR	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0
DOR	3	0	0	0	0	0	0	0	0	NR
ECU	1	6	3	3	0	0	0	0	0	NR
ELS	1	10	0	4	4	1	0	0	1	0
GUT	0	12	7	4	1	NR	NR	NR	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0
HON	0	6	0	1	5	0	0	0	0	0
MEX	7	77	21	32	23	1	0	NR	NR	NR
NIC	2	7	1	2	2	1	0	0	1	0
PAN	4	1	0	0	0	1	0	0	0	0
PAR	0	6	1	1	4	0	0	0	0	0
PER	0	24	1	4	8	4	5	2	0	0
URU	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	16	0	2	8	1	0	1	2	2
TOTAL	168	358	83	111	119	22	10	5	6	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 17

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	113	1.17	21	0.66	90	10	0
BOL	49	1.53	19	1.81	95	89	70.1
BRA	555	1.05	84	0.49	88	43	71.2
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.81	86	57	-
CHI	94	2.33	13	0.99	92	54	71.8
COL	225	1.96	64	1.70	84	83	91.6
COR	18	1.65	5	1.40	0	0	7.6
CUB	39	1.73	5	0.68	100	60	95.0
DOR	30	1.10	0	0.00	-	-	85.7
ECU	69	1.58	5	0.35	100	80	67.4
ELS	46	1.97	12	1.57	92	100	89.4
GUT	85	2.03	12	0.88	67	83	69.2
HAI	8	0.31	0	0.00	-	-	63.3
HON	43	1.88	13	1.74	100	92	93.5
MEX	509	1.54	81	0.75	93	70	94.2
NIC	47	2.65	9	1.55	100	100	91.2
PAN	9	1.07	1	0.36	100	0	92.8
PAR	19	1.10	7	1.24	100	100	87.6
PER	91	1.04	32	1.12	84	94	79.4
URU	5	0.64	0	0.00	-	-	0
USA	0	0.00	NR	-	-	-	-
VEN	110	1.46	29	1.17	90	86	84.6
TOTAL	2187	1.34	419	0.79	88	69	86.0

* Adjusted + Taken within 14 days of onset of paralysis
• Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 17

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 17

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	15	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.16

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 22 April 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/17 - 95/16)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION		Poliovirus Pending	Vaccine	Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS				
BEL	BRA	100	8	7	3	12.2	72	10	0	0	0	0
CAR	DOR	21	0	0	0	19.0	17	4	0	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0	0
	GUY	5	0	0	0	20.0	4	1	0	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0	0
	JAM	7	0	1	0	66.7	2	4	0	0	0	0
	NIC	12	0	0	0	25.0	9	3	0	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0	0
	TRT	5	2	0	0	0.0	3	0	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0	0
	MEX	6	0	0	0	100.0	0	1	0	5	0	0
	NIC	1	0	0	0	100.0	0	0	0	1	0	0
	VEN	1	0	0	0	100.0	0	0	1	0	0	0
PTO	BOL	49	23	0	7	31.6	13	5	0	1	0	0
	BRA	211	22	11	13	23.0	127	21	5	12	0	0
	PER	91	17	9	13	34.6	34	17	0	1	0	0
INC	COR	7	0	0	1	66.7	2	4	0	0	0	0
	GUT	37	0	4	1	21.9	25	4	3	0	0	0
	HON	43	0	5	1	18.9	30	7	0	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0	0
INDRE	MEX	420	0	28	1	19.7	314	72	3	2	0	0
INH	GUT	12	0	0	0	41.7	7	4	1	0	0	0
	VEN	102	2	6	0	16.0	79	14	0	1	0	0
INS	COL	213	3	15	4	23.0	147	31	0	13	0	0
	ECU	51	9	0	6	22.2	28	8	0	0	0	0
MAL	ARG	47	0	3	25	10.5	17	2	0	0	0	0
	CHI	42	0	0	23	10.5	17	2	0	0	0	0
	PAR	21	8	0	5	37.5	5	2	0	1	0	0
	URU	5	0	0	0	0.0	5	0	0	0	0	0
REC	BRA	84	15	1	4	56.3	28	34	0	2	0	0
TOTAL		1629	110	90	107	23.7	1009	259	14	40	0	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/17 - 95/16)

LAB.	CNTRY	RUS ISOLATION		Wild
		Poliovirus Pending	Poliovirus Vaccine	
BEL	BRA	3	20	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
	VEN	1	0	0
FIO	BOL	0	13	0
	BRA	49	57	0
	PER	0	29	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	10	0	0
INH	GUT	5	0	0
	VEN	14	1	0
INS	COL	0	21	0
	ECU	0	1	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	5	0
TOTAL		99	157	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/17 - 95/16)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	1	1	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	0	0	0	0	0	0	0	0	0	0	1	0	1
	BRA	1	0	2	1	0	0	0	1	0	0	0	0	5
TOTAL		6	0	3	3	0	0	0	1	0	0	1	0	14

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS						
		1995	1- 4	5- 8	9-12	13	14	15	16
ARG	40	20	7	6	5	2	0	0	NR
BOL	3	14	3	4	5	2	0	0	0
BRA	63	90	20	29	28	5	4	2	2
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	2	1	0	0	NR
CHI	9	9	0	5	4	0	0	0	0
COL	17	46	15	14	17	0	0	NR	NR
COR	1	7	5	2	0	NR	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	NR
DOR	3	0	0	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	0	0
ELS	3	10	0	4	4	1	0	0	1
GUT	0	12	7	4	1	NR	NR	NR	NR
HAI	7	0	0	0	0	0	0	0	NR
HON	0	6	0	1	5	0	0	0	0
MEX	7	77	21	32	23	1	0	NR	NR
NIC	2	7	1	2	2	1	0	0	1
PAN	4	1	0	0	0	1	0	0	0
PAR	0	6	1	1	4	0	0	0	NR
PER	0	24	1	4	8	4	5	2	0
URU	4	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	13	0	2	8	1	0	1	1
TOTAL	165	360	88	117	117	19	9	5	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 16

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	20	0.67	90	10	0
BOL	49	1.53	19	1.92	95	89	71.7
BRA	555	1.05	84	0.52	88	43	76.2
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.86	86	57	-
CHI	94	2.33	13	1.05	92	54	76.9
COL	225	1.96	56	1.58	84	88	85.1
COR	18	1.65	5	1.49	0	0	7.6
CUB	39	1.73	5	0.72	100	60	94.6
DOR	30	1.10	0	0.00	-	-	84.7
ECU	69	1.58	5	0.37	100	80	64.7
ELS	45	1.93	12	1.67	92	100	89.5
GUT	85	2.03	12	0.93	67	83	69.2
HAI	8	0.31	0	0.00	-	-	63.0
HON	43	1.88	13	1.84	100	92	93.3
MEX	509	1.54	81	0.80	93	70	94.3
NIC	47	2.65	9	1.65	100	100	91.1
PAN	9	1.07	1	0.38	100	0	92.6
PAR	19	1.10	7	1.32	100	100	87.4
PER	91	1.04	32	1.19	84	94	78.3
URU	5	0.64	0	0.00	-	-	0
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	27	1.16	89	89	78.7
TOTAL♦	2160	1.33	408	0.81	88	69	86.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET
AS OF WEEK 16

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASE.
BY WEEK OF ONSET
AS OF WEEK 16

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	4	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	15	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.15

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 15 April 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/16 - 95/15)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Pending	Poliovirus Vaccine	
BEL	BRA	81	7	0	4	8.6	64	6	0	0	0
CAR	DOR	21	0	0	0	19.0	17	4	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	5	0	0	0	20.0	4	1	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	7	0	1	0	66.7	2	4	0	0	0
	NIC	12	0	0	0	25.0	9	3	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	5	2	0	0	0.0	3	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	8	0	0	0	100.0	0	1	0	7	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	1	0	0
FIO	BOL	51	22	0	7	40.9	13	8	0	1	0
	BRA	182	25	0	20	23.4	105	17	5	10	0
	PER	82	7	7	20	39.6	29	18	0	1	0
INC	COR	7	0	0	1	66.7	2	4	0	0	0
	GUT	37	0	4	1	21.9	25	4	3	0	0
	HON	43	0	5	1	18.9	30	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	427	0	28	1	19.6	320	73	3	2	0
INH	GUT	14	0	0	0	42.9	8	5	1	0	0
	VEN	102	1	5	0	15.6	81	14	0	1	0
INS	COL	218	3	16	3	23.5	150	33	0	13	0
	ECU	53	9	0	6	23.7	29	9	0	0	0
MAL	ARG	48	0	3	25	10.0	18	2	0	0	0
	CHI	42	0	0	23	10.5	17	2	0	0	0
	PAR	23	8	0	5	40.0	6	3	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	76	9	0	6	55.7	27	33	0	1	0
TOTAL		1587	94	69	123	24.1	988	260	14	39	0

* Each sample relates to an individual

Case samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/16 - 95/15)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	1	1	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	0	0	0	0	0	0	0	0	0	0	1	0	1
FIO	BRA	1	0	1	1	0	0	0	0	1	0	1	0	5
TOTAL		6	0	2	3	0	0	0	0	1	0	2	0	14

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/16 - 95/15)

LAB.	CNTRY	RUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	6	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
	VEN	1	0	0
FIO	BOL	0	13	0
	BRA PER	54 0	54 29	0 0
INC	COR	0	0	0
	GUT HON	8 1	0 3	0 0
INDRE	MEX	10	0	0
INH	GUT	5	0	0
	VEN	14	1	0
INS	COL	0	26	0
	ECU	0	1	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	5	0
TOTAL		103	145	0

Contact samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No.15

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS								
			1- 4	5- 8	9	10	11	12	13	14	15
ARG	40	20	7	6	2	1	0	2	2	0	0
BOL	2	14	3	5	4	0	1	0	1	0	0
BRA	107	34	24	10	0	0	NR	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	7	1	3	1	0	1	0	1	0	0
CHI	9	9	0	5	1	3	0	0	0	0	0
COL	17	46	15	14	7	2	5	3	0	0	NR
COR	1	7	5	2	0	0	0	NR	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0	0
DOR	3	0	0	0	0	0	0	0	0	NR	NR
ECU	1	6	3	3	0	0	0	NR	NR	NR	NR
ELS	3	9	0	4	2	2	0	0	1	0	0
GUT	0	12	7	4	0	0	1	0	NR	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0	0
HON	0	6	0	1	1	1	1	2	0	0	0
MEX	7	77	21	32	10	4	5	4	1	0	NR
NIC	2	6	1	2	0	0	0	2	1	0	0
PAN	4	1	0	0	0	0	0	0	1	0	NR
PAR	0	6	1	1	0	3	1	0	0	0	0
PER	0	19	3	6	2	1	4	1	2	NR	NR
URU	4	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	12	1	2	3	0	5	0	1	0	0
TOTAL	208	296	95	101	34	17	24	14	11	0	0

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 15

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	20	0.72	90	10	0
BOL	48	1.49	18	1.94	94	89	71.6
BRA	544	1.03	27	0.18	96	26	82.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	7	0.91	86	57	-
CHI	94	2.33	13	1.12	92	54	82.9
COL	225	1.96	56	1.69	84	88	91.7
COR	18	1.65	5	1.59	0	0	7.6
CUB	39	1.73	5	0.77	100	60	94.5
DOR	30	1.10	0	0.00	-	-	83.5
ECU	69	1.58	5	0.40	100	100	61.5
ELS	45	1.93	11	1.63	91	100	89.9
GUT	85	2.03	12	1.00	67	83	69.2
HAI	8	0.31	0	0.00	-	-	62.2
HON	43	1.88	13	1.97	100	92	93.1
MEX	509	1.54	81	0.85	93	70	94.2
NIC	47	2.65	8	1.56	100	100	90.6
PAN	9	1.07	1	0.41	100	0	92.4
PAR	19	1.10	7	1.41	100	100	87.2
PER	91	1.04	23	0.91	83	83	78.3
URU	5	0.64	0	0.00	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	24	1.10	92	92	78.2
TOTAL♦	2148	1.32	336	0.72	89	71	88.0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET
AS OF WEEK 15

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET
AS OF WEEK 15

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	3	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.14

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 8 April 1995

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/15 - 95/14)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	82	7	0	4	8.5	65	6	0	0	0
CAR	DOR	21	0	0	0	19.0	17	4	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	5	0	0	0	20.0	4	1	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	8	0	1	0	71.4	2	5	0	0	0
	NIC	13	0	0	0	30.8	9	4	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	4	1	0	0	0.0	3	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	8	0	0	0	100.0	0	1	0	7	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	1	0	0
FIO	BOL	48	16	0	7	40.0	15	9	0	1	0
	BRA	189	25	0	20	22.9	111	17	6	10	0
	PER	88	7	7	20	40.7	32	21	0	1	0
INC	COR	7	0	0	1	66.7	2	4	0	0	0
	GUT	39	0	4	1	23.5	26	5	3	0	0
	HON	41	0	3	1	18.9	30	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	437	0	28	1	19.6	328	75	3	2	0
INH	GUT	15	0	0	0	40.0	9	5	1	0	0
	VEN	104	1	5	0	14.3	84	13	0	1	0
INS	COL	222	3	18	1	24.0	152	34	0	14	0
	ECU	54	9	0	6	23.1	30	9	0	0	0
MAL	ARG	50	0	3	25	9.1	20	2	0	0	0
	CHI	43	0	0	24	10.5	17	2	0	0	0
	PAR	23	8	0	5	40.0	6	3	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	80	9	0	6	53.8	30	34	0	1	0
TOTAL		1624	87	69	122	24.1	1021	270	15	40	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/15 - 95/14)

LAB.	CNTRY	RUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	6	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
	VEN	2	0	0
FIO	BOL	0	13	0
	BRA	54	54	0
	PER	0	29	0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	10	0	0
INH	GUT	5	0	0
	VEN	14	1	0
INS	COL	0	28	0
	ECU	0	1	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	6	0
TOTAL		104	148	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/15 - 95/14)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	1	1	0	0	0	0	0	0	0	0	3
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	0	0	0	0	0	0	0	0	0	0	1	0	1
FIO	BRA	1	0	1	1	0	0	0	0	2	0	1	0	6
TOTAL		6	0	2	3	0	0	0	0	2	0	2	0	15

Case samples only



Vol. 10, No. 14

Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS							
			1- 4	5- 8	9	10	11	12	13	14
ARG	40	20	7	6	2	1	0	2	2	0
BOL	6	9	4	5	0	0	0	0	0	0
BRA	107	34	24	10	0	0	NR	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	6	1	2	1	0	1	0	1	0
CHI	9	9	0	5	1	3	0	0	0	0
COL	17	46	15	14	7	2	5	3	0	0
COR	1	7	5	2	0	0	0	NR	NR	NR
CUB	0	5	3	1	1	0	0	0	0	0
DOR	3	0	0	0	0	0	0	0	0	NR
ECU	1	6	3	3	0	0	0	NR	NR	NR
ELS	3	10	1	5	2	2	0	0	0	0
GUT	0	12	7	4	0	0	1	0	NR	NR
HAI	7	0	0	0	0	0	0	0	0	0
HON	0	4	0	1	1	1	0	1	0	0
MEX	7	77	21	32	10	4	5	4	1	0
NIC	2	3	1	2	0	0	0	0	0	0
PAN	4	1	0	0	0	0	0	0	1	0
PAR	0	6	1	1	0	3	1	0	0	0
PER	0	19	3	6	2	1	4	1	2	NR
URU	4	0	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	0	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	13	1	3	3	0	5	0	1	0
TOTAL	212	287	97	102	30	17	22	11	8	0

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 14

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	20	0.77	90	10	0
BOL	48	1.49	12	1.39	92	100	72.2
BRA	544	1.03	27	0.19	96	26	79.3
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	6	0.84	83	67	-
CHI	94	2.33	13	1.20	92	54	89.8
COL	225	1.96	56	1.81	84	88	83.8
COR	18	1.65	5	1.70	0	0	7.6
CUB	39	1.73	5	0.82	100	60	85.8
DOR	30	1.10	0	0.00	-	-	82.1
ECU	69	1.58	5	0.42	100	100	61.5
ELS	45	1.93	10	1.59	90	100	90.8
GUT	85	2.03	12	1.07	67	83	69.2
HAI	8	0.31	0	0.00	-	-	61.5
HON	43	1.88	11	1.78	100	91	93.1
MEX	509	1.54	81	0.91	93	70	94.2
NIC	47	2.65	5	1.05	100	100	89.9
PAN	9	1.07	1	0.44	100	0	92.0
PAR	19	1.10	7	1.51	100	100	86.6
PER	91	1.04	23	0.98	83	83	78.3
URU	5	0.64	NR	-	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	24	1.18	92	92	77.4
TOTAL*	2148	1.32	323	0.74	89	71	87.0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	1	0
BOL	1	1	0
BRA	3	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	4	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 1 April 1995

Vol.10, No.13

Poliovirus Surveillance

POLIO HAS BEEN ERADICATED FROM THE AMERICAS
The last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/14 - 95/13)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	84	7	0	4	8.2	67	6	0	0	0
CAR	DOR	22	0	0	0	18.2	18	4	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	6	0	0	0	16.7	5	1	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	8	0	1	0	71.4	2	5	0	0	0
	NIC	13	0	0	0	30.8	9	4	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	3	0	0	0	0.0	3	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	8	0	0	0	100.0	0	1	0	7	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	1	0	0
FIO	BOL	48	16	0	7	40.0	15	9	0	1	0
	BRA	193	25	0	20	22.3	115	17	6	10	0
	PER	91	7	18	9	40.4	34	22	0	1	0
INC	COR	7	0	0	1	66.7	2	4	0	0	0
	GUT	40	0	4	1	25.7	26	6	3	0	0
	HON	41	0	5	1	20.0	28	7	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	430	0	33	1	17.9	325	67	2	2	0
INH	GUT	15	0	0	0	40.0	9	5	1	0	0
	VEN	107	5	5	0	14.4	83	13	0	1	0
INS	COL	220	21	14	1	23.9	140	28	0	16	0
	ECU	55	9	0	6	22.5	31	9	0	0	0
MAL	ARG	37	0	0	25	8.3	11	1	0	0	0
	CHI	44	0	0	25	10.5	17	2	0	0	0
	PAR	23	8	0	5	40.0	6	3	0	1	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	86	9	0	6	50.7	35	35	0	1	0
TOTAL		1624	108	80	112	23.7	1010	258	14	42	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/14 - 95/13)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	6	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
	VEN	2	0	0
FIO	BOL	0	13	0
	BRA PER	55 0	54 32	0 0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	10	0	0
INH	GUT	5	0	0
	VEN	14	1	0
INS	COL	0	28	0
	ECU	0	1	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	6	0
TOTAL		105	151	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/14 - 95/13)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	0	0	0	0	0	0	0	0	0	0	1	0	1
FIO	BRA	1	0	1	1	0	0	0	0	2	0	1	0	6
TOTAL		6	0	1	3	0	0	0	0	2	0	2	0	14

Case samples only



Vol.10, No.13

Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS						
			1- 4	5- 8	9	10	11	12	13
ARG	40	NR	NR	NR	NR	NR	NR	NR	NR
BOL	6	9	4	5	0	0	0	0	0
BRA	107	34	24	10	0	0	NR	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	6	1	2	1	0	1	0	1
CHI	10	8	4	4	0	0	0	0	0
COL	38	46	22	18	6	0	0	0	NR
COR	1	7	5	2	0	0	0	NR	NR
CUB	0	5	3	1	1	0	0	0	0
DOR	3	0	0	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	NR	NR
ELS	3	10	1	5	2	2	0	0	NR
GUT	0	12	7	4	0	0	1	0	NR
HAI	7	0	0	0	0	0	0	0	0
HON	0	4	0	2	1	0	0	1	0
MEX	18	74	29	33	9	3	0	0	0
NIC	2	3	1	2	0	0	0	0	0
PAN	4	1	0	0	0	0	0	0	1
PAR	0	6	1	1	0	3	1	0	0
PER	0	19	3	6	2	1	4	1	2
URU	4	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	18	3	7	3	0	5	0	NR
TOTAL	245	268	111	105	25	9	12	2	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 13

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	12	1.49	92	100	70.6
BRA	544	1.03	27	0.20	96	26	79.3
CAN	0	0.00	NR	-	-	-	-
CAR	23	0.87	6	0.90	83	67	-
CHI	94	2.33	8	0.79	88	75	88.9
COL	227	1.97	44	1.53	86	84	91.6
COR	18	1.65	5	1.83	0	0	7.6
CUB	39	1.73	5	0.89	100	60	94.4
DOR	30	1.10	0	0.00	-	-	80.5
ECU	69	1.58	5	0.46	100	100	61.5
ELS	45	1.93	10	1.71	90	100	91.5
GUT	85	2.03	12	1.15	67	83	75.6
HAI	8	0.31	0	0.00	-	-	61.1
HON	43	1.88	11	1.92	100	91	93.1
MEX	508	1.54	67	0.81	93	73	94.2
NIC	47	2.65	5	1.13	100	100	89.1
PAN	9	1.07	1	0.47	100	0	91.2
PAR	19	1.10	7	1.62	100	100	94.5
PER	91	1.04	23	1.05	83	83	77.0
URU	5	0.64	NR	-	-	-	-
USA	0	0.00	NR	-	-	-	-
VEN	110	1.46	23	1.22	91	91	84.4
TOTAL♦	2149	1.32	271	0.67	89	76	87.9

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 13

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 13

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	3	0

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.12

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 25 March 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 184 WEEKS

Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/13 - 95/12)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	84	7	0	4	8.2	67	6	0	0	0
CAR	DOR	22	0	0	0	18.2	18	4	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	7	0	0	0	28.6	5	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	8	0	2	0	66.7	2	4	0	0	0
	NIC	13	0	0	0	30.8	9	4	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	3	0	0	0	0.0	3	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	8	0	0	0	100.0	0	1	0	7	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	1	0	0
FIO	BOL	48	16	0	7	40.0	15	9	0	1	0
	BRA	198	25	2	18	24.2	116	21	6	10	0
	PER	91	7	18	9	40.4	34	22	0	1	0
INC	COR	7	0	0	1	66.7	2	4	0	0	0
	GUT	40	0	4	1	25.7	26	6	3	0	0
	HON	41	0	7	1	21.2	26	7	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	441	0	34	0	17.7	335	68	2	2	0
INH	GUT	15	0	0	0	40.0	9	5	1	0	0
	VEN	109	5	5	0	14.1	85	13	0	1	0
INS	COL	225	21	14	1	23.8	144	29	0	16	0
	ECU	57	9	0	6	21.4	33	9	0	0	0
MAL	ARG	39	0	0	25	21.4	11	3	0	0	0
	CHI	44	0	0	25	10.5	17	2	0	0	0
	PAR	24	8	2	3	45.5	6	3	0	2	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	88	9	0	6	49.3	37	35	0	1	0
TOTAL		1654	107	88	107	23.9	1029	266	14	43	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/13 - 95/12)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	6	0
CAR	DOR	0	0	0
	GUT	0	0	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	6	0	0
	VEN	2	0	0
FIO	BOL	0	13	0
	BRA PER	55 0	54 32	0 0
INC	COR	0	0	0
	GUT	8	0	0
	HON	1	3	0
INDRE	MEX	10	0	0
INH	GUT	5	0	0
	VEN	14	1	0
INS	COL	0	29	0
	ECU	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	6	0
TOTAL		105	153	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/13 - 95/12)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	GUT	4	0	0	0	0	0	0	0	0	0	0	0	4
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	0	0	0	0	0	0	0	0	0	0	1	0	1
FIO	BRA	1	0	1	1	0	0	0	0	2	0	1	0	6
TOTAL		6	0	1	3	0	0	0	0	2	0	2	0	14

Case samples only



Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS					
			1- 4	5- 8	9	10	11	12
ARG	40	NR	NR	NR	NR	NR	NR	NR
BOL	6	9	4	5	0	0	0	0
BRA	107	34	24	10	0	NR	NR	NR
CAN	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	5	1	2	1	0	1	0
CHI	10	8	4	4	0	0	0	0
COL	38	46	22	18	6	0	0	0
COR	1	7	5	2	0	0	0	NR
CUB	0	5	3	1	1	0	0	0
DOR	3	0	0	0	0	0	0	0
ECU	1	6	3	3	0	0	0	NR
ELS	3	10	1	5	2	2	0	0
GUT	0	12	7	4	0	0	1	0
HAI	7	0	0	0	0	0	0	0
HON	0	8	0	5	2	0	0	1
MEX	18	74	29	33	9	3	0	NR
NIC	2	3	1	2	0	0	0	0
PAN	4	0	0	0	0	0	0	0
PAR	0	6	1	1	0	3	1	0
PER	0	17	3	6	2	1	4	1
URU	4	NR	NR	NR	NR	NR	NR	NR
USA	NR	NR	NR	NR	NR	NR	NR	NR
VEN	1	18	3	7	3	0	5	0
TOTAL	245	268	111	108	26	9	12	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 12

SITE	TOTAL		CASES 1995	RATE 1995*	CUMULATIVE		
	CASES 1994	RATE 1994			% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	12	1.62	92	100	71.4
BRA	544	1.03	27	0.22	96	26	88.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	5	0.82	80	80	-
CHI	94	2.33	8	0.86	88	75	88.0
COL	227	1.97	44	1.66	86	84	91.4
COR	18	1.65	5	1.99	0	0	8.3
CUB	39	1.73	5	0.96	100	60	94.7
DOR	30	1.10	0	0.00	-	-	78.6
ECU	69	1.58	5	0.49	100	100	83.2
ELS	45	1.93	10	1.86	90	100	91.4
GUT	85	2.03	12	1.24	67	83	74.1
HAI	8	0.31	0	0.00	-	-	61.8
HON	43	1.88	11	2.08	100	91	93.0
MEX	508	1.54	67	0.88	93	73	94.5
NIC	47	2.65	5	1.22	100	100	98.1
PAN	9	1.07	0	0.00	-	-	90.5
PAR	19	1.10	7	1.76	100	100	94.6
PER	91	1.04	23	1.14	83	83	84.7
URU	5	0.64	NR	-	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	23	1.32	91	91	84.2
TOTAL*	2149	1.32	269	0.72	88	76	90.6

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 12

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 12

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	1	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	3	0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.11

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 18 March 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 183 WEEKS
Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/12 - 95/11)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS OTHER ENTERO-VIRUS	POLIOVIRUS ISOLATION		
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	Wild
BEL	BRA	87	7	2	2	9.2	69	7	0	0	0
CAR	DOR	22	0	0	0	18.2	18	4	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	7	0	0	0	28.6	5	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	8	2	1	0	60.0	2	3	0	0	0
	NIC	15	0	0	0	33.3	10	5	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	3	0	1	0	0.0	2	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	1	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	53	16	0	7	40.0	18	11	0	1	0
	BRA	204	25	3	17	23.9	121	22	6	10	0
	PER	80	6	6	9	40.7	35	23	0	1	0
INC	COR	7	0	0	1	66.7	2	4	0	0	0
	GUT	35	0	0	1	23.5	26	6	2	0	0
	HON	38	0	3	1	23.5	26	8	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	449	0	34	0	17.8	341	70	2	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	107	2	9	0	15.6	81	13	1	1	0
INS	COL	219	13	18	1	25.1	140	30	0	17	0
	ECU	57	9	0	6	21.4	33	9	0	0	0
MAL	ARG	39	0	0	25	21.4	11	3	0	0	0
	CHI	46	0	13	13	10.0	18	2	0	0	0
	PAR	24	8	2	3	45.5	6	3	0	2	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	92	9	3	3	49.4	39	37	0	1	0
TOTAL		1656	97	95	89	24.4	1040	277	12	46	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/12 - 95/11)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	2	11	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	3	4	0
	NIC	0	2	0
FIO	BOL	0	13	0
	BRA	55	54	0
	PER	0	32	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	1	3	0
INDRE	MEX	15	0	0
INH	GUT	5	0	0
	VEN	15	2	0
INS	COL	1	31	0
	ECU	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	6	0
TOTAL		103	168	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/12 - 95/11)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	VEN	0	0	1	0	0	0	0	0	0	0	0	0	1
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	1	1	0	0	0	0	2	0	1	0	6
TOTAL		4	0	2	3	0	0	0	0	2	0	1	0	12

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No.11

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS							
			1- 4	5	6	7	8	9	10	11
ARG	40	NR	NR	NR	NR	NR	NR	NR	NR	NR
BOL	6	12	6	2	0	3	1	0	0	0
BRA	107	34	24	9	1	0	0	0	NR	NR
CAN	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	5	1	0	0	1	1	1	0	1
CHI	10	8	4	1	1	2	0	0	0	0
COL	38	37	22	3	8	4	0	0	NR	NR
COR	1	7	5	1	0	1	0	0	0	0
CUB	0	4	3	1	0	0	0	0	0	0
DOR	3	0	0	0	0	0	0	0	0	0
ECU	1	6	3	0	0	3	0	0	0	0
ELS	3	10	1	3	0	2	0	2	2	0
GUT	11	8	7	1	0	0	0	0	0	0
HAI	7	0	0	0	0	0	0	0	0	NR
HON	0	3	0	1	2	0	0	0	0	0
MEX	18	74	29	10	8	7	8	9	3	0
NIC	2	3	1	0	0	2	0	0	0	0
PAN	4	0	0	0	0	0	0	0	0	0
PAR	0	5	0	0	0	1	0	0	3	1
PER	5	11	8	2	1	0	0	0	0	NR
URU	4	NR	NR	NR	NR	NR	NR	NR	NR	NR
USA	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
VEN	3	20	6	2	2	1	2	3	0	4
TOTAL	263	247	120	36	23	27	12	15	8	6

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs. ,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 11

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	12	1.77	92	100	71.2
BRA	544	1.03	27	0.24	96	26	88.1
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	5	0.89	80	60	-
CHI	94	2.33	8	0.94	88	75	97.8
COL	227	1.97	35	1.44	86	86	81.0
COR	18	1.65	5	2.17	0	0	5.3
CUB	39	1.73	4	0.84	100	50	95.1
DOR	30	1.10	0	0.00	-	-	65.1
ECU	69	1.58	5	0.54	100	100	95.1
ELS	45	1.93	10	2.02	90	100	92.3
GUT	84	2.01	8	0.91	50	88	63.9
HAI	8	0.31	0	0.00	-	-	60.4
HON	43	1.88	6	1.24	100	83	82.6
MEX	508	1.54	67	0.96	93	73	94.4
NIC	47	2.65	5	1.33	100	100	98.2
PAN	9	1.07	0	0.00	-	-	80.8
PAR	19	1.10	7	1.92	100	100	94.8
PER	91	1.04	10	0.54	60	60	83.7
URU	5	0.64	NR	-	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	22	1.38	91	95	84.2
TOTAL*	2148	1.32	236	0.69	87	74	89.6

* Adjusted + Taken within 14 days of onset of paralysis
• Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 11

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 11

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	2	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.10

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 11 March 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 182 WEEKS

Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/11 - 95/10)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Vaccine	Wild
BEL	BRA	91	7	2	2	10.0	72	8	0	0	0
CAR	DOR	22	0	0	0	18.2	18	4	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	7	1	1	0	60.0	2	3	0	0	0
	NIC	17	0	0	0	35.3	11	6	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	3	0	1	0	0.0	2	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	1	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	52	15	1	6	40.0	18	11	0	1	0
	BRA	206	25	4	16	23.6	123	22	6	10	0
	PER	80	6	6	9	40.7	35	23	0	1	0
INC	COR	5	0	0	1	75.0	1	3	0	0	0
	GUT	37	0	4	1	25.0	24	6	2	0	0
	HON	39	0	3	1	25.7	26	9	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	441	0	31	0	18.0	336	70	2	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	107	3	7	0	15.5	82	13	1	1	0
INS	COL	223	13	19	0	25.1	143	31	0	17	0
	ECU	58	9	0	6	23.3	33	9	0	1	0
MAL	ARG	40	0	0	25	20.0	12	3	0	0	0
	CHI	47	0	13	13	9.5	19	2	0	0	0
	PAR	23	7	2	3	45.5	6	3	0	2	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	94	9	3	3	49.4	40	38	0	1	0
TOTAL		1664	95	97	86	24.5	1046	281	12	47	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/11 - 95/10)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Vaccine	Wild
BEL	BRA	2	11	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	ELS	0	4	0
	GUT	3	4	0
	GUY	0	1	0
	NIC	0	2	0
FIO	BOL	0	13	0
	BRA	55	54	0
	PER	0	32	0
INC	COR	0	0	0
	GUT	4	0	0
	HON	1	5	0
INDRE	MEX	25	0	0
INH	GUT	5	0	0
	VEN	15	2	0
INS	COL	1	36	0
	ECU	0	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	6	0
TOTAL		113	176	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/11 - 95/10)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	VEN	0	0	1	0	0	0	0	0	0	0	0	0	1
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	1	1	0	0	0	0	2	0	1	0	6
TOTAL		4	0	2	3	0	0	0	0	2	0	1	0	12

Case samples only



Vol.10, No.10

Acute Flaccid Paralysis Surveillance

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS						
			1- 4	5	6	7	8	9	10
ARG	40	NR	NR	NR	NR	NR	NR	NR	NR
BOL	6	11	6	2	0	2	1	0	0
BRA	107	34	24	9	1	0	0	0	NR
CAN	NR	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	4	1	0	0	1	1	1	0
CHI	10	8	4	1	1	2	0	0	0
COL	38	37	22	3	8	4	0	0	NR
COR	1	2	2	NR	NR	NR	NR	NR	NR
CUB	0	3	3	0	0	0	NR	NR	NR
DOR	3	0	0	0	0	0	0	0	0
ECU	1	6	3	0	0	3	0	NR	NR
ELS	3	10	1	3	0	2	0	2	2
GUT	12	8	7	1	0	0	0	0	0
HAI	7	0	0	0	0	0	0	0	0
HON	0	3	0	1	2	0	0	0	0
MEX	28	64	31	10	8	5	5	5	0
NIC	2	6	4	0	0	2	0	0	0
PAN	4	0	0	0	0	0	0	0	0
PAR	0	5	1	0	0	1	0	0	3
PER	5	11	8	2	1	0	0	0	0
URU	4	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR
VEN	3	17	7	2	2	1	2	3	0
TOTAL	274	229	124	34	23	23	9	11	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs. % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 10

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	11	1.78	73	100	68.7
BRA	544	1.03	27	0.27	96	26	87.7
CAN	NR	-	NR	-	-	-	-
CAR	23	0.87	4	0.78	100	75	-
CHI	94	2.33	8	1.03	88	75	97.5
COL	227	1.97	35	1.58	86	86	91.2
COR	18	1.65	0	0.00	-	-	20.9
CUB	39	1.73	3	0.69	100	33	67.3
DOR	30	1.10	0	0.00	-	-	73.2
ECU	69	1.58	5	0.59	100	100	95.1
ELS	45	1.93	10	2.23	90	100	92.3
GUT	84	2.01	8	1.00	50	88	60.8
HAI	8	0.31	0	0.00	-	-	60.2
HON	43	1.88	6	1.36	100	83	81.2
MEX	507	1.54	55	0.87	93	73	94.5
NIC	47	2.65	5	1.47	100	100	98.2
PAN	9	1.07	0	0.00	-	-	79.9
PAR	19	1.10	6	1.81	100	100	94.7
PER	91	1.04	10	0.59	60	60	82.9
URU	5	0.64	NR	-	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	110	1.46	18	1.24	89	94	84.0
TOTAL♦	2147	1.32	211	0.67	88	75	89.8

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 10

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 10

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	2	0

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.9

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 4 March 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 181 WEEKS
Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/10 - 95/09)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA- TION	NEG.	ENTEROVIRUS OTHER ENTERO- VIRUS	ISOLATION Poliovirus		Wild
			Not yet in Lab	<10 wks	>10 wks				Pending	Vaccine	
BEL	BRA	94	7	2	2	9.6	75	8	0	0	0
CAR	DOR	24	0	0	0	20.8	19	5	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	6	0	1	0	60.0	2	3	0	0	0
	NIC	20	0	0	0	35.0	13	7	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	4	0	0	0	25.0	3	1	0	0	0
	TRT	4	0	1	0	0.0	3	0	0	0	0
CDC	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	1	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	BOL	53	15	1	6	41.9	18	12	0	1	0
	BRA	208	25	8	12	24.5	123	24	6	10	0
	PER	84	6	6	9	42.9	36	26	0	1	0
INC	COR	5	0	0	1	75.0	1	3	0	0	0
	GUT	40	0	10	2	17.9	23	4	1	0	0
	HON	41	0	6	1	26.5	25	9	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	442	0	34	0	18.4	333	71	2	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	106	1	7	0	15.3	83	13	1	1	0
INS	COL	227	13	19	0	25.6	145	32	0	18	0
	ECU	62	9	0	6	23.4	36	10	0	1	0
MAL	ARG	42	0	0	25	23.5	13	3	0	1	0
	CHI	47	0	13	13	9.5	19	2	0	0	0
	PAR	20	4	2	3	45.5	6	3	0	2	0
	URU	5	0	0	0	0.0	5	0	0	0	0
REC	BRA	97	9	3	4	48.1	42	38	0	1	0
TOTAL		1694	89	113	84	24.9	1058	290	11	49	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/10 - 95/09)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Vaccine	Wild
BEL	BRA	2	11	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	4	0
	GUY	0	1	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	55	54	0
	PER	0	32	0
INC	COR	0	0	0
	GUT	1	0	0
	HON	2	5	0
INDRE	MEX	30	0	0
INH	GUT	5	0	0
	VEN	16	2	0
INS	COL	1	36	0
	ECU	1	2	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	2	6	0
TOTAL		118	184	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/10 - 95/09)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	1	0	0	0	0	0	0	0	0	0	0	0	1
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	VEN	0	0	1	0	0	0	0	0	0	0	0	0	1
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	1	0	1	1	0	0	0	0	2	0	1	0	6
TOTAL		3	0	2	3	0	0	0	0	2	0	1	0	11

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 9

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS					
			1- 4	5	6	7	8	9
ARG	40	NR	NR	NR	NR	NR	NR	NR
BOL	6	11	6	2	0	2	1	0
BRA	107	34	24	9	1	0	0	0
CAN	0	NR	NR	NR	NR	NR	NR	NR
CAR	0	3	1	0	0	1	1	0
CHI	12	5	4	1	0	0	0	0
COL	38	37	22	3	8	4	0	0
COR	1	2	2	NR	NR	NR	NR	NR
CUB	0	3	3	0	0	0	NR	NR
DOR	3	0	0	0	0	0	0	0
ECU	1	6	3	0	0	3	0	NR
ELS	3	7	1	3	0	2	0	1
GUT	14	8	7	1	0	0	NR	NR
HAI	7	0	0	0	0	0	0	0
HON	0	6	2	2	2	0	0	0
MEX	39	56	32	10	7	5	2	0
NIC	2	6	4	0	0	2	0	0
PAN	4	0	0	0	0	0	0	0
PAR	0	3	2	0	0	1	0	0
PER	5	11	8	2	1	0	0	0
URU	4	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR
VEN	4	17	9	2	2	1	2	1
TOTAL	290	215	130	35	21	21	6	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 9

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	11	1.98	73	100	66.4
BRA	544	1.03	27	0.29	96	26	87.8
CAN	0	0.00	NR	-	-	-	-
CAR	23	0.87	3	0.65	100	100	-
CHI	94	2.33	5	0.72	80	80	97.2
COL	227	1.97	35	1.76	86	86	90.9
COR	18	1.65	0	0.00	-	-	20.9
CUB	39	1.73	3	0.77	100	33	67.3
DOR	30	1.10	0	0.00	-	-	83.7
ECU	69	1.58	5	0.66	100	100	95.1
ELS	45	1.93	7	1.73	86	100	92.3
GUT	84	2.01	8	1.11	50	88	67.1
HAI	8	0.31	0	0.00	-	-	61.7
HON	43	1.88	6	1.51	100	83	92.6
MEX	506	1.54	47	0.82	94	77	94.5
NIC	47	2.65	5	1.63	100	100	98.2
PAN	9	1.07	0	0.00	-	-	77.5
PAR	19	1.10	3	1.00	100	100	95.1
PER	91	1.04	10	0.66	60	60	81.5
URU	5	0.64	NR	-	-	-	-
USA	0	0.00	NR	-	-	-	-
VEN	110	1.46	16	1.22	94	94	84.5
TOTAL♦	2146	1.32	191	0.68	88	76	90.4

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 9

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 9

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	2	0

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.8

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 25 February 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 180 WEEKS
Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/09 - 95/08)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	87	6	2	3	10.5	68	8	0	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	6	0	0	0	66.7	2	4	0	0	0
	NIC	17	0	0	0	35.3	11	6	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	2	1	0	0	100.0	0	1	0	0	0
	TRT	4	1	0	0	0.0	3	0	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	9	0	0	0	100.0	0	1	0	8	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	BOL	50	12	1	6	41.9	18	12	0	1	0
	BRA	195	18	4	11	23.5	124	24	4	10	0
	PER	86	6	6	9	43.1	37	27	0	1	0
INC	COR	5	0	1	1	66.7	1	2	0	0	0
	GUT	41	0	10	2	17.2	24	4	1	0	0
	HON	38	0	3	1	26.5	25	9	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	445	0	46	4	18.5	322	69	2	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	103	1	6	0	15.6	81	13	1	1	0
INS	COL	231	13	19	0	25.1	149	32	0	18	0
	ECU	65	9	0	6	26.0	37	11	0	2	0
MAL	ARG	43	0	0	25	22.2	14	3	0	1	0
	CHI	47	0	13	13	9.5	19	2	0	0	0
	PAR	19	6	0	3	50.0	5	3	0	2	0
	URU	5	0	1	0	0.0	4	0	0	0	0
REC	BRA	99	11	3	5	43.8	45	34	0	1	0
TOTAL		1668	84	115	89	24.9	1037	283	9	51	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/09 - 95/08)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	11	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	6	0
	GUY	0	1	0
	MEX	0	1	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	50	60	0
	PER	0	32	0
INC	COR	0	0	0
	GUT	1	0	0
	HON	2	5	0
INDRE	MEX	44	0	0
INH	GUT	5	0	0
	VEN	15	2	0
INS	COL	1	37	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	2	0
REC	BRA	6	9	0
TOTAL		130	201	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/09 - 95/08)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	1	0	0	0	0	0	0	0	0	0	0	0	1
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	VEN	0	0	1	0	0	0	0	0	0	0	0	0	1
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	0	0	0	1	0	0	0	0	2	0	1	0	4
TOTAL		2	0	1	3	0	0	0	0	2	0	1	0	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 8

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS				
			1- 4	5	6	7	8
ARG	40	NR	NR	NR	NR	NR	NR
BOL	6	8	5	2	0	1	NR
BRA	113	26	19	7	0	NR	NR
CAN	0	NR	NR	NR	NR	NR	NR
CAR	0	0	0	0	0	0	0
CHI	12	5	4	1	0	0	0
COL	38	37	22	3	8	4	0
COR	1	2	2	NR	NR	NR	NR
CUB	0	3	3	0	0	0	NR
DOR	0	0	0	0	0	0	NR
ECU	1	6	3	0	0	3	0
ELS	3	6	1	3	0	2	0
GUT	14	8	7	1	0	0	NR
HAI	7	0	0	0	0	0	0
HON	0	3	2	1	0	0	0
MEX	45	57	34	11	7	4	1
NIC	5	6	4	0	0	2	0
PAN	4	0	0	0	0	0	NR
PAR	2	2	2	0	0	0	NR
PER	5	11	8	2	1	0	0
URU	4	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR
VEN	6	14	9	1	2	1	1
TOTAL	306	197	127	32	18	18	2

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 8

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	8	1.62	88	100	62.4
BRA	540	1.02	19	0.23	100	16	73.0
CAN	0	0.00	NR	-	-	-	-
CAR	21	0.79	2	0.49	100	100	-
CHI	94	2.33	5	0.81	80	80	97.9
COL	227	1.97	35	1.98	86	86	90.8
COR	18	1.65	0	0.00	-	-	20.9
CUB	39	1.73	3	0.86	100	33	78.6
DOR	21	0.77	0	0.00	-	-	81.0
ECU	69	1.58	5	0.74	100	100	94.7
ELS	45	1.93	6	1.67	83	100	92.6
GUT	84	2.01	8	1.24	50	88	81.0
HAI	8	0.31	0	0.00	-	-	62.5
HON	43	1.88	3	0.85	100	100	92.6
MEX	506	1.54	46	0.91	93	72	94.4
NIC	47	2.65	5	1.83	100	100	98.0
PAN	9	1.07	0	0.00	-	-	90.5
PAR	19	1.10	2	0.75	100	100	95.1
PER	91	1.04	10	0.74	60	60	81.5
URU	5	0.64	NR	-	-	-	-
USA	0	0.00	NR	-	-	-	-
VEN	110	1.46	13	1.12	92	100	84.3
TOTAL*	2131	1.31	170	0.68	88	75	87.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 8

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 8

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	2	0



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No.7

Expanded Program on Immunization
Polio myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 18 February 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 179 WEEKS
Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/08 - 95/07)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	89	6	2	3	11.5	69	9	0	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	6	0	0	0	66.7	2	4	0	0	0
	NIC	17	0	0	0	35.3	11	6	0	0	0
	PAN	7	0	0	0	57.1	3	4	0	0	0
	SUR	2	1	0	0	100.0	0	1	0	0	0
	TRT	3	0	0	0	0.0	3	0	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	10	0	0	0	100.0	0	1	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	50	12	5	2	41.9	18	12	0	1	0
	BRA	196	18	7	8	23.9	124	25	4	10	0
	PER	83	1	13	2	41.8	39	27	0	1	0
INC	COR	5	0	1	1	66.7	1	2	0	0	0
	GUT	43	0	10	2	16.1	26	4	1	0	0
	HON	40	0	3	1	25.0	27	9	0	0	0
	PAN	1	0	0	0	0.0	1	0	0	0	0
INDRE	MEX	438	0	39	12	16.5	323	61	1	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	101	1	5	0	14.7	81	13	0	1	0
INS	COL	229	40	2	2	25.9	137	30	0	18	0
	ECU	65	9	0	6	26.0	37	11	0	2	0
MAL	ARG	45	0	0	25	25.0	15	4	0	1	0
	CHI	35	0	0	13	9.1	20	2	0	0	0
	PAR	19	6	0	3	50.0	5	3	0	2	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	100	11	3	5	43.2	46	34	0	1	0
TOTAL		1652	105	90	85	24.5	1036	276	7	53	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/08 - 95/07)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	11	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	8	0
	GUY	0	1	0
	MEX	0	3	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	50	63	0
	PER	0	32	0
INC	COR	0	0	0
	GUT	1	0	0
	HON	2	5	0
INDRE	MEX	66	1	0
INH	GUT	5	0	0
	VEN	15	2	0
INS	COL	1	38	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	1	0
REC	BRA	6	9	0
TOTAL		152	209	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/08 - 95/07)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	1	0	0	0	0	0	0	0	0	0	0	0	1
	MEX	0	0	0	1	0	0	0	0	0	0	0	0	1
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	0	0	0	1	0	0	0	0	2	0	1	0	4
TOTAL		1	0	0	3	0	0	0	0	2	0	1	0	7

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 7

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS						
			1	2	3	4	5	6	7
ARG	40	NR	NR	NR	NR	NR	NR	NR	NR
BOL	6	8	2	1	2	0	2	0	1
BRA	113	26	7	6	3	3	7	0	NR
CAN	0	NR	NR	NR	NR	NR	NR	NR	NR
CAR	0	0	0	0	0	0	0	0	NR
CHI	14	5	1	2	1	0	1	0	0
COL	42	27	2	7	8	3	2	5	NR
COR	1	2	2	0	0	0	NR	NR	NR
CUB	0	3	0	0	0	3	0	0	0
DOR	0	0	0	0	0	0	0	0	0
ECU	1	6	1	0	0	2	0	0	3
ELS	3	3	0	0	0	1	2	0	0
GUT	14	8	0	0	5	2	1	0	0
HAI	7	0	0	0	0	0	0	0	0
HON	0	3	2	0	0	0	1	0	NR
MEX	54	43	11	5	11	6	7	3	0
NIC	5	4	1	1	2	0	0	0	0
PAN	4	0	0	0	0	0	0	0	0
PAR	2	2	0	1	1	0	0	0	0
PER	5	5	1	2	2	0	0	0	0
URU	3	NR	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR	NR
VEN	7	13	0	1	4	4	1	2	1
TOTAL	321	160	31	26	40	24	24	10	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 7

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	8	1.85	88	100	56.8
BRA	540	1.02	19	0.27	100	16	87.6
CAN	0	0.00	0	-	-	-	-
CAR	21	0.79	1	0.28	100	100	-
CHI	94	2.33	5	0.92	80	80	97.5
COL	223	1.94	27	1.74	89	93	90.5
COR	18	1.65	0	0.00	-	-	20.9
CUB	39	1.73	3	0.99	100	33	94.1
DOR	21	0.77	0	0.00	-	-	77.2
ECU	69	1.58	5	0.85	100	60	94.2
ELS	45	1.93	3	0.95	100	100	92.7
GUT	84	2.01	8	1.42	50	88	81.0
HAI	8	0.31	0	0.00	-	-	62.2
HON	43	1.88	3	0.97	100	100	92.6
MEX	505	1.53	32	0.72	91	69	94.3
NIC	47	2.65	3	1.26	100	100	97.7
PAN	9	1.07	0	0.00	-	-	92.3
PAR	19	1.10	2	0.86	100	100	95.2
PER	91	1.04	4	0.34	50	25	81.0
URU	4	0.51	NR	-	-	-	-
USA	0	0.00	NR	-	-	-	-
VEN	110	1.46	12	1.18	92	100	84.4
TOTAL♦	2125	1.31	135	0.62	89	73	90.4

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 7

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 7

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	1	0
BRA	3	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	2	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.6

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 11 February 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 178 WEEKS

Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/07 - 95/06)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	90	6	4	1	11.4	70	9	0	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0	0
	GUT	14	0	0	0	21.4	11	3	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	6	0	0	0	66.7	2	4	0	0	0
	NIC	17	0	0	0	35.3	11	6	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	3	1	0	0	50.0	1	1	0	0	0
	TRT	3	0	0	0	0.0	3	0	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	10	0	0	0	100.0	0	1	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	2	0	0	0	100.0	0	0	1	1	0
	BOL	47	8	6	1	43.8	18	13	0	1	0
	BRA	199	18	7	8	24.1	126	26	4	10	0
	PER	84	8	8	4	45.3	35	28	0	1	0
INC	COR	5	0	1	1	66.7	1	2	0	0	0
	GUT	44	1	7	2	17.6	28	5	1	0	0
	HON	41	0	3	1	27.0	27	10	0	0	0
	PAN	2	1	0	0	0.0	1	0	0	0	0
INDRE	MEX	442	0	45	8	16.5	325	61	1	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	100	3	4	0	14.0	80	13	0	0	0
INS	COL	230	40	2	2	26.3	137	31	0	18	0
	ECU	62	12	0	7	20.9	34	7	0	2	0
MAL	ARG	47	0	0	25	22.7	17	4	0	1	0
	CHI	30	0	0	13	17.6	14	3	0	0	0
	PAR	19	6	0	3	50.0	5	3	0	2	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	102	11	3	5	42.2	48	34	0	1	0
TOTAL		1658	115	90	81	24.6	1034	278	8	52	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/07 - 95/06)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	11	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	12	0
	GUY	0	1	0
	MEX	0	4	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	50	63	0
	PER	0	26	0
INC	COR	0	0	0
	GUT	1	0	0
	HON	2	5	0
INDRE	MEX	69	1	0
INH	GUT	5	0	0
	VEN	16	1	0
INS	COL	1	38	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	1	0
REC	BRA	6	9	0
TOTAL		156	207	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/07 - 95/06)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	GUT	1	0	0	0	0	0	0	0	0	0	0	0	1
	MEX	0	0	0	1	0	0	0	0	0	0	0	0	1
	COR	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	1	0	0	0	0	0	0	0	0	0	0	0	1
FIO	BRA	0	0	0	1	0	0	1	0	2	0	0	0	4
TOTAL		2	0	0	3	0	0	1	0	2	0	0	0	8

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 6

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS					
			1	2	3	4	5	6
ARG	40	NR	NR	NR	NR	NR	NR	NR
BOL	6	4	2	1	0	0	1	0
BRA	113	26	7	6	3	3	7	0
CAN	0	NR	NR	NR	NR	NR	NR	NR
CAR	0	2	1	0	1	0	0	0
CHI	23	3	1	2	0	0	0	0
COL	42	27	2	7	8	3	2	5
COR	1	2	2	0	0	0	NR	NR
CUB	10	3	0	0	0	3	0	0
DOR	0	0	0	0	0	0	0	NR
ECU	13	4	2	0	0	2	0	0
ELS	3	3	0	0	0	1	2	0
GUT	14	7	0	0	5	2	0	NR
HAI	7	0	0	0	0	0	0	0
HON	0	3	2	0	0	0	1	0
MEX	56	42	11	5	11	6	6	3
NIC	5	4	1	1	2	0	0	0
PAN	4	0	0	0	0	0	0	NR
PAR	2	2	0	1	1	0	0	0
PER	18	5	1	2	2	0	0	0
URU	3	NR	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR	NR
VEN	11	9	0	1	4	2	0	2
TOTAL	371	146	32	26	37	22	19	10

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 6

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	4	1.08	75	100	50.8
BRA	540	1.02	19	0.31	100	16	64.9
CAN	NR	-	NR	-	-	-	-
CAR	21	0.79	1	0.33	100	100	-
CHI	94	2.33	3	0.64	67	67	98.0
COL	223	1.94	27	2.03	89	93	90.3
COR	18	1.65	0	0.00	-	-	20.9
CUB	39	1.73	3	1.15	100	33	93.4
DOR	21	0.77	0	0.00	-	-	71.5
ECU	69	1.58	2	0.40	100	100	93.6
ELS	45	1.93	3	1.11	100	100	92.9
GUT	84	2.01	7	1.45	57	71	80.1
HAI	8	0.31	0	0.00	-	-	61.8
HON	43	1.88	3	1.14	100	100	92.3
MEX	505	1.53	31	0.82	90	65	94.2
NIC	47	2.65	3	1.47	100	100	97.5
PAN	9	1.07	0	0.00	-	-	91.7
PAR	19	1.10	2	1.00	100	100	95.2
PER	91	1.04	4	0.40	50	25	78.7
URU	4	0.51	NR	-	-	-	-
USA	0	0.00	NR	-	-	-	-
VEN	109	1.44	9	1.03	100	100	84.4
TOTAL♦	2124	1.30	121	0.64	89	69	85.5

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 6

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 6

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	0	0
BRA	3	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	14	1	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.5

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 4 February 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 177 WEEKS
Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/06 - 95/05)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			Wild
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	
BEL	BRA	96	8	7	2	15.2	67	12	0	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0	0
	GUT	14	0	0	9	40.0	3	2	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	6	0	0	0	66.7	2	4	0	0	0
	NIC	20	0	3	0	35.3	11	6	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	3	1	0	0	50.0	1	1	0	0	0
	TRT	3	0	1	0	0.0	2	0	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	10	0	0	0	100.0	0	1	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	46	6	6	1	42.4	19	13	0	1	0
	BRA	200	50	1	9	26.4	103	26	4	7	0
	PER	86	8	8	4	43.9	37	28	0	1	0
INC	COR	5	0	1	1	66.7	1	2	0	0	0
	GUT	46	1	7	2	22.2	28	6	2	0	0
	HON	40	0	7	1	25.0	24	8	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	449	0	45	6	16.3	333	62	1	2	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	101	3	4	0	14.9	80	13	1	0	0
INS	COL	221	44	3	3	24.6	129	28	0	14	0
	ECU	63	12	0	8	18.6	35	6	0	2	0
MAL	ARG	49	0	0	25	25.0	18	4	0	2	0
	CHI	30	0	0	13	17.6	14	3	0	0	0
	PAR	19	6	0	3	50.0	5	3	0	2	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	107	19	2	7	36.7	50	28	0	1	0
TOTAL		1676	159	95	94	24.4	1004	270	9	45	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/06 - 95/05)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	7	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	8	0
	GUY	0	1	0
	MEX	0	4	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	65	33	0
	PER	0	28	0
INC	COR	0	0	0
	GUT	5	0	0
	HON	2	5	0
	PAN	0	0	0
INDRE	MEX	79	1	0
INH	GUT	5	0	0
	VEN	16	2	0
INS	COL	1	38	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	1	0
REC	BRA	7	4	0
TOTAL		186	167	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/06 - 95/05)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	1	0	0	0	0	0	0	0	0	0	0	0	1
	COR	0	0	1	0	0	0	0	0	0	0	0	0	1
FIO	BRA	1	1	0	1	0	0	0	0	1	0	0	0	4
TOTAL		4	1	1	2	0	0	0	0	1	0	0	0	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 5

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS				
		1995	1	2	3	4	5
ARG	40	NR	NR	NR	NR	NR	NR
BOL	11	2	1	1	0	0	NR
BRA	130	7	5	1	1	0	NR
CAN	0	NR	NR	NR	NR	NR	NR
CAR	0	2	1	0	1	0	0
CHI	23	3	1	2	0	0	0
COL	59	20	2	5	10	3	0
COR	1	2	2	0	0	0	NR
CUB	21	0	0	0	0	0	NR
DOR	0	0	0	0	0	0	0
ECU	14	4	2	0	0	2	0
ELS	4	2	0	0	0	1	1
GUT	14	7	0	0	5	2	0
HAI	7	0	0	0	0	0	0
HON	7	3	3	0	0	0	0
MEX	59	33	11	5	11	3	3
NIC	5	3	1	1	1	0	0
PAN	4	0	0	0	0	0	0
PAR	2	2	0	1	1	0	0
PER	18	5	1	2	2	0	0
URU	3	NR	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR	NR
VEN	13	7	0	1	4	2	0
TOTAL	435	102	30	19	36	13	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 5

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	2	0.65	100	100	43.7
BRA	532	1.00	3	0.06	100	0	60.2
CAN	NR	-	NR	-	-	-	-
CAR	21	0.79	1	0.39	100	100	-
CHI	94	2.33	3	0.77	67	67	98.5
COL	220	1.91	20	1.81	75	90	89.8
COR	18	1.65	0	0.00	-	-	27.9
CUB	39	1.73	0	0.00	-	-	92.3
DOR	21	0.77	0	0.00	-	-	63.3
ECU	69	1.58	2	0.48	100	100	92.7
ELS	45	1.93	2	0.89	100	100	93.3
GUT	84	2.01	7	1.74	57	71	80.1
HAI	8	0.31	0	0.00	-	-	62.5
HON	43	1.88	3	1.36	100	100	92.1
MEX	502	1.52	23	0.73	87	70	93.9
NIC	47	2.65	2	1.17	100	100	97.5
PAN	9	1.07	0	0.00	-	-	90.1
PAR	19	1.10	2	1.20	100	100	95.4
PER	91	1.04	4	0.48	50	25	73.8
URU	4	0.51	NR	-	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	109	1.44	8	1.10	100	100	83.8
TOTAL*	2110	1.30	82	0.52	83	78	84.0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 5

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 5

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	0	0
BRA	2	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	13	1	0



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.4

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 28 January 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 176 WEEKS

Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/05 - 95/04)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	97	8	7	2	15.0	68	12	0	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0	0
	GUT	14	0	0	10	50.0	2	2	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	7	0	0	0	14.3	6	1	0	0	0
	JAM	6	0	0	0	66.7	2	4	0	0	0
	NIC	20	0	3	0	35.3	11	6	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	3	1	0	0	50.0	1	1	0	0	0
	TRT	3	0	1	0	0.0	2	0	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	COR	1	0	0	0	100.0	0	0	1	0	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	10	0	0	0	100.0	0	1	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	49	6	6	1	44.4	20	15	0	1	0
	BRA	203	50	1	9	26.6	105	27	4	7	0
	PER	86	7	12	0	44.8	37	29	0	1	0
INC	COR	6	0	1	1	50.0	2	2	0	0	0
	GUT	44	0	6	1	24.3	28	7	2	0	0
	HON	43	0	7	1	28.6	25	10	0	0	0
	NIC	1	0	0	0	0.0	1	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	447	0	34	10	16.6	336	64	2	1	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	101	2	5	0	14.9	80	13	1	0	0
INS	COL	177	17	2	5	20.9	121	24	0	8	0
	ECU	63	15	0	5	18.6	35	6	0	2	0
MAL	ARG	52	0	0	25	22.2	21	4	0	2	0
	CHI	33	0	0	13	15.0	17	3	0	0	0
	PAR	19	6	0	3	50.0	5	3	0	2	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	111	19	2	7	36.1	53	29	0	1	0
TOTAL		1650	132	87	93	24.2	1014	276	10	38	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/05 - 95/04)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	7	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	4	8	0
	GUY	0	1	0
	MEX	0	4	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	70	33	0
	PER	0	28	0
INC	COR	0	0	0
	GUT	5	0	0
	HON	2	5	0
	NIC	0	0	0
	PAN	0	0	0
INDRE	MEX	79	1	0
INH	GUT	5	0	0
	VEN	16	5	0
INS	COL	1	38	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	1	0
REC	BRA	8	5	0
TOTAL		193	171	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/05 - 95/04)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
CDC FIO	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	VEN	1	0	0	0	0	0	0	0	0	0	0	0	1
	COR	0	0	1	0	0	0	0	0	0	0	0	0	1
	BRA	1	1	0	1	0	0	0	0	1	0	0	0	4
TOTAL		5	1	1	2	0	0	0	0	1	0	0	0	10

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 4

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS			
			1	2	3	4
ARG	40	NR	NR	NR	NR	NR
BOL	11	2	1	1	0	0
BRA	130	7	5	1	1	0
CAN	0	NR	NR	NR	NR	NR
CAR	0	2	1	0	1	0
CHI	23	3	1	2	0	0
COL	51	0	0	0	NR	NR
COR	1	2	2	0	0	0
CUB	21	0	0	0	0	0
DOR	4	0	0	0	0	0
ECU	14	4	2	0	0	2
ELS	3	0	0	0	0	0
GUT	15	7	0	0	5	2
HAI	7	0	0	0	0	0
HON	7	3	3	0	0	0
MEX	72	21	9	3	8	1
NIC	5	3	1	1	1	0
PAN	4	0	0	0	0	0
PAR	2	2	0	1	1	0
PER	18	4	0	2	2	0
URU	3	NR	NR	NR	NR	NR
USA	0	NR	NR	NR	NR	NR
VEN	14	5	0	1	4	0
TOTAL	445	65	25	12	23	5

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 4

SITE	TOTAL		CASES 1995	CUMULATIVE			
	CASES 1994	RATE 1994		RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	2	0.81	100	100	65.5
BRA	532	1.00	3	0.07	100	0	44.6
CAN	0	0.00	NR	-	-	-	-
CAR	21	0.79	1	0.49	100	100	-
CHI	94	2.33	3	0.97	67	67	97.8
COL	195	1.70	0	0.00	-	-	88.0
COR	18	1.65	0	0.00	-	-	42.0
CUB	39	1.73	0	0.00	-	-	51.1
DOR	21	2.77	0	0.00	-	-	50.0
ECU	69	1.58	2	0.59	100	100	94.4
ELS	44	1.88	0	0.00	-	-	94.2
GUT	84	2.01	7	2.18	57	29	80.2
HAI	8	0.31	0	0.00	-	-	61.8
HON	43	1.88	3	1.70	100	100	91.8
MEX	500	1.52	13	0.51	85	46	93.7
NIC	47	2.65	2	1.47	100	100	96.5
PAN	9	1.07	0	0.00	-	-	90.1
PAR	19	1.10	2	1.51	100	100	94.2
PER	91	1.04	3	0.45	33	0	72.2
URU	4	0.51	NR	-	-	-	-
USA	0	0.00	NR	-	-	-	-
VEN	109	1.44	5	0.86	100	100	82.9
TOTAL*	2082	1.28	46	0.37	83	59	81.1

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 4

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASE
BY WEEK OF ONSET

AS OF WEEK 4

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	0	0
BRA	2	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	13	1	0

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.3

Expanded Program on Immunization Poliomyelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 21 January 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 177 WEEKS

Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/04 - 95/03)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			ENTERO-VIRUS	Pending	Poliovirus Vaccine	Wild
BEL	BRA	103	8	7	2	15.1	73	13	0	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0	0
	GUT	14	0	0	10	50.0	2	2	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	8	0	0	0	25.0	6	2	0	0	0
	JAM	6	0	0	0	66.7	2	4	0	0	0
	NIC	17	0	0	0	35.3	11	6	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	3	1	0	0	50.0	1	1	0	0	0
	TRT	2	0	0	0	0.0	2	0	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	DOR	1	0	0	0	100.0	0	0	0	1	0
	MEX	10	0	0	0	100.0	0	1	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	49	6	6	1	44.4	20	15	0	1	0
	BRA	205	50	4	6	26.9	106	28	4	7	0
	PER	86	7	12	0	44.8	37	29	0	1	0
INC	COR	6	1	1	0	50.0	2	2	0	0	0
	ELS	1	0	0	0	0.0	1	0	0	0	0
	GUT	43	0	4	1	23.7	29	7	2	0	0
	HON	41	0	8	2	35.5	20	11	0	0	0
	NIC	3	0	0	0	0.0	3	0	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	430	0	40	8	16.8	318	61	2	1	0
INH	GUT	13	0	0	0	38.5	8	5	0	0	0
	VEN	103	4	3	0	14.6	82	13	1	0	0
INS	COL	178	17	2	5	20.8	122	24	0	8	0
	ECU	62	12	0	5	20.0	36	7	0	2	0
MAL	ARG	55	1	0	25	24.1	22	5	0	2	0
	CHI	34	0	0	13	14.3	18	3	0	0	0
	PAR	20	6	0	3	45.5	6	3	0	2	0
	URU	4	0	0	0	0.0	4	0	0	0	0
REC	BRA	111	19	2	7	36.1	53	29	0	1	0
TOTAL		1644	133	89	88	24.4	1008	279	9	38	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/04 - 95/03)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	7	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	9	0
	GUY	0	1	0
	MEX	0	5	0
	NIC	0	2	0
FIO	BOL	0	19	0
	BRA	71	33	0
	PER	0	28	0
INC	COR	0	0	0
	ELS	0	0	0
	GUT	5	0	0
	HON	2	5	0
	NIC	0	0	0
	PAN	0	0	0
INDRE	MEX	88	1	0
INH	GUT	5	0	0
	VEN	16	5	0
INS	COL	1	38	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	1	0
REC	BRA	8	5	0
TOTAL		202	173	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/04 - 95/03)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	1	0	0	1	0	0	0	0	0	0	0	0	2
	VEN	1	0	0	0	0	0	0	0	0	0	0	0	1
	BRA	1	1	0	1	0	0	0	0	1	0	0	0	4
TOTAL		5	1	0	2	0	0	0	0	1	0	0	0	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 3

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM. 1995	WEEKS		
			1	2	3
ARG	40	0	NR	NR	NR
BOL	11	2	1	1	0
BRA	130	7	5	1	1
CAN	NR	NR	NR	NR	NR
CAR	0	2	1	0	1
CHI	24	0	0	0	0
COL	51	0	0	0	NR
COR	0	0	NR	NR	NR
CUB	21	0	0	0	NR
DOR	4	0	0	0	0
ECU	14	1	1	0	NR
ELS	8	0	0	0	NR
GUT	15	0	0	0	NR
HAI	7	0	0	0	NR
HON	9	0	0	0	NR
MEX	101	3	3	0	0
NIC	5	3	1	1	1
PAN	4	0	0	0	0
PAR	2	2	0	1	1
PER	18	4	0	2	2
URU	3	0	NR	NR	NR
USA	0	0	NR	NR	NR
VEN	17	5	0	1	4
TOTAL	484	29	12	7	10

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 3

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	NR	-	-	-	-
BOL	48	1.49	2	1.08	100	100	64.9
BRA	532	1.00	3	0.10	100	0	-
CAN	NR	-	NR	-	-	-	-
CAR	21	0.79	1	0.65	100	100	-
CHI	94	2.33	0	0.00	-	-	100.0
COL	195	1.70	0	0.00	-	-	87.3
COR	15	1.37	NR	-	-	-	-
CUB	39	1.73	0	0.00	-	-	91.7
DOR	21	0.77	0	-	-	-	0
ECU	68	1.55	0	0.00	-	-	97.1
ELS	44	1.88	0	0.00	-	-	94.2
GUT	85	2.03	0	0.00	-	-	0
HAI	8	0.31	0	0.00	-	-	61.1
HON	43	1.88	0	0.00	-	-	89.9
MEX	484	1.47	0	0.00	-	-	93.4
NIC	47	2.65	2	1.95	100	100	94.2
PAN	9	1.07	0	0.00	-	-	90.1
PAR	19	1.10	2	2.01	100	100	93.3
PER	91	1.04	3	0.59	33	0	71.2
URU	4	0.51	NR	-	-	-	-
USA	NR	-	NR	-	-	-	-
VEN	109	1.44	5	1.15	100	100	82.9
TOTAL♦	2063	1.27	18	0.19	89	67	88.7

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

CAR Includes reports from all CAREC member countries

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	0	0
BRA	2	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	13	1	0



PAN AMERICAN HEALTH ORGANIZATION
PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE
WORLD HEALTH ORGANIZATION



Vol.10, No.2

Expanded Program on Immunization
Polio Myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 14 January 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 174 WEEKS

Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/03 - 95/02)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION		Wild
			Not yet in Lab	<10 wks	>10 wks			ENTERO-VIRUS	Poliovirus Pending/Vaccine	
BEL	BRA	105	9	4	2	16.7	75	15	0	0
CAR	DOR	16	0	0	0	18.8	13	3	0	0
	GUT	14	0	0	10	50.0	2	2	0	0
	GUY	8	0	0	0	25.0	6	2	0	0
	HAI	8	0	0	0	25.0	6	2	0	0
	JAM	6	0	0	0	66.7	2	4	0	0
	NIC	17	0	0	0	35.3	11	6	0	0
	PAN	6	0	0	0	50.0	3	3	0	0
CDC	SUR	3	1	0	0	50.0	1	1	0	0
	TRT	2	0	0	0	0.0	2	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	0
	DOR	1	0	0	0	100.0	0	0	0	0
	MEX	10	0	0	0	100.0	0	1	0	0
	NIC	1	0	0	0	100.0	0	0	0	0
	VEN	1	0	0	0	100.0	0	0	0	0
FIO	BOL	45	12	0	5	46.4	15	12	0	0
	BRA	210	50	5	5	27.3	109	30	5	0
	PER	87	5	12	0	42.9	40	29	0	0
INC	COR	6	4	2	0	0.0	0	0	0	0
	ELS	2	0	0	0	50.0	1	1	0	0
	GUT	46	0	4	1	29.3	29	10	2	0
	HON	41	0	8	2	35.5	20	11	0	0
	NIC	3	0	0	0	0.0	3	0	0	0
INDRE	PAN	3	1	0	0	0.0	2	0	0	0
INDRE	MEX	427	0	37	17	15.8	314	57	1	0
	VEN	102	3	2	0	15.5	82	14	1	0
INS	COL	183	17	2	5	21.4	125	26	0	0
	ECU	63	12	2	3	19.6	37	7	0	0
MAL	ARG	58	1	0	25	25.0	24	6	0	0
	CHI	36	0	0	13	13.0	20	3	0	0
	PAR	18	4	1	2	45.5	6	3	0	0
	URU	4	1	0	0	0.0	3	0	0	0
REC	BRA	107	17	4	8	33.3	52	25	0	0
TOTAL		1653	137	83	98	24.3	1011	278	9	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/03 - 95/02)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	1	7	0
CAR	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
CDC	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	2	0
	ELS	0	4	0
	GUT	3	9	0
	GUY	0	1	0
	MEX	0	7	0
FIO	NIC	0	2	0
	BOL	0	11	0
	BRA	62	33	0
INC	PER	0	28	0
INC	COR	0	0	0
	ELS	0	0	0
	GUT	5	0	0
	HON	2	5	0
	NIC	0	0	0
INDRE	PAN	0	0	0
	MEX	96	1	0
INH	GUT	5	0	0
	VEN	16	5	0
INS	COL	1	40	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	1	0
	URU	0	1	0
REC	BRA	8	5	0
TOTAL		200	169	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/03 - 95/02)

LAB	COUNTRY	NOT YET IN LAB				POLIOVIRUS IN LAB < 4 Wks				IN LAB > 4 Wks				TOTAL
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	0	0	0	1	0	0	0	0	0	0	0	0	1
	VEN	1	0	0	0	0	0	0	0	0	0	0	0	1
	BRA	3	1	0	1	0	0	0	0	0	0	0	0	5
TOTAL		6	1	0	2	0	0	0	0	0	0	0	0	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 2

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL 1994	CUM.	WEEKS	
		1995	1	2
ARG	40	0	NR	NR
BOL	14	0	0	NR
BRA	135	4	4	0
CAN	NR	NR	NR	NR
CAR	0	1	1	0
CHI	24	0	0	0
COL	51	0	0	NR
COR	0	0	NR	NR
CUB	21	0	0	0
DOR	4	0	NR	NR
ECU	14	1	1	0
ELS	8	0	0	0
GUT	15	0	0	0
HAI	7	0	0	0
HON	9	0	0	0
MEX	116	2	2	NR
NIC	5	2	1	1
PAN	4	0	0	0
PAR	2	1	0	1
PER	16	0	0	NR
URU	3	0	NR	NR
USA	NR	NR	NR	NR
VEN	19	1	0	1
TOTAL	507	12	9	3

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED , RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 2

SITE	TOTAL		CUMULATIVE				
	CASES 1994	RATE 1994	CASES 1995	RATE 1995*	% INV. < 48hr	% 2 SMPLS+	% REPORT
ARG	87	0.90	0	0.00	-	-	27.8
BOL	46	1.43	0	0.00	-	-	75.1
BRA	525	0.99	2	0.10	100	0	82.4
CAN	NR	-	NR	-	-	-	-
CAR	21	0.79	0	0.00	-	-	-
CHI	94	2.33	0	0.00	-	-	92.7
COL	195	1.70	0	0.00	-	-	91.5
COR	15	1.37	0	0.00	-	-	68.3
CUB	39	1.73	0	0.00	-	-	92.1
DOR	21	0.77	0	0.00	-	-	71.5
ECU	68	1.55	0	0.00	-	-	90.6
ELS	44	1.88	0	0.00	-	-	84.4
GUT	85	2.03	0	0.00	-	-	56.0
HAI	8	0.31	0	0.00	-	-	54.4
HON	43	1.88	0	0.00	-	-	90.4
MEX	482	1.46	0	0.00	-	-	91.9
NIC	47	2.65	1	1.47	100	100	96.6
PAN	9	1.07	0	0.00	-	-	92.6
PAR	19	1.10	1	1.51	100	0	92.7
PER	88	1.01	0	0.00	-	-	80.9
URU	4	0.51	0	0.00	-	-	0
USA	NR	-	NR	-	-	-	-
VEN	109	1.44	1	0.34	100	100	80.6
TOTAL	2049	1.26	5	0.08	100	40	86.8

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 2

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 2

SITE	TOTAL 1994	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	0	0
BRA	2	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	2	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	13	1	0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

CAR Includes reports from all CAREC member countries



PAN AMERICAN HEALTH ORGANIZATION

PAN AMERICAN SANITARY BUREAU REGIONAL OFFICE OF THE WORLD HEALTH ORGANIZATION



Vol.10, No.1

Expanded Program on Immunization Polio Myelitis Surveillance in the Americas

Weekly Bulletin for the week
ending 7 January 1995

Poliovirus Surveillance

NO INDIGENOUS WILD POLIO VIRUS HAS BEEN DETECTED FOR THE LAST 173 WEEKS
Last wild poliovirus was detected on 5 September 1991, in Peru

Table No. 1a
Status of Case Stool Sample Analysis
Last 52 Weeks (94/02 - 95/01)

LAB.	CNTRY	TOTAL *	WITHOUT RESULTS			% ISOLA-TION	NEG.	ENTEROVIRUS ISOLATION			
			Not yet in Lab	<10 wks	>10 wks			OTHER ENTERO-VIRUS	Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	103	7	6	2	17.0	73	15	0	0	0
CAR	DOR	20	0	0	0	15.0	17	3	0	0	0
	GUT	15	0	0	11	50.0	2	2	0	0	0
	GUY	8	0	0	0	25.0	6	2	0	0	0
	HAI	8	0	0	0	25.0	6	2	0	0	0
	JAM	6	0	1	0	80.0	1	4	0	0	0
	NIC	19	0	0	0	31.6	13	6	0	0	0
	PAN	6	0	0	0	50.0	3	3	0	0	0
	SUR	2	0	0	0	50.0	1	1	0	0	0
	TRT	3	0	0	0	33.3	2	1	0	0	0
CDC	COL	1	0	0	0	100.0	0	0	0	1	0
	DOR	2	0	0	0	100.0	0	0	0	2	0
	GUT	1	0	0	0	100.0	0	0	0	1	0
	MEX	10	0	0	0	100.0	0	1	0	9	0
	NIC	1	0	0	0	100.0	0	0	0	1	0
	VEN	1	0	0	0	100.0	0	0	0	1	0
FIO	BOL	43	10	0	5	46.4	15	12	0	1	0
	BRA	207	46	2	4	26.5	114	31	5	5	0
	PER	89	4	12	0	43.8	41	31	0	1	0
INC	COR	4	0	4	0	0.0	0	0	0	0	0
	ELS	4	0	0	0	75.0	1	3	0	0	0
	GUT	48	2	1	1	36.4	28	14	2	0	0
	HON	42	0	8	2	34.4	21	11	0	0	0
	NIC	5	0	0	0	40.0	3	2	0	0	0
	PAN	3	1	0	0	0.0	2	0	0	0	0
INDRE	MEX	450	0	39	14	15.9	334	61	1	1	0
INH	GUT	13	0	0	2	45.5	6	5	0	0	0
	VEN	106	0	4	0	12.7	89	13	0	0	0
INS	COL	193	17	2	5	23.1	130	30	0	9	0
	ECU	68	11	2	3	21.2	41	8	0	3	0
MAL	ARG	60	1	0	25	23.5	26	6	0	2	0
	CHI	17	0	0	0	5.9	16	1	0	0	0
	PAR	18	3	2	1	41.7	7	3	0	2	0
	URU	4	1	0	0	0.0	3	0	0	0	0
REC	BRA	110	19	3	6	31.7	56	24	1	1	0
TOTAL		1690	122	86	81	24.6	1057	295	9	40	0

* Each sample relates to an individual

Case samples only

Table No. 1b
Status of Contact Stool Sample Analysis
Last 52 Weeks (94/02 - 95/01)

LAB.	CNTRY	POLIOVIRUS ISOLATION		
		Poliovirus Pending	Poliovirus Vaccine	Wild
BEL	BRA	2	7	0
CAR	COR	0	0	0
	DOR	0	0	0
	GUT	0	1	0
	GUY	0	0	0
	HAI	0	0	0
	JAM	0	0	0
	NIC	0	0	0
	PAN	0	0	0
	SUR	0	0	0
	TRT	0	0	0
CDC	DOR	0	5	0
	ELS	0	4	0
	GUT	3	10	0
	GUY	0	1	0
	MEX	0	8	0
	NIC	0	2	0
FIO	BOL	0	11	0
	BRA	63	34	0
	PER	0	31	0
INC	ELS	0	0	0
	GUT	4	0	0
	HON	2	5	0
	NIC	0	0	0
	PAN	0	0	0
INDRE	MEX	111	1	0
INH	GUT	5	0	0
	VEN	15	5	0
INS	COL	1	41	0
	ECU	1	6	0
MAL	ARG	0	0	0
	CHI	0	0	0
	PAR	0	0	0
	URU	0	1	0
REC	BRA	8	5	0
TOTAL		215	178	0

Contact samples only

Table No. 2
Status of Poliovirus Pending Intratypic Differentiation
Last 52 Weeks (94/02 - 95/01)

LAB	COUNTRY	POLIOVIRUS												TOTAL
		NOT YET IN LAB				IN LAB < 4 Wks				IN LAB > 4 Wks				
		P1	P2	P3	MIX	P1	P2	P3	MIX	P1	P2	P3	MIX	
FIO	BRA	1	0	0	0	0	0	0	0	0	0	0	0	1
	GUT	2	0	0	0	0	0	0	0	0	0	0	0	2
	MEX	0	0	0	1	0	0	0	0	0	0	0	0	1
	BRA	3	1	0	1	0	0	0	0	0	0	0	0	5
TOTAL		6	1	0	2	0	0	0	0	0	0	0	0	9

Case samples only



Acute Flaccid Paralysis Surveillance

Vol.10, No. 1

Table No. 1
CASES OF ACUTE FLACCID PARALYSIS UNDER INVESTIGATION
BY WEEK OF REPORT

SITE	TOTAL	CUM.	SEM
	1994	1995	1
ARG	40	0	NR
BOL	14	0	0
BRA	137	0	0
CAN	0	0	NR
CAR	5	1	1
CHI	25	0	0
COL	51	0	0
COR	9	0	NR
CUB	21	0	0
DOR	4	0	NR
ECU	19	0	NR
ELS	8	0	0
GUT	20	0	NR
HAI	7	0	NR
HON	9	0	0
MEX	116	2	2
NIC	12	1	1
PAN	6	0	NR
PAR	3	0	0
PER	16	0	0
URU	3	0	NR
USA	0	0	NR
VEN	21	0	0
TOTAL	546	4	4

NR NO REPORT RECEIVED

Table No. 2
CASES OF AFP REPORTED, RATE PER 100,000 < 15 yrs.,
% INVESTIGATED WITHIN 48 hrs, % WITH 2 ADEQUATE
SAMPLES AND % OF SITES REPORTING WEEKLY
AS OF WEEK 1

SITE	TOTAL		CUMULATIVE				
	CASES	RATE	CASES	RATE	% INV.	% 2	%
	1994	1994	1995	1995*	< 48hr	SMPLS+	REPORT
ARG	87	0.90	0	0.00	-	-	34.5
BOL	46	1.43	0	0.00	-	-	85.7
BRA	511	0.96	0	0.00	-	-	85.5
CAN	0	0.00	0	0.00	-	-	-
CAR	21	0.79	0	0.00	-	-	-
CHI	87	2.16	0	0.00	-	-	92.5
COL	195	1.70	0	0.00	-	-	91.6
COR	15	1.37	0	0.00	-	-	71.5
CUB	39	1.73	0	0.00	-	-	92.2
DOR	21	0.77	0	0.00	-	-	80.9
ECU	67	1.53	0	0.00	-	-	94.8
ELS	43	1.84	0	0.00	-	-	87.5
GUT	83	1.99	0	0.00	-	-	64.7
HAI	8	0.31	0	0.00	-	-	54.6
HON	43	1.88	0	0.00	-	-	90.3
MEX	482	1.46	0	0.00	-	-	91.9
NIC	47	2.65	0	0.00	-	-	96.8
PAN	9	1.07	0	0.00	-	-	92.9
PAR	19	1.10	0	0.00	-	-	92.7
PER	88	1.01	0	0.00	-	-	80.8
URU	4	0.51	0	0.00	-	-	0
USA	0	0.00	0	0.00	-	-	-
VEN	109	1.44	1	0.69	100	100	80.6
TOTAL♦	2024	1.24	1	0.03	100	100	88.0

Table No. 3
CONFIRMED CASES OF POLIOMYELITIS
BY WEEK OF ONSET

AS OF WEEK 1

SITE	TOTAL	CUMULATIVE	
		1994	1995
ARG	0	0	0
BOL	0	0	0
BRA	0	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	0	0	0
HAI	0	0	0
HON	0	0	0
MEX	0	0	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	0	0	0

Table No. 4
POLIO COMPATIBLE CASES
BY WEEK OF ONSET

AS OF WEEK 1

SITE	TOTAL	CUMULATIVE	
		1994	1995
ARG	1	0	0
BOL	1	0	0
BRA	2	0	0
CAN	0	0	0
CAR	0	0	0
CHI	0	0	0
COL	0	0	0
COR	0	0	0
CUB	0	0	0
DOR	0	0	0
ECU	0	0	0
ELS	0	0	0
GUT	1	0	0
HAI	0	0	0
HON	0	0	0
MEX	7	1	0
NIC	0	0	0
PAN	0	0	0
PAR	0	0	0
PER	0	0	0
URU	0	0	0
USA	0	0	0
VEN	0	0	0
TOTAL	12	1	0

* Adjusted + Taken within 14 days of onset of paralysis
♦ Excluding Canada and USA

CAR Includes reports from all CAREC member countries