

Pan American Health Organization / World Health Organization (PAHO/WHO)

CAUSES OF DEATH CONSIDERED AMENABLE TO HEALTH CARE¹

Selected conditions, group and cause

| Diseases categories | Name of group | Age | ICD10 |
|---------------------|--|------|--|
| Infections | Intestinal infections | 0-14 | A00-A09 |
| | Tuberculosis | 0-74 | A15-A19, B90 |
| | Selected infections and parasitic diseases | 0-74 | A21-A26, A28 A30-A33, A34, A40, A41, A48 A36,A35,A80 A38, A40-A41, A46, A49.1, A55, A57, A58, A64, A68, B50- B54, B65-B69, B71, B73-B83, L03 G00, G03, G04, G06 |
| | Whooping cough | 0-14 | A37 |
| | Measles, Rubella (German measles), Unspecified viral infection characterized by skin and mucous membrane lesions | 1-14 | B05, B06, B09 |
| | Hepatitis HIV/AIDS | 0-74 | B15 – B19, B20 – B24 |
| Neoplasms | Malignant neoplasm of lip | 0-74 | C00 |
| | Malignant neoplasm of stomach, colon, recto sigmoid junction, rectum, anus and anal canal, liver and intrahepatic bile ducts | 0-74 | C16, C18-C21, C22 |
| | Malignant melanoma of skin, Other malignant neoplasm of skin | 0-74 | C43, C44 |
| | Malignant neoplasm of breast (female only) | 0-74 | C50 |
| | Malignant neoplasm of cervix uteri | 0-74 | C53 |
| | Malignant neoplasm of cervix of the uterus and body of the uterus | 0-74 | C54, C55 |
| | Malignant neoplasm of testis | 0-74 | C62 |
| | Malignant neoplasm of bladder | 0-74 | C67 |

¹ Mortality amenable to health care has been defined as “those premature deaths that should have not occurred in the presence of timely and effective health care”. The list is based on the proposals from England (Nolte & McKee 2004, 2008, 2011), England & Wales (2010, 2011 – Office for the National Health Statistics - ONHS), Mexico (Secretaría de Salud - SSA - 2006), Canada (Health Canada, 2012), New Zealand (Tobias M & Jackson G, 2001; Tobias M & Yeh L, 2009). See references below.

| Diseases categories | Name of group | Age | ICD10 |
|---|---|------|--|
| | Malignant neoplasm of Thyroid gland | 0-74 | C73 |
| | Hodgkin's disease | 0-74 | C81 |
| | Leukaemia | 0-44 | C91-C95 |
| | In situ Neoplasms | 0-74 | D00 – D09 |
| | Benign neoplasms | 0-74 | D10 – D36 |
| Nutritional, endocrine and metabolic diseases | Diseases of the thyroid | 0-74 | E00 - E07 |
| | Diabetes mellitus | 0-49 | E10 - E14 |
| | Adrenal disorders | | E24, E25, E27 |
| | Congenital metabolic disorders | | E74.0, E74.2 |
| Neurologic disorders | Epilepsy | 0-74 | G40-G41 |
| Cardiovascular diseases | Rheumatic and other valvular heart diseases | 0-74 | I00 – I02, I05-I09 |
| | Hypertensive disease | 0-74 | I10-I13, I15 |
| | Ischaemic heart disease | 0-74 | I20-I25 |
| | Cerebrovascular disease Atherosclerosis, Peripheral vascular disease | 0-74 | I60-I69, I70, I73.9 (- 50%) |
| Diseases of the respiratory system | Respiratory diseases (excl. pneumonia/influenza) | 1-14 | J00-J09, J20-J99 |
| | Influenza | 0-74 | J10-J11 |
| | Pneumonia | 0-74 | J12-J18, J45, J46 |
| Diseases of the digestive system | Peptic ulcer disease | 0-74 | K25-K27, K28, K29 |
| | Appendicitis | 0-74 | K35-K38 |
| | Abdominal hernia | 0-74 | K40-K46 |
| | Paralytic ileus and intestinal obstruction without hernia | 0-74 | K56 |
| | Disorders of the gallbladder, biliary tract and pancreas | 0-74 | K80-K86 |
| | Postprocedural disorders of digestive system | 0-74 | K91 |
| Diseases of the Genitourinary system | Nephritis and nefrosis Obstructive uropathy, urolithiasis Renal failure Other disorders of kidney and urether Non-specific urethritis Urethral stricture | 0-74 | N00-N08, N13, N20, N21, N23 N17-N19 N25-N27 N34.1 N35 |
| | Benign prostatic hyperplasia | 0-74 | N40 |
| | Inflammatory diseases of the female genitourinary (GU) system | 0-74 | N70 – N73, N75, N76 |
| | Noninflammatory diseases of the female genital tract | 0-74 | N87, N88, N90 |
| | Other disorders of the GU system | 0-74 | N99.1 |
| | Pregnancy, childbirth and puerperium | All | O00-O99 |
| | Congenital malformations, deformations and chromosomal abnormalities | 0-74 | Q00-Q99 |
| | Complications of the perinatal period | All | P00-P96 |
| External causes | Misadventures to patients during treatment and abnormal reactions of the patients | All | Y60-Y69, Y83-Y84 |

REFERENCES

- Nolte E, McKee M. Does health care saves lives? Avoidable mortality revisited. The Nuffield Trust, 2004.
- Nolte E, McKee M. Measuring the health of nations: updating an earlier analysis. *Health Affairs*. 2008; 27(1):58-71.
- Nolte E, McKee M. Variations in amenable mortality – Trends in 16 high-income nations. *Health Policy* 103 (2011) 47 – 52.
- Office for National Health Statistics (England & Wales). Avoidable Mortality in England and Wales, 2010. Statistical Bulletins 2010 and 2011.
- Secretaría de Salud. La Mortalidad en México 2000 – 2004 - Muertes evitables: magnitud, distribución y tendencias. México, 2006.
- Tobias M, Jackson G. Avoidable mortality in New Zealand, 1981-1997. *Aust N Z Public Health*. 2001; 25 (1) 12-20.
- Tobias M, Yeh L. How much does health care contribute to health gain and to health inequality? Trends in amenable mortality in New Zealand 1981–2004. *Aust N Z Public Health*. 2009; 33:70-8.
- Health Canada (Statistics Canada): Health Indicators 2012: Definitions, Data Sources and Rationale, May 2012.
- Rutstein DD et al. Measuring the Quality of Medical Care: A Clinical Method. *N Engl J Med* 1976; 294: 582-588.