
Surveillance of Non-Communicable Diseases (NCDs) Reporting Form

Instructions and Notes:

1. This data collection tool has been designed to be used in conjunction with:
 - The Minimum, Optimum and Optional Dataset for Chronic Non-Communicable Diseases, Violence and Injuries, Technical Specifications

2. The data requested is categorized into core, expanded and optional fields which are indicated as follows:

	Core
	Expanded
	Optional

3. Fields that require data to be entered are shaded in light blue

Surveillance of Non-Communicable Diseases (NCDs)
Reporting Form

COUNTRY:

REPORTING YEAR:

SURVEILLANCE COORDINATOR:

COUNTRY: 0

Reporting Year: 0

I. Mortality from NCDs

Mortality Selected Conditions	Data Year	Age Standardized Mortality Rates Per 100,000 Population		PYLL Rate per 100,000 Population ‰		Data Source
Ischaemic Heart Disease ICD10 I20-I25		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Cerebrovascular Disease ICD10 I60-I69		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Malignant Neoplasms (total) ICD10 C00-C97		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Cervical Cancer ICD10 C53		Females < 70		Females		
Lung Cancer including Trachea, Bronchus and Lung ICD10 C33, C34		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Female Breast Cancer ICD10 C50		Females < 70		Females		
Cancer of the Digestive System ICD10 C15-C26, C48		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Diabetes ICD10 E10- E14		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		

COUNTRY: 0

Reporting Year: 0

I. Mortality from NCDs

Mortality Selected Conditions	Data Year	Age Standardized Mortality Rates Per 100,000 Population		PYLL Rate per 100,000 Population ¥		Data Source
Chronic Lower Respiratory Diseases ICD10 J40-J47		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
External Causes ICD10 V01-Y89		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Land Transport Accidents ICD10 V01-V89		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		
Assault (Homicide) ICD10 X85-Y09		Males < 70		Males		
		Females < 70		Females		
		Total < 70		Total		

¥ PYLL Rate calculated using country-specific estimated life- expectancy

Country-specific Life Expectancy (years):

Males:
Females:
Total:

COUNTRY: 0

REPORTING YEAR: 0

II. Prevalence/Incidence of Selected NCDs

Prevalence/Incidence Selected Conditions	Data Year	Value			Standard Deviation				Data Source	Comments	
			Males	Females	Total		Males	Females			Total
Diabetes Mellitus prevalence (self reported) ICD10 E10-E14		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					
¥ EITHER: ☐Diabetes Mellitus incidence (self reported) OR ☐ Diabetes Mellitus incidence (Detected first time through health care system)											
		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					
Hypertension prevalence (self reported) ICD10 I10-I15		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					

COUNTRY: 0

REPORTING YEAR: 0

II. Prevalence/Incidence of Selected NCDs

Prevalence/Incidence Selected Conditions	Data Year	Value			Standard Deviation			Data Source	Comments		
			Males	Females	Total		Males	Females	Total		
¥ EITHER: <input type="checkbox"/> Hypertension incidence (self reported) OR <input type="checkbox"/> Hypertension incidence (Detected first time through health care system)		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
¥ EITHER: <input type="checkbox"/> Overweight prevalence (self reported height and weight) OR <input type="checkbox"/> Overweight prevalence (measured height and weight) <i>Cut off: BMI 25.0-29.99</i>		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					
¥ EITHER: <input type="checkbox"/> Obesity prevalence (self reported height and weight) OR <input type="checkbox"/> Obesity prevalence (measured height and weight) <i>Cut off: BMI ≥ 30</i>		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					

¥ Please tick appropriate box

COUNTRY: 0

REPORTING YEAR: 0

III. Risk Factors for Chronic Diseases

Risk Factors	Data Year	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Prevalence of current daily smokers of tobacco		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Prevalence of current smokers of tobacco		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Prevalence of tobacco consumption among the youth		13 -15				13 -15					
		<i>Other:</i>				<i>Other:</i>					
Average age started smoker (years)		13 -15				13 -15					
		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					

COUNTRY: 0

REPORTING YEAR: 0

III. Risk Factors for Chronic Diseases

Risk Factors	Data Year	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Proportion of population exposed to second hand smoke		13 -15				13 -15					
		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Proportion of men who are binge drinkers		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Proportion of women who are binge drinkers		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Prevalence of alcohol consumption among the youth		13 -15				13 -15					
		<i>Other:</i>				<i>Other:</i>					
Annual per capita alcohol consumption		Total									
Mean number of servings of fruits per day		13 -15				13 -15					
		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					

COUNTRY: 0

REPORTING YEAR: 0

III. Risk Factors for Chronic Diseases

Risk Factors	Data Year	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Mean number of servings of vegetables per day		13 -15				13 -15					
		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					
Percentage of population who eat 5 or more servings of fruits and vegetables a day		13 -15				13 -15					
		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					
Percentage of people with low levels of activity (see technical specifications) or having less than 30 minutes of activity per day		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					
Percentage of people with moderate levels of activity (see technical specifications)		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		Other:				Other:					

COUNTRY: 0

REPORTING YEAR: 0

III. Risk Factors for Chronic Diseases

Risk Factors	Data Year	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Percentage of people with high levels of activity (see technical specifications)		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Prevalence of physical inactivity among the youth		13 -15				13 -15					
		<i>Other:</i>				<i>Other:</i>					
Mean level of systolic blood pressure in the population		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Mean level of diastolic blood pressure in the population		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					

COUNTRY: 0

REPORTING YEAR: 0

III. Risk Factors for Chronic Diseases

Risk Factors	Data Year	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Mean level of blood glucose in the population		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Median BMI in the population		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					
Mean waist circumference in the population		25 - 34				25 - 34					
		35 - 44				35 - 44					
		45 - 54				45 - 54					
		55 - 64				55 - 64					
		25 - 64				25 - 64					
		<i>Other:</i>				<i>Other:</i>					

COUNTRY: 0

REPORTING YEAR: 0

IV. Health System Performance Indicators

Prevalence/Incidence Selected conditions	Data	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Percentage of population covered by Social Health Insurance		25 - 64				25 - 64					
		Other:				Other:					
Percentage of population covered by Health Insurance		25 - 64				25 - 64					
		Other:				Other:					
Percentage of population covered by Private Health Insurance		25 - 64				25 - 64					
		Other:				Other:					
Percentage of population at risk of chronic diseases in the social health insurance system		25 - 64				25 - 64					
		Other:				Other:					
Percentage of women 25-64 years who have had a Pap smear within the last 3 years		25 - 64				25 - 64					
		Other:				Other:					
Percentage of women 45-69 years who have ever had a mammogram		45-69				45-69					
		Other:				Other:					
Percentage of persons who had blood pressure checked in the last year		25 - 64				25 - 64					
		Other:				Other:					
Percentage of persons who had blood sugar checked in the last year		25 - 64				25 - 64					
		Other:				Other:					
Percentage of persons who had blood cholesterol checked in the last year		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					

COUNTRY: 0

REPORTING YEAR: 0

IV. Health System Performance Indicators

Prevalence/Incidence Selected conditions	Data	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Percentage of diabetics who had an eye exam in the given year		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Percentage of diabetics who had their feet examined in the given year		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Percentage of hospital discharges with diagnosis myocardial infarction (MI) in a given year ICD10 I21 - I22		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Average length of stay in Hospital because of MI		Total				Total					
Percentage of hospital discharges with diagnosis stroke in a given year ICD10 I60-I69		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Average length of stay in Hospital because of stroke		Total				Total					
Percentage of hospital discharges with diagnosis COPD in a given year ICD10 J40-J47		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Percentage of hospital discharges with diagnosis diabetes in a given year ICD10 I60-I69		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Average length of stay in Hospital because of diabetes		Total				Total					

COUNTRY: 0

REPORTING YEAR: 0

IV. Health System Performance Indicators

Prevalence/Incidence Selected conditions	Data	Value				Standard Deviation				Data Source	Comments
			Males	Females	Total		Males	Females	Total		
Percentage of amputations among adults with diabetes in a given year		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Percentage of persons on dialysis among adults with diabetes in a given year		25 - 64				25 - 64					
		≥ 65				≥ 65					
		Other:				Other:					
Geographic accessibility of PHC service		Total				Total					

COUNTRY: 0

Reporting Year: 0

V. Socioeconomic and Context Indicators

Mortality Selected Conditions	Data Year	Value		Data Source	Comments
Total Population		Males			
		Females			
		Total			
Urban population					
Gross national income					
Population below poverty line					
Highest 20%/Lowest 20% income ratio					
Production of fruits					
Import of fruits					
Export of fruits					
Production of vegetables					
Import of vegetables					
Export of vegetables					
Production of alcohol					
Import of alcohol					
Production of tobacco					

COUNTRY: 0

Reporting Year: 0

V. Socioeconomic and Context Indicators

Mortality Selected Conditions	Data Year	Value	Data Source	Comments
Import of tobacco				
Export of tobacco				